

OPL / OAL Mounting Accessories

Project _____

Catalog _____

Type _____

Date _____

Product Description

Mounting accessories for the OPL and OAL line of NICOR Outdoor products.

Construction


- Straight steel with square 4" and round 4" diameter

Finish

- Fine Bronze powder coat

Warranty

- 1-year warranty




180° Wall Mount Bracket with 2-3/8" O.D. Tenon

OPL41WM1

MAX EPA: 0.5

Finish: Dark Bronze

The 180° wall mount bracket with 2-3/8" tenon attaches flood and area fixtures to almost any surface: wall, roof, or wood pole. Provides wiring access and a built-in 2-3/8" O.D. tenon to mount a fixture with our adjustable slip-fitter. Suggested 3/8" diameter bolts for mounting.




90° Wall Mount Bracket with 2-3/8" O.D. Tenon

OPL41WM2

MAX EPA: 0.6

Finish: Dark Bronze

The 90° wall mount bracket with 2-3/8" tenon attaches flood and area fixtures to almost any surface: wall, roof, or wood pole. Provides wiring access and a built-in 2-3/8" O.D. tenon to mount a fixture with an adjustable slip-fitter. Suggested 3/8" diameter bolts for mounting.



4" Round Pole Mount with 2-3/8" O.D. Tenon

OPL41TNA

MAX EPA: 0.3

Finish: Dark Bronze

For use with round, non-tapered steel and aluminum poles. Furnished with four 3/8" hex head stainless-steel bolts. Vertical tenon measures 2-3/8" O.D.

