Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative

# **LEAD FREE**\*

# AquaLock™ Plastic Manifolds

Watts AquaLock push-to-connect Manifolds are designed and manufactured for many years of trouble free service. Produced of off white Polysulfone, a high performance thermal plastic material, the Watts AquaLock design allows for quick and easy connections without the use of installation tools.

## **Specifications**

Connection shall be made using Watts AquaLock Plastic fitting with Integral Collet and O-Ring guide. Fitting shall be able to fully rotate under pressure and allow for easy disconnect and re-use without the use of disconnection tools. Fitting must not disassemble to disconnect.

### **Approvals**

NSF-61, NSF-14, CSA B137.5, ASTM F877, UPC, ASSE 1061

## **Ratings**

100psi @ 180°F (6.8 bar @ 82°C) 250psi @ 75°F (17.3 bar @ 24°C)

#### Example

3589-1810

35 = Plastic

89 = Single Union Body

1810 = 1" CTS x ½" CTS

# **AquaL**6ck<sup>™</sup>















#### **A** CAUTION

The polysulfone material used in the AquaLock™ fittings can be compromised by exposure to volatile organic compounds (VOC's) and caustic chemicals. Therefore, **DO NOT** expose this product to any such chemical or foreign substance, which would include exposure to the following products: **Pipe Dopes (thread sealants)**, bug sprays, lubricants, cleaners, paints, bleaches, acids, solder fluxes, plastic piping primers and cements, oxidizing agents, alkaline solutions, thinners, fuels, oil based caulks, hydrocarbons, spray foam of foaming agents (insulation).

It is also recommended that all threaded connections be made with  $\text{Teflon}^{\text{\tiny{\$}}}$  tape only.


#### NOTICE


The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

\*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.




# **Assembly Elements**Plastic Push-to-connect Manifold






# **Installation Dimensions**

#### Plastic Push-to-connect Manifold






#### Weights - Weights are approximate

### Manifolds - Single


Manifolds - Single Union Body

MODEL	ORDERING CODE	SIZE & Connection	ITEM WEIGHT	
			lbs.	kg.
Package Type	Single Pack			
3589-1810	0959257	1" CTS x 1/2" CTS	3.4	1.5
Package Type: Bulk Pack				
3589-1810	81903052	1" CTS x 1/2" CTS	3.4	1.5




Manifolds - Single Stem Body - Right

MODEL	ORDERING CODE	SIZE & Connection	ITEM WEIGHT		
			lbs.	kg.	
Package Type:	Package Type: Single Pack				
3590-1810	0959258	1" CTS x 1/2" CTS	3	1.4	
Package Type: Bulk Pack					
3590-1810CP	81903053	1" CTS x 1/2" CTS	3	1.4	



Manifolds - Single Stem Body - Left

MODEL	ORDERING CODE	SIZE & Connection	ITEM WEIGHT	
			lbs.	kg.
Package Type: Single Pack				
3591-1810	0959259	1" CTS x 1/2" CTS	3	1.4
Package Type: Bulk				
3591-1810CP	81903059	1" CTS x 1/2" CTS	3	1.4



Manifold Single Side Mounting Kits

MODEL	ORDERING CODE	SIZE & Connection	ITEM WEIGHT	
			lbs.	kg.
Package Type: Single Pack				
3581-18	0959260	For 35 Series	1.1	.5
Package Type: Bulk				
3581-18CP	81903044	For 35 Series	1.1	.5



3581

#### Manifolds - Dual


Manifolds - Dual Union Body

Manifolds - Duai Union Body				
MODEL	ORDERING Code	SIZE & Connection		EM IGHT
			lbs.	kg.
Package Type	Single Pack			
3583-1810	0959303	1" CTS x 1/2" CTS	6.8	3.1
Package Type	Bulk			
3583-1810CP	819903046	1" CTS x 1/2" CTS	6.8	3.1



Manifolds - Dual Stem Body

MODEL	ORDERING CODE	SIZE & Connection	ITEM WEIGHT	
			lbs.	kg.
Package Type	Single Pack			
3584-1810	0959304	1" CTS x 1/2" CTS	6	2.7
Package Type: Bulk				
3584-1810CP	819903047	1" CTS x 1/2" CTS	6	2.7



# Manifolds - Dual (cont'd)

Manifold Dual Side Mounting Kits

MODEL	ORDERING Code	SIZE & CONNECTION	ITEM WEIGHT		
			lbs.	kg.	_
Package Typ	Package Type: Single Pack				
3580-18	0959295	For 35 Series	1.5	.69	
Package Typ	Package Type: Bulk				_
3580-18CP	81903043	For 35 Series	1.5	.69	_



**Manifold Divider Plugs** 

MODEL	ORDERING CODE	SIZE & CONNECTION	ITEM WEIGHT	
			lbs.	kg.
Package Ty	pe: Single Pa	ck		
3582-18	0959266	For 35 Series	0.3	.14
Package Ty	pe: Bulk			
3582-18CP	81903045	For 35 Series	0.3	.14



**Manifold Return Ends** 

MODEL	ORDERING CODE	SIZE & CONNECTION	ITEM WEIGHT	
			lbs.	kg.
Package Type: Single Pack				
3585-18	0959296	1" CTS	2.3	1.0
Package Typ	oe: Bulk			
3585-18CP	89030248	1" CTS	2.3	1.0



**Manifold Red Label Plates** 

MODEL	ORDERING CODE	SIZE & CONNECTION		EM IGHT
			lbs.	kg.
Package Typ	e: Single Pa	ck		
3586-18	0959261	Red - For 35 and Metric	0.2	.09
Package Typ	e: Bulk			
3586-18CP	81903049	Red - For 35 and Metric	0.2	.09

Manifold	Blue	Label	<b>Plates</b>
----------	------	-------	---------------

MODEL	ORDERING CODE	SIZE & CONNECTION	ITEM WEIGHT				
			lbs.	kg.	_		
Package Type: Single Pack							
3587-18	0959262	Blue - For 35 and Metric	0.2	.09	_		
Package Type: Bulk							
3587-18CP	81903050	Blue - For 35 and Metric	0.2	.09	-		
					-		



**Manifold Valve Repair Kits** 

MODEL	ORDERING CODE	SIZE & CONNECTION	ITEM WEIGHT				
			lbs.	kg.			
Package Type: Single Pack							
3588-10	0650763	½" Spool	0.7	.32			
Package Type: Bulk Pack							
3588-10CP	81903051	½" Spool	0.7	.32			





USA: T: (978) 689-6066 • F: (978) 975-8350 • Watts.com
Canada: T: (905) 332-4090 • F: (905) 332-7068 • Watts.ca
Latin America: T: (52) 55-4122-0138 • Watts.com