## **CyberPower**



The CP625HG UPS system offers significant energy savings, battery backup and surge protection for home/office computers and connected electronics.



#### **KEY FEATURES:**

- 625VA / 375W Simulated sine wave
- Standby Topology
- GreenPower UPS™
- Compact Desktop Form Factor
- RJ11 Protection (1-in, 2-out)
- 8 Outlets / USB port
- EMI/RFI filters
- PowerPanel® Personal Edition

Runtimes: 2 Minutes at Full-load 8 Minutes at Half-load

### DESIGNED FOR:

- Workstations/PCs
- Home Office/Small Office
- Personal Electronics





CyberPower's patented GreenPower UPS"\* technology reduces UPS energy costs up to 75%! Save money and help reduce carbon emissions.

CyberPower Systems, Inc. 4241 12th Ave. E. Suite 400 Shakopee, MN 55379 Toll-free 877.297.6937 CPSww.com The CyberPower CP625HG Standby uninterruptible power supply (UPS) safeguards a home office PC and other electronics (monitors, printers, scanners, speakers, fax machines, CD/DVD players and iPods) from surges, spikes, sags, brownouts and other power abnormalities. Its composite integrated circuitry offers advanced lightning protection.

The CP625HG UPS system has a capacity of 625VA/375 Watts, eight (8) NEMA 5-15R receptacles, widely-spaced to accommodate transformer-based plugs. Its compact design allows for horizontal or vertical placement, or it can be conveniently mounted on a wall. This UPS has a maintenance-free12V/5.5Ah battery, offers connectivity via one (1) HID compliant USB, provides phone/network (RJ11) line protection and EMI/RFI filters that shield against electromagnetic and radio frequency disturbances. PowerPanel® Personal Edition UPS Management software is included to monitor the vitals of the UPS and will safely shutdown the system in case of a power outage.

#### **FEATURES & BENEFITS:**

Energy-Saving Technology: Patented GreenPower UPS™ advanced circuitry reduces UPS energy costs by up to 75% compared to competitive models.

**EMI/RFI Filters:** Filters against electromagnetic interference and radio frequency interference ensuring clean power for connected equipment.

**Convenient Mounting:** Multiple mounting options: horizontal, vertical, cabinet, and wall.

**Transformer-Spaced Outlets:** Widely-spaced outlets accommodate large transformer-based plugs without compromising the utility of other outlets.

**USB Connectivity:** HID compliant USB port enables full integration with built-in power management and auto shutdown features of Windows, Linux and Mac OS X.

**LED Indicators:** LED status lights indicate Power-On and wiring faults.

**Audible Alarms:** Distinctive tones identify when the unit is running on battery power, if it is overloaded or when the battery is low.

Resettable Circuit Breaker: Convenient unit reset switch in case of an overload

PowerPanel® Personal Edition: In event of a power outage, PowerPanel PE saves open files and "hibernates" the PC to increase the run-time on the UPS unit. Power-Panel is easily installed on any Windows-based PC and uses minimal system resources. Diagnostic screens display the status of the UPS, including silent operation mode, configurable system notifications, automatic self tests, adjustable high/low voltage warnings, event/data logging, and scheduled shutdowns.

**Technical Support:** CyberPower assists users with any product, installation, or warranty concerns – free of charge.

**3-Year Warranty:** Stringent manufacturing processes and innovative product design enables CyberPower to offer one of the strongest warranties in our industry. CyberPower will repair or replace damaged units within three (3) years of purchase date.

ISO & Safety Certifications: All CyberPower manufacturing facilities are state-of-the-art and ISO-9001 Quality Tested. Our products are certified by the FCC, cUL, and UL.

**Windows Compatibility:** Our PowerPanel® power management software has been fully tested and is compatible with Windows 2000, 2003, XP 32/64, Vista 32/64, 7, and Server 2008.

# **Cyber Power**

GENERAL	
UPS Topology	Standby
Energy Saving	GreenPower UPS™ High Efficiency
INPUT	
Voltage	96Vac - 140Vac
	47Hz - 63Hz
Frequency Plug Type	NFMA 5-15P
Plug Type	
Plug Style	Right angle, 45-degree, offset right
Cord Length	5'
OUTPUT	
VA	625
Watts	375
On Battery Voltage	120Vac +/- 7%
On Battery Frequency	50/60Hz +/- 1%
On Battery Waveform	Simulated Sine Wave
Outlets-Total	8
Outlet Type	NEMA 5-15R
Outlets - Battery & Surge Protected	4
Outlets - Surge-Only Protected	4
Outlets - Widely Spaced	4
BATTERY	
Runtime at Half Load (min.)	8
Runtime at Full Load (min.)	2
Battery Type	Sealed lead acid
Battery Size	12V/5.5AH
User Replaceable	No.
Typical Recharge Time	8 Hours
Replacement Battery	BB Battery - BP5.5-12RT
Battery Quantity	1
SURGE PROTECTION AND FILTERING	
Surge Suppression	890 Joules
Phone Protection RJ11	1-ln, 2-0ut
EMI/RFI Filtration	Yes
MANAGEMENT & COMMUNICATIONS	
HID Compliant USB Port	Yes
Serial Port	No
Management Cable	USB cable
LED Indicators	Power on, wiring fault
Audible Alarms	On battery, low battery, overload
Software	PowerPanel® Personal Edition
PHYSICAL	
Dimensions (WxHxD)	9.75" x 6" x 3"
Weight (lbs.)	6.4
Keyhole Mounting Slots	Yes
CERTIFICATIONS	
Certifications	UL1778, cUL 107.3, FCC DOC Class B
RoHS Compliant	Yes
WARRANTY	
WARRANTY	
WARRANTY Product Warranty Connected Equipment Guarantee	3 Years Limited Lifetime



CyberPower Systems, Inc. designs and manufactures state-of-the-art power protection and distribution equipment for corporate, business, home, government and educational markets. CyberPower leads the industry by surpassing customer expectations in the development, design, construction, durability and functionality of uninterruptible power supply (UPS) products for computers, peripherals and connected devices. CyberPower Systems operates in the Asian Pacific, North American, and European markets. For additional information, including sales office locations and authorized reseller partners, visit CPSww.com.

© 2011 CyberPower Systems (USA), Inc. All rights reserved. All other trademarks are the property of their respective owners. CyberPower reserves the right to modify product information or specifications without previous notice. The information presented is accurate at the time of publication. 11-2011