


INSTRUCTION MANUAL



27" Faux Sheerling Fabric Upholstered
Swivel Counter Stool (Set of 2)

V1.0

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembling, avoid damaging the painted surface.
- Clean the stool with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



**STOOL
300 LBS
CAPACITY**



**1 PERSON
ASSEMBLY**



**UP TO 20 MIN.
ASSEMBLY**

HARDWARE

1

BOLT
M6 x 30mm



9 PCS

2

FLAT BOLT
M6 x 25mm



4 PCS

3

BOLT
M6 x 25mm



4 PCS

4

FLAT BOLT
M6 x 35mm



2 PCS

PARTS

A

**CUSHION
SEAT**



1 PC

B


BACKREST



1 PC

C


STOOL LEG I



1 PC

D


STOOL LEG II



1 PC

E


RAIL



1 PC

F


SWIVEL PLATE



1 PC

G


**BACKREST
BRACKET**



1 PC

PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this stool and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Pick out **Part C Stool Leg I** and **Part D Stool Leg II** from package.

Place **Part C** and **Part D Stool Legs** as below and attach them with 1 pc of **Hardware #1 Bolt**.

Place **Part E Rail** into **Part C** and **Part D Stool Legs** as shown below, attach them with 4 pcs of **Hardware #2 Bolt**.




PRODUCT ASSEMBLY

2


Place **Part F Swivel Plate** onto the assembled stool legs as below. Swivel the top plate 45° to show the screw holes on base plate.

Attach the base plate to the assembled stool legs with 4 pcs of **Hardware #1 Bolt**.



3

Place the assembled stool legs as shown below. Attach **Part A Cushion Seat** to **Part F Top Swivel Plate** with 4 pcs **Hardware #1 Bolt**.



PRODUCT ASSEMBLY


4

Attach **Part B Backrest** to **Part G Backrest Bracket** with 2 pcs of **Hardware #4 Bolt**, and tighten the bolts to about 80%.

Attach **Part G Backrest Bracket** to **Part A Cushion Seat** with 4 pcs **Hardware #3 Bolt**, and tighten the bolts to about 80%.

Sit on the stool. Check and adjust the backrest to a suitable position.

Make sure the chair is stable then tighten all the bolts.




5

Check and tighten all the bolts again to ensure the stool is steady enough.

Try to sit down and swivel **Part A Cushion Seat** to ensure it moves smoothly.

Enjoy the stool now.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.