

Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 1 of 8

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

SOFT TOY, MULTI-COLOR, COTTON

Item No. 82049826 P.O. / Ref. No. 65894

BLOOMINGVILLE A/S Importer **BLOOMINGVILLE A/S** Buyer Supplier **BLOOMINGVILLE A/S** Manufacturer **BLOOMINGVILLE A/S**

Country of Origin **CHINA**

Country of Destination **DENMARK** Labeled Age Grading **NOT STATED** Requested Age Grading **NOT STATED**

Age Group Assessed by SGS As Per Age : ALL AGES

Guideline

Age Group Applied in Testing : ALL AGES Sample Receiving Date : SEP 24, 2020

Testing Period SEP 24, 2020 TO SEP 30, 2020





Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 2 of 8

Test	Conclusion	
1.	With reference to the European standard on Safety of toys:-	
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements in the specified specimen(s) as listed	PASS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager Qu Ping, Kiky Dept. Manager





Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 3 of 8

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4	General Requirements	
4.1	Materials cleanliness	Pass
4.7	Edges	Pass
4.8	Points and Metallic Wires	Pass
5	Toys intended for Children under 36 months	
5.1	General Requirements	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	Pass
5.1b	Torque test (Test method 8.3)	Pass
5.1b	Tension test (Test method 8.4)	Pass
5.1b	Drop test (Test method 8.5)	Pass
5.1b	Impact test (Test method 8.7)	Pass
5.1b	Sharp edge (Test method 8.11)	Pass
5.1b	Sharp point (Test method 8.12)	Pass
5.2	Soft-filled toys and soft-filled parts of a toy	Pass
5.4	Cords, chains and electrical cable in toys	Pass
	According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	





Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 4 of 8

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

ClauseDescriptionResult4.1General requirementsPass

4.5 Soft-filled toys Pass (see Result Page)

Type of gas: Butane gas used in the test burner

Result Page:

Soft-filled Toys (Clause 4.5)

Sample Burning Rate (mm/sec)

SOFT TOY, MULTI-COLOR, COTTON 3.6 (IBE)

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or shall self-extinguish)

IBE = Ignite but Self-Extinguished





Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 5 of 8

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Absent. See note 1	
CE mark	Absent. See note 2	
Importer's Name & Address	Absent. See note 3	
Manufacturer's Name & Address	Absent. See note 3	
Product ID	Absent. See note 4	

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SSS Bidg, No. 4, Jangheo Industriel Park, No. 430, Jihua Read, Bartlan, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 6 of 8

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725 – EN 71-3:2019 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit		
Specimen No.	1	2	3				
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	ND	ND	ND	50	70000
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	0.32	0.25	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000

Specimen Description:

- 1. Grey woven (Fish)
- 2. Black fabric (Trousers)
- 3. White non-woven (Backing)



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed vorverleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx.and, for electronic forcuments, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. It states the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's sifindings at the time of its intervention only and within the limits of silent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or ppearance of this document is unlewful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the seuts show in this test report refer only to the sample(s) lested and such sample(s) are retained for 20 days only.



Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 7 of 8

Note: - mg/kg = milligram per kilogram

- mg = milligram

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm

- + Soluble Chromium is not restricted by EN 71-3:2019, results shown only for reference

N.B.: - Only applicable clauses were shown.

Remark:

Since the data and / or information above division line of front page is provided by the applicant, the
relevant results or conclusions of this report are only made for these data and / or information, SGS shall
not be responsible for the authenticity and integrity of such data and information and the validity of the
results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below Tu-U95

Fail - when the measurement result is above T_U+U_{95}

Inconclusive - when the measurement result is falling in guard band [T_U-U₉₅, T_U+U₉₅]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above $T_{\text{L}} + U_{95}$

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No.: T52010291717TY Date: SEP 30, 2020 Page 8 of 8

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exenerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full set extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) as the sample(s) of 3 days only.

Attention: to check the authenticity of testing / inspection report & certificate, please contact us at telephone:{oo-rap} osu/1443, or email: CN.Doccheck@sgs.com