

2024 Specification Sheet - English

**LONG DESCRIPTION –**

Long Description Marketing Copy

On-board air compressor provides air to clean dust out of holes with guard. Drill rotation speed is adjustable from 0 to 400 rpm with a 4-position dial. Tool can be operated without rotation. Has vibration isolated and cushioned handles to reduce operator fatigue. Simple design provides excellent durability and simple repair

PRODUCT NAME –

Page Title

Drill, Rock - 44 lb

PRODUCT OVERVIEW –

Marketing Text 1

On-board air compressor provides air to clean dust out of holes with guard

Marketing Text 2

Drill rotation speed is adjustable from 0 to 400 rpm with a 4-position dial. Tool can be operated without rotation

Marketing Text 3

Has vibration isolated and cushioned handles to reduce operator fatigue

Marketing Text 4

Simple design provides excellent durability and simple repair

Marketing Text 5

Drills a 2-1/2" (65 mm) diameter hole up to 10 feet (3 m) deep

Marketing Text 6

Supplied with 12" (305 mm) steel braided whip hoses

PRODUCT SPECIFICATION –

Product Specification 1

Accessory : F020198K UPC 41780 HTMA Male Coupler 3/8 IN NPTF

Product Specification 2

Accessory : F020195K UPC 41777 HTMA Female Coupler 3/8 IN NPTF

Product Specification 3

Air Flow : 2.8 CU FT/MIN (80 LPM)

Product Specification 4

Air Pressure : 29 PSI (2 BAR)

Product Specification 5

Blows Per Minute : 1400 BPM Maximum (Varies with Rotation Speed)

Product Specification 6

Chuck Size : 7/8 IN (22.000 MM) Diameter X4-1/4 IN (108 MM) Length

Product Specification 7

Hydraulic Flow Range : 5 - 7 GPM (19 - 25 LPM)

Product Specification 8

Hydraulic System : Open-Center

Product Specification 9

Length : 25.000 IN (626.000 MM)

Product Specification 10

Maximum Pressure : 3000 PSI (207 BAR)

Product Specification 11

Operating Pressure : 1275 - 1700 PSI (88 - 118 BAR)

Product Specification 12

Speed : 0 - 400 RPM Drill Rotation

Product Specification 13

Type : Hydraulic

Product Specification 14

Weight : 44.000 LB (20.000 KG)

Product Specification 15

Whip Hoses : 3/8 IN NPTF X 12.000 IN (305.000 MM)

Product Specification 16

Width : 16.000 IN (412.000 MM)