

FEATURES & SPECIFICATIONS

INTENDED USE

Provides general illumination in commercial and residential applications. Ideal for use in closets, foyers, hallways, corridors, living rooms, bedrooms, offices, stairways and more.

CONSTRUCTION

Fan-shaped details on the low-profile, matte white acrylic diffuser create more subtle details than a light fixture with contrasting finishes on housings or trims. Available in a round shape.

OPTICS

Produces 1,200 lumens at 50,000 hours of life.

ELECTRICAL

Fixture operates at 120 volts, 60Hz. Standard input = 24 watts, 52 lumens per watt.

Works with most standard incandescent dimmers (see list of suggested dimmers).

INSTALLATION

 $All \, mounting \, hardware \, included \, for \, mounting \, to \, a \, standard \, junction \, box. \, Can \, be \, wall \, or \, ceiling \, mounted.$

LICTINGS

UL Listed to US and Canadian safety standards. ENERGY STAR $\!\!^{\rm e}$ certified product.

WARRANTY — 5-year limited warranty. This is the only warranty provided and no other statements in this specification sheet create any warranty of any kind. All other express and implied warranties are disclaimed. Complete warranty terms located at: www.acuitybrands.com/support/warranty/terms-and-conditions

NOTE: Actual performance may differ as a result of end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications subject to change without notice.

atalog umber	
otes	
уре	

Decorative Indoor

Crenelle LED Flush Mount








Example: FMCRNL 14 20840



Round Specifications

Depth: 3-1/2 (8.9) Diameter: 14 (35.6) Weight: 1.5 lbs

All dimensions are inches (centimeters) unless otherwise indicated.



ORDERING INFORMATION

For shortest lead times, configure product using **bolded options**.


Series		Module/CRI	Color temperature
FMCRNL 14	14" Round LED flush mount	208 >80	40 4000K

DECORATIVE INDOOR CRENELLE FMCRNL ROUND

LED Flush Mount Crenelle

LIGHTING FACTS





SUGGESTED DIMMERS

The FMCRNL is designed to operate with most standard Triac Based dimmers and is not compatible with 0-10v dimming systems. The following is a list of dimmers tested and does not imply any guarantee or warranty of compatibility with a particular application. Unlisted dimmers do not imply non-compatibility.

Manufacturer	Part number(s)
	6633P
	IPL06
Leviton	6674P
	IPE04
	Trimatron 600W
	DVELV 300P
Lutura	Skylark 300P
Lutron	NTELV 300
	NLV 600
Synergy	ISD 600 I 120