

# RISE Pedestal Tower Fan

Models: RTF100\_RTFF105



**WHISPERFORCE™**  
DC MOTOR TECHNOLOGY

**AirSense™**



**Remote Control**

Requires 1 CR2025  
3V Coin Cell Battery  
(battery included)

Model RTF100 Shown

**Have a Question? Need a Part?**  
Please Do Not Return Product to Store!  
Chat with us at [www.lasko.com](http://www.lasko.com)  
Monday-Friday 8am - 9pm EST  
(Valid in U.S. and Canada only)



**Register Your Product Today**

Here is what you will receive:

- Special offers on other Lasko Products
- Streamlined Customer Support



**READ ALL INSTRUCTIONS BEFORE USING THIS FAN.**



## **WARNINGS**

### **IMPORTANT SAFETY INSTRUCTIONS**

**When using electrical appliances, these instructions and warnings should always be followed to reduce the risk of fire, electrical shock and injury to persons:**



**TO REDUCE THE RISK OF FIRE, ELECTRICAL SHOCK OR PERSONAL INJURY, ALWAYS FOLLOW THESE IMPORTANT SAFETY INSTRUCTIONS AND WARNINGS:**

- Do not use this Fan to ventilate areas where flammable liquids or vapors are used, stored or are present, including paints, gasoline, varnishes, floor refinishing products or solvents. **ALWAYS** read and follow all warnings and instructions on the containers for these products!
- Always be sure the plug fits tightly into the outlet. When plugs fit loosely into outlets, they may slip partially out of the outlet and create a poor connection. This may cause outlets to overheat and create a potential fire hazard. Outlets in this condition should be replaced by a qualified electrician.
- Always unplug the power cord when servicing, cleaning or moving the Fan. Do not use the ON/OFF switch as the sole means of disconnecting power. Never leave children unattended when the Fan is on or plugged in. Always turn off and unplug the fan when not in use.
- Be certain that the power source for the Fan is 120V AC. Do not plug the Fan into 240V or other power source.
- The Blue Plug™ on your Lasko Fan is a safety feature. It contains a non-replaceable safety device (fuse) that should not be removed or tampered with. To reduce the risk of fire, electric shock and personal injury, do not attempt to remove, replace, repair or tamper with the originally supplied plug. If the Fan has stopped functioning, it may be due to the safety device incorporated in this plug.
- This fan has a polarized plug (one blade is wider than the other). This plug is designed to fit into the outlet only one way. Match the wide blade to wide slot in outlet and fully insert. Do not attempt to bypass or defeat this safety feature. If the plug does not fit in the outlet, consult a qualified electrician. The outlet may need to be replaced.
- This fan shall not be modified by users, such as by adding supplemental filters to fans not intended to be used for air cleaning purposes.
- **WARNING:** To reduce the risk of fire, electric shock, or injury to persons, do not use replacement parts that have not been recommended by the manufacturer (e.g. parts made at home using a 3D printer).
- Avoid the use of extension cords, power strips, power taps, outlet style air fresheners or other cord connected device, as these devices may overheat and cause a fire hazard.

- Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- Do not route power cord under rugs, carpets, runners or furniture. This may damage the cord or cause it to overheat creating a fire hazard.
- Always place the fan on a stable, flat, level surface while in operation to prevent the fan from overturning.
- Never insert or allow fingers or objects to enter grille openings while fan is in operation or injury and/or damage to the fan may occur.
- Do not block, cover or obstruct air flow to or from the fan while in operation.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings.
- Do not route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
- Never use a single extension cord to operate more than one fan or other electrical device.
- Do not use this fan if it has been damaged or is not functioning properly.
- Remote controls for other appliances or electronic equipment can sometimes interfere with the operation of this fan. If this occurs, move the fan to another location.
- Keep fan remote control unit away from chairs and your bed where it may be sat or laid upon and inadvertently turn on the fan.
- THIS FAN DOES NOT MEET THE REQUIREMENTS OF NEC ARTICLE 547-7 (2008). This fan is not suitable for use in agricultural facilities including areas where livestock, poultry or other animals are confined. Please refer to national electric code (NEC) Article 547-7 (2008), or applicable state or local codes or standards relating to electrical requirements for agricultural buildings.
- THIS FAN DOES NOT MEET THE REQUIREMENTS OF NEC ARTICLE 500 (2008). This fan is not suitable for use in hazardous locations. Please refer to national electric code (NEC) article 500 or applicable state or local codes or standards relating to electrical requirements for hazardous locations.

## **SAVE THESE INSTRUCTIONS**

# ⚠ WARNING

- **INGESTION HAZARD:** This product contains a button cell or coin battery.
- **DEATH** or serious injury can occur if ingested.
- A swallowed button cell or coin battery can cause **Internal Chemical Burns** in as little as **2 hours**.
- **KEEP** new and used batteries **OUT OF REACH** of **CHILDREN**
- **Seek immediate medical attention** if a battery is suspected to be swallowed or inserted inside any part of the body.




- Remove and immediately recycle or dispose of used batteries according to local regulations and keep away from children. Do NOT dispose of batteries in household trash or incinerate.
- Even used batteries may cause severe injury or death.
- Call a local poison control center for treatment information.
- Uses 1 - 3V CR2025 battery.
- Non-rechargeable batteries are not to be recharged.
- Do not force discharge, recharge, disassemble, heat above (manufacturer's specified temperature rating) or incinerate. Doing so may result in injury due to venting, leakage or explosion resulting in chemical burns.
- Ensure the batteries are installed correctly according to polarity (+ and -).
- Do not mix old and new batteries, different brands or types of batteries, such as alkaline, carbon-zinc, or rechargeable batteries.
- Remove and immediately recycle or dispose of batteries from equipment not used for an extended period of time according to local regulations.
- Always completely secure the battery compartment. If the battery compartment does not close securely, stop using the product, remove the batteries, and keep them away from children.

## How to Remove the Plastic Tab from the Back of your Remote Control

1. Remove the plastic battery tab before using the remote. Grab and pull the tab out. (Refer to the illustration of step one below.)
2. To remove the battery cover, use a coin similar to a quarter to unlock the remote control battery door. Turn clockwise to unlock.
3. To reinstall the cover, align the dot with the unlock icon on the remote. Use a coin, such as a quarter, to lock the battery door by turning it counterclockwise.

When it's time to replace the battery, follow the steps above to remove the battery cover. Replace with one CR2025 Lithium battery.



# Getting to Know your Pedestal Tower Fan


- A. Control Panel/Display
- B. Fan Body
- C. Support Base Front
- D. Support Base Rear
- E. Exhaust Grille
- F. Carry Handle
- G. Air Intake Grille
- H. Remote Control
- I. Remote Control Storage
- J. Adjustment Nut
- K. Upper Pipe
- L. Lower Pipe



## Easy 1-2-3 Assembly

**1**

*D- Support Base Rear*




*C- Support Base Front*

Align the slots on part D with tabs on part C. Snap together.


**2**

*K- Upper Pipe*



Loosen adjustment nut by turning counterclockwise, slide upper pipe up or down to desired height, then tighten adjustment nut by turning clockwise.


**3**



Twist and push lower pipe down into base.

**4**

*B- Fan Body*



*K- Upper Pipe*

Twist and push body down onto the upper pipe.

# How To Use Your Tower Fan

## Remote Control

### Mode Button

You can choose between Night, Auto, Nature, Custom Mode

### Display Dimmer Button

Press to dim or turn off the display.



### Timer Button

Press the +/- to change the timer (up to 12 hours)

### Oscillation Button

Press to START and STOP Oscillation

### Power Button


Press to turn fan ON/OFF


### Speed Button


Press the +/- to change speeds


## Display


**Lasko AirSense™** - Using sensor technology integrated with smart AI capabilities, AirSense tracks your patterns and preferences to create the ideal environment.


 **Nature Mode** - The fan replicates natural wind by varying the fan speed randomly.

 **Night Mode** - The display will shut off and the speed will gradually decrease as you sleep.


 **Auto Mode** - Fan speed adapts to the ambient air temperature of the room.

 **Custom Mode** - Choose your desired speed, oscillation, and display settings.

 **Timer** - Choose a timer up to 12 hours. Your fan will shut off when the timer expires.

 **Child Lock** - Press and hold the power button for three seconds to activate child lock. Hold for an additional three seconds to deactivate or simply unplug the fan.


**Numerical Display** - The two digits will display the ambient temperature, fan speed, and timer settings.


 **Temperature Units** - Press and hold the Mode button for 10 seconds to change between °C and °F. Selection will be stored in memory.


## Controls


 **Power Button** - Press to Turn Fan ON/OFF.


 **Oscillation Button** - Press to START and STOP Oscillation.

 **Timer Button** - Set timer up to 12 hours. Continue pressing the button until desired time setting is reached.


 **Fan Speed Button** - Set speed from 1-8. Continue pressing the button until desired speed is reached. Remote has (+) (-) button which will allow you to increase and decrease speed

 **Mode Button** - You can choose between Night, Auto, Nature, and Custom Mode.

 **Display Dimmer Button** - Press to dim or turn off the display. Choose between 4 brightness settings. Full • Medium • Low • Off.



## Height Adjustments



### Adjust the airflow up to a height of 54"

1. Hold upper pipe to support fan body while making adjustments.
2. Loosen adjustment nut by turning counterclockwise, slide upper pipe up or down to desired height, then tighten adjustment nut by turning clockwise.

## MAINTENANCE

1. To Clean the Fan: Unplug the fan. Ensure the fan is disconnected from the power source.
2. Avoid water exposure: Never immerse or place the fan near water.
3. Remove lint and dust: Use a vacuum with a brush attachment to clean the inside of the fan.
4. Use mild cleaners only: Never use alcohol, solvents such as gasoline, benzene, paint thinner, or any harsh cleaners.



## TROUBLE SHOOTING TIPS

If your Fan fails to operate, see below for a list of probable causes and solutions:

- Try powering the fan off and unplugging it from the wall outlet. Allow the fan to sit for 10-15 minutes and try plugging it in again.
- When plugging the fan in, be sure it is plugged directly into a working outlet.
- Remote not working? Be sure you are using brand new batteries, and they are installed correctly.

**STORAGE:** Store the fan and these instructions in the original box, in a cool, dry location.

**LUBRICATION:** Motor is permanently lubricated. No maintenance is required.

**DISPOSITION:** Corrugated packaging materials are recyclable. For environmentally responsible disposal of this product, contact your local waste service provider or visit [www.1800recycling.com](http://www.1800recycling.com).

## LIMITED WARRANTY

### LASKO PRODUCTS, LLC LIMITED WARRANTY (VALID IN U.S. AND CANADA ONLY)

**What this warranty covers:** This product is warranted against defects in workmanship and/or materials.

**How long this warranty lasts:** This warranty extends solely to the original purchaser of the product and lasts for (2) two years from the date of the original purchase or until the original purchaser sells or transfers the product, whichever occurs first.

**What Lasko will do:** During the warranty period, Lasko will, at its sole option, repair or replace any part or parts that prove to be defective or replace the whole product with the same or comparable model. For all warranty claims, the product must be returned to Lasko Products, LLC at customer's expense with proof of purchase within the warranty period. Contact the Lasko customer service department to obtain a Return Authorization ("RA") Do not return products without an RA or the warranty claim will not be processed.

**What this warranty does not cover:** This warranty does not apply if the product was damaged or failed because of accident, improper handling or operation, shipping damage, abuse, misuse, or unauthorized repairs made or attempted. This warranty does not cover shipping costs for the return of products to Lasko for repair or replacement. Lasko will pay return shipping charges from Lasko following warranty repairs or replacement.

Any and all warranties, expressed or implied (including, without limitation, any implied warranty of merchantability), last two years from the date of original purchase or until the original purchaser of the product sells or transfers the product, whichever first occurs and in no event shall lasko's liability under any express or implied warranty include (i) incidental or consequential damages from any cause whatsoever, or (ii) replacement or repair of any house fuses, circuit breakers or receptacles. Notwithstanding anything to the contrary, in no event shall lasko's liability under any express or implied warranty exceed the purchase price of the product and any such liability shall terminate upon the expiration of the warranty period.

Some states and provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so these exclusions or limitations may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state to state and province to province.

Proof of purchase is required before a warranty claim will be accepted.

## CUSTOMER SERVICE:

Email: [producthelp@lasko.com](mailto:producthelp@lasko.com)  
Web: [www.lasko.com](http://www.lasko.com)

Our Customer Service team is available to assist you with product service questions and replacement parts. Chat with us at [www.lasko.com](http://www.lasko.com) Monday-Friday 8am - 9pm EST (Valid in U.S. and Canada only). Please have your model number available, as well as the type and style located on the underside of your product.

**Customer Service Dept.,**  
820 Lincoln Ave., West Chester, PA 19380  
(Please do not send product to this location)