


Your new Leick Home table will give you years of trouble-free performance. Thank you for choosing our product for your home. **Please read carefully and save these instructions, as you may need them at a later date.**




Follow Us on Social     

Design House Inc. reserves the right to make changes in materials, specifications, & models at any time. Design House Inc. also reserves the right to discontinue product without notice or obligation.




## PARTS INCLUDED

Please confirm all parts are available before starting assembly.




## HARDWARE INCLUDED

Please confirm all hardware available before assembly.

Ref.		Qty.
A	 Bolts 1/4 x 50 mm	8
B	 Screw ø4,5 x 35 mm	4
C	 Hex Key	1



**Figure 1**



Place the top assembly upside down and remove the dowels, and then pull out the drawer.



**Figure 2**

Fasten the legs with ( 6 ) bolts ( A ) and hex key ( B ).





A		6
Bolts 1/4 x 50 mm		
C		1
Hex Key		

Follow Us on Social     


Continued on next page

Design House Inc. reserves the right to make changes in materials, specifications, & models at any time. Design House Inc. also reserves the right to discontinue product without notice or obligation.


**Figure 3**




Fasten the shelf to the legs with ( 3 ) screws ( B ).  
Ask for another set of hands to help hold the shelf while the bolts are inserted.




<b>B</b>		<b>3</b>
Ø4,5 x 35 mm		

**Figure 4**




Fasten the leg with ( 2 ) Bolts ( A ) and hex key ( C ).  
Fasten the shelf to the leg with ( 1 ) screw ( B ).



<b>A</b>		<b>2</b>
Bolts 1/4 x 50 mm		
<b>B</b>		<b>1</b>
Ø4,5 x 35 mm		
<b>C</b>		<b>1</b>
Hex Key		


**Figure 5**

Place the drawer in the cabinet.



**Figure 6**

Insert the dowels into the holes to lock the drawer



**Figure 7**

