



























Flexsteel Style# →	1327-19PH	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Power Switch	01.58.07192	DL-SK-018-03	Switch Input 29V	L3271219
	Headrest Motor	01.58.05295	KDPT010-139	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274125 3000018886
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619
	Extension	01.58.02072	353#	29V-2A-L1350mm	L3274319
	Plastic Leg	01.55.08064	n/a	D50xD59xH40mm PP	L3279219




	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Connector Bracket &amp; Bolts: 6x20mm</p>	<p>L3272819</p>
	<p>Back/Seat Cut&amp;sew in NL6210</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S</p>
	<p>Back/Seat Cut&amp;sew in NL6213</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Gray</p>	<p>KUC&amp;S</p>
	<p>Back/Seat Cut&amp;sew in 009-42</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S</p>	<p>KUC&amp;S</p>






Flexsteel Style# →	1327-23PH	Factory Style# →		Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Power Switch	01.58.07192	DL-SK-018-03	Switch input 29V	L3271219
	Headrest Motor	01.58.050040	KDPT010-152	29V 5A Max 800N, stroke 82mm, speed 12mm/s	L3274119 3000024643
	Headrest Mechanism	01.51.030451	WH026-11	W660mm	L3271623
	Extension Cord	01.58.02073	355#	29V-2A-L1500mm	L3274323
	Plastic Leg	01.55.08064	n/a	D50xD59xH40mm PP	L3279219

	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Bolts: 6x20mm</p>	<p>L3272819</p>
	<p>Back/Seat Cut&amp;sew in NL6210</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S</p>
	<p>Back/Seat Cut&amp;sew in NL6213</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Gray</p>	<p>KUC&amp;S</p>
	<p>Back/Seat Cut&amp;sew in 009-42</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S</p>	<p>KUC&amp;S</p>






Flexsteel Style# →	1327-25PH	Factory Style# →		Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Power Switch	01.58.07192	DL-SK-018-03	Switch Input 29V	L3271219 3000024637
	Headrest Motor	01.58.05295	KDPT010-139	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274125 3000018886
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619 3000024640
	Extension	01.58.02072	353#	29V-2A-L1350mm	L3274319 3000024645
	Plastic Leg	01.55.08064	n/a	D50xD59xH40mm PP	L3279219 3000019270




	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Connector Bracket &amp; Bolts: 6x20mm</p>	<p>L3272819 3000024642</p>
	<p>Wood Legs w/Bolts, Washers, White Glides</p>	<p>02.02.010751 01.50.01031 01.50.05008 01.55.03023</p>	<p>n/a</p>	<p>Bolts: 8x45mm Washers: 8mm</p>	<p>L3279150 3000024648</p>
	<p>LAF outer arm panel (749-11)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327LOA1 3000029123</p>
	<p>LAF outer arm panel (749-01)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327LOA2 3000029124</p>
	<p>LAF outer arm panel (009-42)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327LOA3 3000029125</p>






	<p>Back/Seat Cut &amp; Sew in NL6210 (749-11)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S 3000019107</p>
	<p>Back/Seat Cut &amp; Sew in NL6213 (749-01)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Gray</p>	<p>KUC&amp;S 3000019107</p>
	<p>Back/Seat Cut &amp; Sew in U630130 (009-42)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S</p>	<p>KUC&amp;S 3000019107</p>

Flexsteel Style# →	1327-26PH	Factory Style# →		Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Power Switch	01.58.07192	DL-SK-018-03	Switch Input 29V	L3271219 3000024637
	Headrest Motor	01.58.05295	KDPT010-139	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274125 3000018886
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619 3000024640
	Extension	01.58.02072	353#	29V-2A-L1350mm	L3274319 3000024645
	Plastic Leg	01.55.08064	n/a	D50xD59xH40mm PP	L3279219 3000019270








	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Connector Bracket &amp; Bolts: 6x20mm</p>	<p>L3272819 3000024642</p>
	<p>Wood Legs w/Bolts, Washers, White Glides</p>	<p>02.02.010751 01.50.01031 01.50.05008 01.55.03023</p>	<p>n/a</p>	<p>Bolts: 8x45mm Washers: 8mm</p>	<p>L3279150 3000024648</p>
	<p>LAF Outer Arm Panel (749-11)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA1 3000029120</p>
	<p>LAF Outer Arm Panel (749-01)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA2 3000029121</p>
	<p>LAF Outer Arm Panel (009-42)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA3 3000029122</p>






	<p>Back/Seat Cut&amp;sew in NL6210 (749-11)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S 3000019107</p>
	<p>Back/Seat Cut&amp;sew in NL6213 (749-01)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Gray</p>	<p>KUC&amp;S 3000019107</p>
	<p>Back/Seat Cut&amp;sew in U630130 (009-42)</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S</p>	<p>KUC&amp;S 3000019107</p>







Flexsteel Style# →	1327-50PH	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	01.58.02076	KDDY008F	Input: AC 100-240V 50/60Hz 2.4A Output: 29V 2A sustained, 4A with 10% duty cycle	L8282160
	Power Switch	01.58.070005	DL-SK-179-19	USB output 5V-Max3A, Switch input 29V, L1500mm	L3271250
	Base Motor	01.58.05294	KDYJT018-543	29V 5A Max 1000N, stroke 297mm, speed 40mm/s	L327BM50
	Headrest Motor	01.58.05222	KDPT010-101	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274150
	Headrest Mechanism	01.51.030452	WH026-2	W410mm	L327HD50

	Mechanism	01.51.030377	K5120	L539.8mm	L327H1550
	Charging Port	01.58.07168	154#	29V-2A-L500mm	L8284162
	KD Connector between back and seat	01.51.04805 01.51.04806	n/a	Steel, 001-1 ®/ Steel, 001-2 (L)	L0324150
	Wood Legs w/Bolts, Washers, White Glides	02.02.010751 01.50.01031 01.50.05008 01.55.03023	n/a	Bolts: 8x45mm Washers: 8mm	L3279150
	Plastic Legs w/Bolts	01.55.08056 01.50.01023	n/a	Bolts: 6x30mm	L3279250
	RAF outer arm panel (749-11)	n/a	n/a	n/a	L1327ROA1 3000029120

	RAF outer arm panel (749-01)	n/a	n/a	n/a	L1327ROA2 3000029121
	RAF outer arm panel (009-42)	n/a	n/a	n/a	L1327ROA3 3000029122
	LAF outer arm panel (749-11)	n/a	n/a	n/a	L1327LOA1 3000029123
	LAF outer arm panel (749-01)	n/a	n/a	n/a	L1327LOA2 3000029124
	LAF outer arm panel (009-42)	n/a	n/a	n/a	L1327LOA3 3000029125



	Back/Arm/Seat Cut&sew in NL6210	n/a	n/a	C&S In Milk	KUC&S
	Back/Arm/Seat Cut&sew in NL6213	n/a	n/a	C&S In Gray	KUC&S
	Back/Arm/Seat Cut&sew in 009-42	n/a	n/a	C&S In Gray	KUC&S






Flexsteel Style# →	1327-57PH	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	01.58.02076	KDDY008F	Input: AC 100-240V 50/60Hz 2.4A Output: 29V 2A sustained, 4A with 10% duty cycle	L8282160
	Power Switch	01.58.070005	DL-SK-179-19	USB output 5V-Max3A, Switch input 29V, L1500mm	L3271250
	Base Motor	01.58.05294	KDYJT018-543	29V 5A Max 1000N, stroke 297mm, speed 40mm/s	L327BM50
	Headrest Motor	01.58.05222	KDPT010-101	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274150
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619







	Mechanism	01.51.030376	K5120	L708mm	L327H1557
	Charging Port	01.58.07168	154#	29V-2A-L500mm	L8284162
	Extension Cord	01.58.02078	364#	29V-2A-L1100mm	L3274357
	KD Connector Between Back and Seat	01.51.04805 01.51.04806	n/a	Steel, 001-1 ®/ Steel, 001-2 (L)	L0324150
	Wood Legs w/Bolts, Washers, White Glides	02.02.010751 01.50.01031 01.50.05008 01.55.03023	n/a	Bolts: 8x45mm Washers: 8mm	L3279150
	Plastic Legs w/Bolts	01.55.08056 01.50.01023	n/a	Bolts: 6x30mm	L3279250








	Brackets/Connector Locker with Bolts	01.25.12114 01.50.01151	n/a	Bolts: 6x20mm	L3272819
	LAF outer arm panel (749-11)	n/a	n/a	n/a	L1327LOA1 3000029123
	LAF outer arm panel (749-01)	n/a	n/a	n/a	L1327LOA2 3000029124
	LAF outer arm panel (009-42)	n/a	n/a	n/a	L1327LOA3 3000029125
	Back/Arm/Seat Cut&sew in NL6210	n/a	n/a	C&S In Milk	KUC&S






	Back/Arm/Seat Cut&sew in NL6213	n/a	n/a	C&S In Gray	KUC&S
	Back/Arm/Seat Cut&sew in 009-42	n/a	n/a	C&S In Gray	KUC&S


Flexsteel Style# →	1327-58PH	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Transformer	01.58.02076	KDDY008F	Input: AC 100-240V 50/60Hz 2.4A Output: 29V 2A sustained, 4A with 10% duty cycle	L8282160
	Power Switch	01.58.070005	DL-SK-179-19	USB output 5V-Max3A, Switch input 29V, L1500mm	L3271250
	Base Motor	01.58.05294	KDYJT018-543	29V 5A Max 1000N, stroke 297mm, speed 40mm/s	L327BM50
	Headrest Motor	01.58.05222	KDPT010-101	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274150
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619

	Mechanism	01.51.030376	K5120	L708mm	L327H1557
	Charging Port	01.58.07168	154#	29V-2A-L500mm	L8284162
	Extention Cord	01.58.02078	364#	29V-2A-L1100mm	L3274357
	KD Connector Between Back and Seat	01.51.04805 01.51.04806	n/a	Steel, 001-1 <sup>®</sup> / Steel, 001-2 (L)	L0324150
	Wood Legs w/ Bolts, Washers, White Glides	02.02.010751 01.50.01031 01.50.05008 01.55.03023	n/a	Bolts:8x45mm Washers: 8mm	L3279150
	Plastic Legs w/ Bolts	01.55.08056 01.50.01023	n/a	Bolts: 6x30mm	L3279250

	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Bolts: 6x20mm</p>	<p>L3272819</p>
	<p>RAF outer arm panel (749-11)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA1 3000029120</p>
	<p>RAF outer arm panel (749-01)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA2 3000029121</p>
	<p>RAF outer arm panel (009-42)</p>	<p>n/a</p>	<p>n/a</p>	<p>n/a</p>	<p>L1327ROA3 3000029122</p>
	<p>Back/Arm/Seat Cut&amp;sew in NL6210</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S</p>

	Back/Arm/Seat Cut&sew in NL6213	n/a	n/a	C&S In Gray	KUC&S
	Back/Arm/Seat Cut&sew in 009-42	n/a	n/a	C&S	KUC&S

Flexsteel Style# →	1327-59PH	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Power Switch	01.58.07054	KDH032-302	Switch Input 29V	L3271259
	Base Motor	01.58.05294	KDYJT018-543	29V 5A Max 1000N, stroke 297mm, speed 40mm/s	L327BM50
	Headrest Motor	01.58.05222	KDPT010-101	29V 5A Max 800N, stroke 110mm, speed 12mm/s	L3274150
	Headrest Mechanism	01.51.030453	WH026-8	W580mm	L3271619
	Mechanism	01.51.030376	K5120	L708mm	L327H1557

	<p>Extention Cord</p>	<p>01.58.02072</p>	<p>353#</p>	<p>29V-2A-L1350mm</p>	<p>L3274319</p>
	<p>KD Connector between Back and Seat</p>	<p>01.51.04805 01.51.04806</p>	<p>n/a</p>	<p>Steel, 001-1 ®/ Steel, 001-2 (L)</p>	<p>L0324150</p>
	<p>Plastic Legs w/Bolts</p>	<p>01.55.08056 01.50.01023</p>	<p>n/a</p>	<p>Bolts: 6x30mm</p>	<p>L3279250</p>
	<p>Brackets/Connector Locker with Bolts</p>	<p>01.25.12114 01.50.01151</p>	<p>n/a</p>	<p>Bolts: 6x20mm</p>	<p>L3272819</p>
	<p>Back/Seat Cut&amp;sew in NL6210</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Milk</p>	<p>KUC&amp;S</p>
	<p>Back/Seat Cut&amp;sew in NL6213</p>	<p>n/a</p>	<p>n/a</p>	<p>C&amp;S In Gray</p>	<p>KUC&amp;S</p>










Back/Seat  
Cut&sew in 009-42

n/a

n/a

C&S

KUC&S

Flexsteel Style# →	1327-72	Factory Style# →	KME.899	Date updated →	8/15/2024
Reference Picture	Part Description	Supplier Part#	Model Number	Spec	Flexsteel Part#
	Extension Cord	01.58.02073	355#	29V-2A-L1500mm	L3274323
	Console Insert	01.55.10042	TC-A-02	Plastic, H126xW268xL312mm	L8283064 3000020479
	USB and Outlets	01.58.04018	TC-S-03	5V-2A-L3000mm	L759US64
	Hinge For Console Lid	01.51.04792	n/a	Steel	L0410164 3000019148
	Cup Holder	01.52.06014	n/a	Stainless steel, 90x75mm	L8288864 3000020486

	Plastic Leg	01.55.08064	n/a	D50xD59xH40mm PP	L3279219
	Brackets/Connector Locker with Bolts	01.25.12114 01.50.01151	n/a	Bolts: 6x20mm	L3272819
	Back/Console Cut&sew in NL6210	n/a	n/a	C&S In MILK	KUC&S
	Back/Console Cut&sew in NL6213	n/a	n/a	C&S In GRAY	KUC&S
	Back/Console Cut&sew in 009-42	n/a	n/a	C&S In GRAY	KUC&S