


HERRINGBONE FULL/QUEEN PLATFORM BED ASSEMBLY INSTRUCTIONS




BOX #1

A. HEADBOARD 1PC




BOX #2

B. PANEL FOOTBOARD 1 PC
G. SLAT ROLL 1 SET



BOX #3


C. LEFT SIDE RAIL 1 PC
D. RIGHT SIDE RAIL 1 PC
E. CENTER SLAT SUPPORT 1 PC
F. SLAT SUPPORT LEG 2 PCS




HARDWARE PACKED IN BOX #2

1	ALLEN BOLT (M8X50)		4 PCS
2	ALLEN BOLT (M8X60)		4 PCS
3	ALLEN BOLT (M6X60)		2 PCS
4	SPRING WASHER (M8)		8 PCS
5	FLAT WASHER (M8)		8 PCS
6	WOOD DOWEL (M8X30)		4 PCS
7	WOOD SCREW (M4X30)		6 PCS
8	ALLEN KEY		1 PC
9	BRACKET		1 PC
10	WOOD SCREW (M4X15)		6 PCS

ASSEMBLY COMPLETE




TOOL REQUIRED PHILLIPS HEAD SCREW DRIVER
(NOT PROVIDED)




HERRINGBONE FULL/QUEEN PLATFORM BED ASSEMBLY INSTRUCTIONS




STEP 1 :




STEP 2 :



STEP 3 :




STEP 4 :



HERRINGBONE FULL/QUEEN PLATFORM BED ASSEMBLY INSTRUCTIONS



STEP 5 :




INSTRUCTIONS FOR ADJUSTING LEVELER:

Position the bed in your space and locate the leveler under each support leg.

Turn the leveler counter-clockwise to extend the leveler and clockwise to retract it.

Adjust each leveler until each support leg is applying equal, upward pressure on the bed support slat.



MAINTENANCE INSTRUCTION:


- Remove box spring and mattress before moving your bed.
- Lift your bed when moving it. Dragging can damage the leg support.
- Readjust levelers after moving your bed.

HERRINGBONE CAL KING/KING PLATFORM BED ASSEMBLY INSTRUCTIONS



BOX #1


A. HEADBOARD: 1PC



BOX #2

B. PANEL FOOTBOARD: 1PC

G. SLAT ROLL: 1 SET




BOX #3

C. LEFT SIDE RAIL: 1 PC

D. RIGHT SIDE RAIL: 1 PC

E. CENTER SLAT SUPPORT: 2 PCS


F. SLAT SUPPORT LEG: 4 PCS




HARDWARE PACKED IN BOX #2

1	ALLEN BOLT (M8X50)		4 PCS
2	ALLEN BOLT (M8X60)		4 PCS
3	ALLEN BOLT (M6X60)		4 PCS
4	SPRING WASHER (M8)		8 PCS
5	FLAT WASHER (M8)		8 PCS
6	WOOD DOWEL (M8X30)		8 PCS
7	WOOD SCREW (M4X30)		8 PCS
8	ALLEN KEY		1 PC
9	BRACKET		2 PCS
10	WOOD SCREW (M4X15)		12 PCS

ASSEMBLY COMPLETE





TOOL REQUIRED PHILLIPS HEAD SCREW DRIVER
(NOT PROVIDED)




HERRINGBONE CAL KING/KING PLATFORM BED ASSEMBLY INSTRUCTIONS




STEP 1 :




STEP 2 :



STEP 3 :




STEP 4 :



HERRINGBONE CAL KING/KING PLATFORM BED ASSEMBLY INSTRUCTIONS



STEP 5:




INSTRUCTIONS FOR ADJUSTING LEVELER:

Position the bed in your space and locate the leveler under each support leg.

Turn the leveler counter-clockwise to extend the leveler and clockwise to retract it.

Adjust each leveler until each support leg is applying equal, upward pressure on the bed support slat.



MAINTENANCE INSTRUCTION:

- Remove box spring and mattress before moving your bed.
- Lift your bed when moving it. Dragging can damage the leg support.
- Readjust levelers after moving your bed.