



EPA Registration #	6836-86-1658
--------------------	--------------

### Safety

See safety datasheet (if applicable) and product label for safety information, handling and proper use.

### Directions for Use

This is an EPA registered disinfectant. Please refer to the actual container label for complete directions. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**PREPARATION OF DISINFECTANT USE-SOLUTION:** Add 4 oz. per gallon of water (for 400-ppm water hardness).

**DISINFECTION DIRECTIONS:** Apply recommended use- solution with a cloth, mop, sponge, or sprayer or by soaking until surfaces are thoroughly wet. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. For sprayer applications, use a coarse spray device. Spray with quick full strokes 6 # 8 inches from surface. Rub with a brush, sponge or cloth. Do not breathe spray. After use, close nozzle. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or more often if use solution becomes diluted or soiled. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before use. This product must not be used to clean utensils, glassware and dishes. This product is not for use on medical device surfaces.

**\*VIRUCIDAL DIRECTIONS:** Follow Disinfection Directions. Treated surfaces must remain wet for 1 minute. Allow surfaces to air dry.

**MOLD AND MILDEW CONTROL DIRECTIONS:** Add 4 oz. per gallon of water to inhibit the growth of mold and mildew and their odors on hard, nonporous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

**TOILET BOWL/URINAL DISINFECTANT AND CLEANER DIRECTIONS:** Remove gross filth before disinfection. From concentrate: Add 4 oz. to the toilet bowl or urinal and mix. Thoroughly brush or swab over exposed surfaces and under the rim with a cloth, mop, brush or sponge. Allow to stand for 10 minutes and flush. From use- solution: Empty toilet bowl or urinal and apply a 4 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

**DIRECTIONS FOR SANITIZING NON-FOOD CONTACT SURFACES:** This product is a sanitizer for hard nonporous non-food contact surfaces at .75 oz. per gallon of water dilution against Klebsiella pneumoniae and Staphylococcus aureus. Treated surfaces must remain wet for 60 seconds. Wipe dry with a clean cloth or sponge or allow to air dry.

**HEAVY DUTY CLEANER DIRECTIONS:** Use 8 oz. per gallon of water for heavy duty cleaning.

**TO CLEAN AND DEODORIZE:** Use 1:32 dilution. Apply product to wet the

Shower Room Cleaner quickly dissolves away the weekly build-up of hard water deposits and soap film from shower walls and floors without scrubbing. Just spray it on, allow it to work, and rinse. Shower Room Cleaner cleans and disinfects in one simple step. Active Ingredients: Octyl decyl dimethyl ammonium chloride 0.75%, Dioctyl dimethyl ammonium chloride 0.30%, Didecyl dimethyl ammonium chloride 0.45%, Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride 1.00%. Inert Ingredients: 97.50%.

### Features & Benefits

- Clings to vertical surfaces for thorough cleaning.
- Effective in water up to 400 ppm hardness.
- Hospital grade EPA registered disinfectant.

### Item Number & Unit of Measure

Item Number	HIL0014206
Unit of Measure	1 gal Bottle

### Specifications

Color	Clear
Appearance	Light Blue, lightens
Fragrance	Mint
Formula Type	Liquid
Dilution Ratio	1:32
PH	0.7 - 1.5
Non-Volatile Matter	12.00 - 13.50%

surface thoroughly. Let stand for at least one minute, rinse with water or allow to air dry. \*KILLS HIV-1 ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Shower Room Cleaner. CONTACT TIME: Leave surface wet for 1 minute. Use a 10-minute contact time for disinfection against all other bacteria claimed. DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal. Efficacy: Sanitizing Non-food Contact surfaces: 60 seconds, *Klebsiella pneumoniae* and *Staphylococcus aureus*. Viricidal: 1-minute contact time, HIV-1 (AIDS Virus) and Herpes Simplex Virus Types 1&2 10-minute contact time, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*.

## Efficacy

A hospital disinfectant, bactericidal at 1:32 dilution (4 oz. per gallon of water) according to the AOAC Use-Dilution Test method, modified in the presence of 400 ppm hard water plus 5% organic serum against: *Pseudomonas aeruginosa* (*Pseudomonas*), *Salmonella choleraesuis* (*Salmonella*), *Staphylococcus aureus* (*Staph*) and *Salmonella enterica*.