# SAFETY DATA SHEET

# 1. Identification

**Product identifier** SP-250™ Corrosion Inhibitor - 55 gallon

Other means of identification

No. 03228 (Item# 1003469) **Product Code** 

Recommended use Corrosion inhibitor **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Industries. Inc. Company name 885 Louis Dr. **Address** 

Warminster, PA 18974 US

**Telephone** 

Website

215-674-4300 **General Information Technical Assistance** 800-521-3168 **Customer Service** 800-272-4620 24-Hour Emergency 800-424-9300 (US)

(CHEMTREC)

www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Flammable liquids Category 4 Health hazards Skin corrosion/irritation Category 2 Sensitization, skin Category 1

> Specific target organ toxicity, single exposure Category 3 narcotic effects

Aspiration hazard Category 1 Category 2

**Environmental hazards** 

Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word

Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. May **Hazard statement** 

cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life. Toxic to

Category 2

aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Keep away from flames and hot surfaces-No smoking. Use with adequate ventilation. Open doors

and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. Avoid release

to the environment.

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash Response

with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Do not use

water jet as an extinguisher, as this will spread the fire. Collect spillage.

Material name: SP-250™ Corrosion Inhibitor - 55 gallon

SDS US

Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated light	1	64742-47-8	80 - 90
calcium bis(dinonylnaphthalenesulphonate)		57855-77-3	< 1
calcium carbonate		471-34-1	< 0.3
Vanilla fragrances		Proprietary	< 0.3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

General information

Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

General fire hazards

Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

The product is combustible, and heating may generate vapors which may form explosive vapor/air

mixtures. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid. Will burn if involved in a fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: SP-250™ Corrosion Inhibitor - 55 gallon No. 03228 (Item# 1003469) Version #: 01 Issue date: 04-22-2019

# Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

#### Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.

# Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)					
Components	Туре	Value	Form		
calcium carbonate (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.		
		15 mg/m3	Total dust.		
US. NIOSH: Pocket Guide to Che	mical Hazards				
Components	Туре	Value	Form		
calcium carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.		
		10 mg/m3	Total		
distillates (petroleum), hydrotreated light (CAS	TWA	100 mg/m3			

# 64742-47-8) **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Neoprene.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Material name: SP-250™ Corrosion Inhibitor - 55 gallon

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Amber. Color Odor Petroleum. **Odor threshold** Not available. Not available. рH

-56.2 °F (-49 °C) estimated Melting point/freezing point 360 °F (182.2 °C) estimated Initial boiling point and boiling

range

Flash point 172 °F (77.8 °C) Setaflash

**Evaporation rate** Slow

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

0.6 % estimated

5.5 % estimated

(%)

Flammability limit - upper

(%)

0.5 hPa estimated Vapor pressure

Vapor density > 1 (air = 1)

8.0 Relative density

Solubility(ies)

Solubility (water) Negligible. Not available. Partition coefficient

(n-octanol/water)

428 °F (220 °C) estimated Auto-ignition temperature

**Decomposition temperature** Not available. Not available. **Viscosity** Percent volatile 90.1 % estimated

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon oxides.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation. Eye contact

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious Ingestion

chemical pneumonia.

Material name: SP-250™ Corrosion Inhibitor - 55 gallon

SDS US No. 03228 (Item# 1003469) Version #: 01 Issue date: 04-22-2019

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Components Species Test Results

calcium bis(dinonylnaphthalenesulphonate) (CAS 57855-77-3)

<u>Acute</u>

**Dermal** 

LD50 Rabbit > 20 g/kg

Oral

LD50 Rat > 5000 mg/kg

calcium carbonate (CAS 471-34-1)

<u>Acute</u>

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat > 3 mg/l

Oral

LD50 Rat 6450 mg/kg

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg

Inhalation

LC50 Rat > 5.2 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg, 2.5 hours

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Material name: SP-250™ Corrosion Inhibitor - 55 gallon
No. 03228 (Item# 1003469) Version #: 01 Issue date: 04-22-2019

Components Species Test Results

calcium carbonate (CAS 471-34-1)

Aquatic Acute

Fish LC50 Western mosquitofish (Gambusia affinis) > 56000 mg/l, 96 hours

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours
Fish LC50 Rainbow trout,donaldson trout > 1000 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# 13. Disposal considerations

Disposal instructions This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste

disposal site. Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Road

Not regulated as dangerous goods by ground.

DOT

Air

Not regulated as dangerous goods by air.

DOT

**Maritime** 

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (distillates (petroleum), hydrotreated light),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

**Environmental hazards** 

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

**IATA** 

UN number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (distillates (petroleum), hydrotreated light)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

No. 03228 (Item# 1003469) Version #: 01 Issue date: 04-22-2019

ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (distillates (petroleum),

hydrotreated light), MARINE POLLUTANT

Transport hazard class(es)


Class 9
Subsidiary risk Packing group III

**Environmental hazards** 

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

# DOT Maritime; IATA; IMDG



#### Marine pollutant



# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Skin corrosion or irritation
Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

# SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

# SARA 313 (TRI reporting)

Not regulated.

#### **US state regulations**

#### US. New Jersey Worker and Community Right-to-Know Act

calcium carbonate (CAS 471-34-1)

#### **US. Massachusetts RTK - Substance List**

calcium carbonate (CAS 471-34-1)

# US. Pennsylvania Worker and Community Right-to-Know Law

calcium carbonate (CAS 471-34-1)

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

#### **US. Rhode Island RTK**

calcium carbonate (CAS 471-34-1)

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

## **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

#### Volatile organic compounds (VOC) regulations

**EPA** 

**VOC content (40 CFR** 90.1 %

51.100(s))

Consumer products Not regulated

(40 CFR 59, Subpt. C)

**State** 

Consumer products Not regulated VOC content (CA) 45.1 %

VOC content (OTC) 45.1 %

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes

> Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) No Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

# 16. Other information, including date of preparation or last revision

04-22-2019 Issue date Prepared by Allison Yoon

Version # 01

**Philippines** 

**Further information** CRC # 559A/1002577

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

> be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

Product and Company Identification: Alternate Trade Names **Revision information** 

Hazard(s) identification: Prevention

Accidental release measures: Personal precautions, protective equipment and emergency

procedures

Handling and storage: Precautions for safe handling

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Material name: SP-250™ Corrosion Inhibitor - 55 gallon

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).