



△ 1000V RATED | 10,000V TESTED

SLIMLINE SERIES

wiha 
Tools that work for you

Stubby
small with
maximum power,
it gets everywhere



SoftFinish®
the optimal
balance between
power & control



Slim Holder
holds blades
securely



Pop-Up
clever, flexible
& saves space



PicoFinish®
slim and
precise with
soft grip zone



speedE®
fastens
screws
electrically
up to
0.4 Nm,
twice as
quickly as
by hand!




TorqueVario®-S
controlled power:
prevents material
damage, precise
& VDE-certified



**easy Torque
Adapters**
to extend the
torque tool



Slim Adapters
holds SlimLine blades



Socket Adapters
holds 1/4" Sockets



SlimLine Blades slotted, phillips, pozidriv®, torx®, hex, square & xeno

SlimLine unites all the fastening tools you need for every challenge in your job. Every insulated tool is tested at 10,000 Volts. Highly efficient means you save valuable time and space. Stylish, super-practical sets that make going to work even more fun. Everything exactly as you've come to expect from Wiha.

wiha 
Tools that work for you

Wiha Tools, Ltd.
1348 Dundas Circle
Monticello, MN 55362

Tel 800.494.6104
Fax 763.295.6598
Cservice@wihatools.com
www.wihatools.com

Wiha SlimLine Blades Sets



List
\$47.92

28372 7 Piece SlimLine Blade Set

High quality CV steel, through hardened, black finish. lbs. .14

Item No. Slotted: 2.5, 3.5, 5.5mm

28372 Phillips: #1, #2 & Square: #1, #2



28373 7 Piece SlimLine Blade Set

High quality CV steel, through hardened, black finish. lbs. .14

Item No. Slotted: 2.5, 3.5, 5.5mm

28373 Phillips: #1, #2 List
Xeno Sl/Ph: #1, #2 \$47.92

Wiha SlimLine Blades



283 Insulated Slotted SlimLine Blades

SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	mm	Inch	Slim Dia.	Max Dia.	Inch/	List
28307	2.5	3/32	4.0	0.4	3.5	\$7.34
28308	3.0	1/8	4.0	0.6	5.3	\$7.34
28310	3.5	9/64	4.0	2.5	22.1	\$7.34
28309	4.0	5/32	4.0	2.5	22.1	\$7.34
28312	5.5	7/32	6.0	3.8	33.6	\$7.34
28315	6.5	1/4	6.0	5.5	48.6	\$7.34



283 Insulated Phillips SlimLine Blades

SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28317	1	4.0	3.8	33.7	\$7.34
28319	2	6.0	5.5	48.8	\$7.34



283 Insulated Square SlimLine Blades

Up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28346	1	4.0	3.8	33.6	\$7.34
28347	2	6.0	5.5	48.7	\$7.34

Insulation Test Standards:


Insulation according to EN/IEC 60900, ASTM F-1505, VDE 0682/part 201, DIN 7437, NFPA70E and CSA specification

Integrated Slim Insulation molded directly onto blade


Insulation does not exceed screw head diameter



High quality CV steel, through-hardened



Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation



Wiha SlimLine Blades



283 Insulated TORX® SlimLine Blades

Up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28339	T8	4.0	1.3	11.5	\$7.34
28344	T9	4.0	1.3	11.5	\$7.34
28340	T10	4.0	3.8	33.6	\$7.34
28341	T15	6.0	5.5	48.7	\$7.34
28342	T20	6.0	5.5	48.7	\$7.34
28343	T25	6.0	5.5	48.7	\$7.34



283 Insulated Pozidriv® SlimLine Blades

SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28330	1	4.0	3.8	33.7	\$7.34
28331	2	6.0	5.5	48.8	\$7.34



283 Insulated Xeno Slotted/Phillips® SlimLine Blades

Up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28320	1	4.0	3.8	33.6	\$7.34
28321	2	6.0	5.5	48.7	\$7.34



283 Insulated Xeno Slotted/Phillips SlimLine Blades

Up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28327	1	4.0	3.8	33.6	\$7.34
28329	2	6.0	5.5	48.7	\$7.34



283 Insulated Hex Metric SlimLine Blades

Up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Dia.	Inch/	List
28332	1.5	4.0	0.9	7.9	\$7.34
28333	2.0	4.0	1.8	15.9	\$7.34
28334	2.5	4.0	3.8	33.6	\$7.34
28335	3.0	4.0	5.5	48.7	\$7.34
28336	4.0	6.0	5.5	48.7	\$7.34
28337	5.0	6.0	5.5	48.7	\$7.34
28338	6.0	6.0	5.5	48.7	\$7.34



28348 12 Piece Insulated SlimLine Blade Set With Belt Holder

Item No.	Slotted: 4.0, 5.5mm
28348	Phillips: #1, #2
	Hex: 2.5, 3.0, 4.0mm
List	TORX®: T15, T20, T25
\$83.16	Square: #1, #2



28316 Insulated SlimLine Blade Extension

For SlimLine Blade Holders

Item No.	OAL	OAL	Wrench	pkg.	List
28316	1/4	70	2.8	.06	1 \$34.90



28311 Insulated SlimLine 1/4" Socket Adapter

For SlimLine Blade Holders

Item No.	OAL	OAL	Wrench	pkg.	List
28311	1/4	60	2.4	.08	1 \$39.48

Wiha SlimLine Screwdriver Handles



△1000Volt

28301 SlimLine Blade Holder, With Wiha-SoftFinish® Handle Insulation According to VDE, ASTM F-1505 and EN/IEC 60900, NFPA70E & CSA, △ up to 1000 Volt. Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Blade holder, holds blades securely. Wiha-SoftFinish® handle, multi-component, cushion grip. lbs. .15

Item No.	Size	mm	Inch	mm	Inch	List
28301	1/4"	50	2.0	160	6.3	\$30.36



△1000Volt

28304 SlimLine Blade Holder, With Wiha-SoftFinish® Handle. Insulation According to VDE, ASTM, EN/IEC, NFPA70E & CSA, △ up to 1000 Volt. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	lbs.	List
28304	1/4"	114	4.5	.21	\$31.92



△1000Volt

28302 SlimLine Stubby Blade Holder, With Wiha-SoftFinish® Handle. Insulation According to VDE, ASTM, EN/IEC, NFPA70E & CSA, △ up to 1000 Volt. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	lbs.	List
28302	1/4"	57	2.2	.11	\$26.60

SlimLine Handles Hold SlimLine Blades

33%
Narrower
Insulation
Diameter

Slim Diameter



Wiha SlimLine Blade Sets



△1000Volt

28399 30 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Friction hold blade holder, holds blades securely. In folding wallet

Item No.	Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm
28399	Phillips: #1, #2
	Pozidriv: #1, #2
lbs.	Xeno SL/PH: #1, #2 & SL/PZ: #1, #2
1.20	TORX®: T8, T9, T10, T15, T20, T25
	Square: #1, #2
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
List	28301 - SlimLine Blade Holder
\$213.16	



28398 19 Piece Insulated SlimLine Blade Set In zipper case

Item No.	Slotted: 3.0, 4.0, 5.5mm
28398	Phillips: #1, #2
	Xeno SL/PH: #1, #2 & SL/PZ: #1, #2
lbs.	TORX®: T8, T10, T15, T20
.64	Square: #1, 2
List	Hex Metric: 3.0, 4.0, 5.0mm
\$154.52	28301 - SlimLine Blade Holder

Wiha Stubby SlimLine Set



△1000Volt

28396 20 Piece Insulated SlimLine Blade Set In zipper case.

Item No.	Slotted: 3.0, 3.5, 4.0, 5.5mm
28396	Phillips: #1, #2
	Xeno SL/PH: #1, #2 & SL/PZ: #1, #2
lbs.	TORX®: T8, T10, T15, T20
.85	Square: #1, #2
List	Hex Metric: 3.0, 4.0, 5.0mm
\$159.84	SlimLine Stubby Blade Holder



△1000Volt

28390 15 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Friction hold blade holder, holds blades securely. In roll up pouch

Item No.	Slotted: 3.0, 4.0, 5.5, 6.5
28390	Phillips: #1, #2
	Xeno SL/PH: #1, #2
lbs. .56	TORX®: T8, T10, T15, T20
List	Square: #1, #2
\$138.52	28301 - SlimLine Blade Holder



△1000Volt

28392 12 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Friction hold blade holder, holds blades securely. In roll up pouch

Item No.	Slotted: 3.0, 5.5mm
28392	Phillips: #2
	Xeno SL/PH: #1, #2
lbs. .52	Square: #1, #2
List	TORX®: T8, T10, T15, T20
\$122.56	28301 - SlimLine Blade Holder



△1000Volt

28391 8 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Friction hold blade holder, holds blades securely. In roll up pouch

Item No.	Slotted: 4.0, 6.5
28391	Phillips: #1, #2
	Xeno SL/PH: #2
lbs. .45	TORX®: T15, T20
List \$85.24	28301 - SlimLine Blade Holder

Wiha SlimLine Pop-Up Sets



28393 Insulated Pop-Up "Apprentice" Blade Holder Set With SlimLine Blades
Insulated cushion grip multi-component handle. Locking bit holder holds SlimLine Blades securely. Convenient rotating cap.

28393 Set includes the following blades:
lbs. **Slotted:** 3.0, 4.0, 5.5, 6.5mm List
.38 **Phillips:** #1, #2 \$106.56



28394 Insulated Pop-Up "Residential" Blade Holder Set With SlimLine Blades
28394 Set includes the following blades:
lbs. **Slotted:** 3.0, 4.0mm List
.38 **Phillips:** #1, #2
lbs. **Square:** #1, #2 \$106.56


Wiha Master SlimLine Set



28781 20 Piece Insulated TorqueControl Set With SlimLine Blades
Certified to EN ISO 6789, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, SoftFinish® SlimLine blade handle, PicoFinish® SlimLine blade handle, 15 SlimLine blades, SlimLine blade holder & Torque adjustment tool.

Item **Slotted:** 2.5, 3.5, 4.0, 6.5mm
No. **Phillips:** #1, 2 (qty. 2 of #2)
28781 Terminal Xeno Slit/Ph: #1, 2
lbs. **TORX®:** T10, T15, T20, T25
1.61 **Square:** #1, 2
Handle Range 10-50 In/lbs.
SlimLine SoftFinish® Blade Handle
List PicoFinish® SlimLine Handle
\$349.96 SlimLine Blade Holder 6.75" OAL

Wiha TorqueControl Handle & Adapter



* Includes Certificate
* Includes SlimLine blade holder #28350
* Requires SlimLine Blades

1000VOLT

287 Insulated TorqueVario-S, With Window Scale Insulation up to 1000VOLT EN/IEC, EN ISO, BS EN, ASME & CSA, +/- 6% Accuracy. Ergonomic multi-component handle, light & compact. Audible & perceptible click when torque setting has been attained.

Item No.	Range	Inch	lbs.	Increments	mm	lbs.	List
28750	5 - 18	.5	In/lbs	126-131	.56		\$260.06
28751	10 - 50	2	In/lbs	133-138	.74		\$265.38
28752	18 - 62	2	In/lbs	137-142	.84		\$277.12

287 Insulated TorqueVario-S Handle - In Newton Meter Scale

Item No.	Range	Nm	mm	lbs.	List
28740	0.5 - 2.0	131	.64		\$255.80
28741	0.8 - 5.0	138	.56		\$260.06
28742	2.0 - 7.0	142	.84		\$277.12

Wiha Insulated Easy TorqueControl Adapters



28350 Insulated SlimLine Torque Blade Holder CVM steel. ClicFix quick release holder securely locks bits.

Item No.	OAL	OAL	Inch	lbs.	List
28350	6.0	170	6.75	.06	\$39.10



28700 Insulated SlimLine Socket Adapter Chrome-vanadium-molybdenum steel.

Item No.	OAL	OAL	Inch	lbs.	pkg.	List
28700	6.0	180	7.1	.08	1	\$57.16



283 Insulated Easy-TorqueControl Adapters Ideal for torque sensitive terminations. For use with SlimLine blades. Repeatable accuracy to +/- 10%

Item No.	Nm	In/lbs	mm	Inch	lbs.	List
28366	0.8	7.0	60	2.38	.13	\$66.04
28367	2.0	17.7	60	2.38	.13	\$66.04
28368	2.5	23.1	60	2.38	.13	\$66.04
28369	2.8	24.7	60	2.38	.13	\$66.04
28371	4.0	35.4	60	2.38	.13	\$66.04



Tools that work for you

Wiha TorqueControl Sets



28795 12 Pc. Insulated TorqueControl Set With SlimLine Blades Certified to EN ISO, BS EN, ASME, +/- 6% Accuracy.

Item No. **SlimLine Slotted:** 4.0, 5.5, 6.5mm
28795 SlimLine Phillips: #1, 2
lbs. **SlimLine Pozidriv®:** #1, 2
1.32 **SlimLine Terminal Xeno Sl/Pz:** #2
List SlimLine Blade Holder Handle
\$311.96 SlimLine Blade Holder



28792 16 Piece Insulated TorqueControl Set With SlimLine Blades Certified to EN ISO, BS EN, ASME.

Item No. **SlimLine Slotted:** 4.0, 5.5, 6.5mm
28792 SlimLine Phillips: #1, 2
lbs. **SlimLine TORX®:** T8, T10, T15, T20
1.27 **SlimLine Square:** #1, 2
List Handle Range 18-62 Inch/lbs.
\$363.96 SlimLine Blade Holder



28791 8 Piece Insulated TorqueControl Set With Slotted & Phillips SlimLine Blades Set includes Insulated multi-component adjustable TorqueVario-S handle, 5 SlimLine blades, SlimLine blade holder & Torque adjustment tool.

Item No. **Slotted:** 3.0, 4.0, 5.5mm
28791 Phillips: #1, 2
List Handle Range 10-50 Inch/lbs.
\$277.04 lbs. .87

