



Test Report

No.: T52510291018TY

Date: MAY 25, 2025

Page 1 of 12

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

CHARLIE ROCKING TOY, DOG, BROWN, POLYESTER
KINTO ROCKING TOY, LAMA, WHITE, POLYESTER

Item No. : 82054120
82046235

Importer : BLOOMINGVILLE A/S

Buyer : BLOOMINGVILLE A/S

Supplier : BLOOMINGVILLE A/S

Manufacturer : BLOOMINGVILLE A/S

Country of Origin : CHINA

Country of Destination : GERMANY

Labeled Age Grading : +12M

Requested Age Grading : 12M+

Age Group Assessed by SGS As Per Age : OVER 12 MONTHS

Guideline

Age Group Applied in Testing : OVER 12 MONTHS

Sample Receiving Date : APR 11, 2025

Last Submission Sample Date : MAY 20, 2025

Testing Period : APR 11, 2025 TO MAY 25, 2025



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

| Test Requested | | Conclusion |
|----------------|---|------------|
| 1. | For compliance with the European standard on Safety of toys:- | -- |
| | EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties | PASS |
| | EN 71-2: 2020 – Safety of toys – Part 2: Flammability | PASS |
| | Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys | SEE RESULT |
| | Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements | PASS |

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center



Sun Enxu, Aaron
 Dept. Manager



Jia Fengjuan, Shelly
 Dept. Manager



SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

| Clause | Description | Result |
|--------|---|--------|
| 4 | General Requirements | |
| 4.1 | Materials cleanliness | PASS |
| 4.2 | Assembly | PASS |
| 4.7 | Edges | PASS |
| 4.8 | Points and Metallic Wires | PASS |
| 4.9 | Protruding Parts | PASS |
| 4.15 | Toys intended to bear the mass of a child | |
| 4.15.3 | Rocking horses and similar toys | PASS |
| 5 | Toys intended for Children under 36 months | |
| 5.1 | General Requirements | |
| 5.1a | Small part requirement on toys & removable Components (Test method 8.2) | PASS |
| 5.1b | Torque test (Test method 8.3) | PASS |
| 5.1b | Tension test (Test method 8.4) | PASS |
| 5.1b | Tip over test (Test method 8.6) | PASS |
| 5.1b | Impact test (Test method 8.7) | PASS |
| 5.1b | Compression test (Test method 8.8) | PASS |
| 5.1b | Sharp edge (Test method 8.11) | PASS |
| 5.1b | Sharp point (Test method 8.12) | PASS |
| 5.1d | Large and bulky toys | PASS |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | PASS |
| 6 | Packaging | PASS |
| 7 | Warnings, markings and instructions for use | |
| | Only English warnings were checked for the clause 7. | |
| 7.1 | General | PASS |
| | Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning | |



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jiahua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

| Clause | Description | Result |
|--------|--|--------|
| | b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1. | |
| | According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers. | |

EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

| Clause | Description | Result |
|--------|----------------------|------------------------|
| 4.1 | General requirements | PASS |
| 4.5 | Soft-filled toys | PASS (See Result Page) |

Result Page:

Soft-filled Toys (Clause 4.5)

| Sample | Burning Rate (mm/sec) |
|------------------------|-----------------------|
| See sample description | 6.7 |

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or shall self-extinguish.)



LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

| | Observation Result | Location |
|-------------------------------|--------------------|-----------------|
| Washing/Cleaning instruction | Present | Toy |
| CE mark | Present | Toy |
| Importer's Name & Address | Present | Toy & Packaging |
| Manufacturer's Name & Address | Present | Toy & Packaging |
| Product ID | Present | Toy & Packaging |

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

| Test Item(s) | Result(s) | | | MDL | Permissible Limit |
|--|-----------|----|----|-------|-------------------|
| | 1 | 2 | 3 | | |
| Specimen No. | | | | -- | -- |
| Mass of trace amount (mg) | / | / | / | -- | -- |
| Soluble Aluminium (Al) (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony (Sb) (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic (As) (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium (Ba) (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron (B) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium (Cd) (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ (Cr) (mg/kg) | ND | ND | ND | 5 | -- |
| Soluble Chromium (III) (Cr (III)) (mg/kg) | ND | ND | ND | 5 | 460 |
| Soluble Chromium (VI) (Cr (VI)) (mg/kg) | ND | ND | ND | 0.025 | 0.053 |
| Soluble Cobalt (Co) (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper (Cu) (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead (Pb) (mg/kg) | ND | ND | ND | 5 | 23 |
| Soluble Manganese (Mn) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury (Hg) (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel (Ni) (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium (Se) (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium (Sr) (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin (Sn) (mg/kg) | ND | ND | ND | 3 | 180000 |
| Soluble Organic Tin | ND | ND | ND | -- | 12 |
| Soluble Zinc (Zn) (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| Test Item(s) | Result(s) | | | MDL | Permissible Limit |
|--|-----------|----|----|-------|-------------------|
| | 4 | 5 | 6 | | |
| Specimen No. | | | | -- | -- |
| Mass of trace amount (mg) | / | / | / | -- | -- |
| Soluble Aluminium (Al) (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony (Sb) (mg/kg) | ND | 21 | 12 | 10 | 560 |
| Soluble Arsenic (As) (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium (Ba) (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron (B) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium (Cd) (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ (Cr) (mg/kg) | ND | ND | ND | 5 | -- |
| Soluble Chromium (III) (Cr (III)) (mg/kg) | ND | ND | ND | 5 | 460 |
| Soluble Chromium (VI) (Cr (VI)) (mg/kg) | ND | ND | ND | 0.025 | 0.053 |
| Soluble Cobalt (Co) (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper (Cu) (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead (Pb) (mg/kg) | ND | ND | ND | 5 | 23 |
| Soluble Manganese (Mn) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury (Hg) (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel (Ni) (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium (Se) (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium (Sr) (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin (Sn) (mg/kg) | ND | ND | ND | 3 | 180000 |
| Soluble Organic Tin -- (mg/kg) | ND | ND | ND | -- | 12 |
| Soluble Zinc (Zn) (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| Test Item(s) | Result(s) | | | MDL | Permissible Limit |
|--|-----------|----|----|-------|-------------------|
| | 7 | 8 | 9 | | |
| Specimen No. | | | | -- | -- |
| Mass of trace amount (mg) | / | / | / | -- | -- |
| Soluble Aluminium (Al) (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony (Sb) (mg/kg) | 21 | 11 | 12 | 10 | 560 |
| Soluble Arsenic (As) (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium (Ba) (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron (B) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium (Cd) (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ (Cr) (mg/kg) | ND | ND | ND | 5 | -- |
| Soluble Chromium (III) (Cr (III)) (mg/kg) | ND | ND | ND | 5 | 460 |
| Soluble Chromium (VI) (Cr (VI)) (mg/kg) | ND | ND | ND | 0.025 | 0.053 |
| Soluble Cobalt (Co) (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper (Cu) (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead (Pb) (mg/kg) | 9 | ND | ND | 5 | 23 |
| Soluble Manganese (Mn) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury (Hg) (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel (Ni) (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium (Se) (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium (Sr) (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin (Sn) (mg/kg) | ND | ND | ND | 3 | 180000 |
| Soluble Organic Tin -- (mg/kg) | ND | ND | ND | -- | 12 |
| Soluble Zinc (Zn) (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| Test Item(s) | Result(s) | | | MDL | Permissible Limit |
|--|-----------|-----|----|-------|-------------------|
| | 10 | 11 | 12 | | |
| Specimen No. | | | | -- | -- |
| Mass of trace amount (mg) | / | / | / | -- | -- |
| Soluble Aluminium (Al) (mg/kg) | ND | 142 | ND | 50 | 28130 |
| Soluble Antimony (Sb) (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic (As) (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium (Ba) (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron (B) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium (Cd) (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ (Cr) (mg/kg) | ND | ND | ND | 5 | -- |
| Soluble Chromium (III) (Cr (III)) (mg/kg) | ND | ND | ND | 5 | 460 |
| Soluble Chromium (VI) (Cr (VI)) (mg/kg) | ND | ND | ND | 0.025 | 0.053 |
| Soluble Cobalt (Co) (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper (Cu) (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead (Pb) (mg/kg) | ND | ND | 8 | 5 | 23 |
| Soluble Manganese (Mn) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury (Hg) (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel (Ni) (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium (Se) (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium (Sr) (mg/kg) | ND | 76 | ND | 50 | 56000 |
| Soluble Tin (Sn) (mg/kg) | ND | ND | ND | 3 | 180000 |
| Soluble Organic Tin -- (mg/kg) | ND | ND | ND | -- | 12 |
| Soluble Zinc (Zn) (mg/kg) | ND | ND | ND | 50 | 46000 |



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

| Test Item(s) | Result(s) | | | MDL | Permissible Limit |
|--|-----------|----|----|-------|-------------------|
| | 13 | 14 | 15 | | |
| Specimen No. | | | | -- | -- |
| Mass of trace amount (mg) | / | / | / | -- | -- |
| Soluble Aluminium (Al) (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony (Sb) (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic (As) (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium (Ba) (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron (B) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium (Cd) (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ (Cr) (mg/kg) | ND | ND | ND | 5 | -- |
| Soluble Chromium (III) (Cr (III)) (mg/kg) | ND | ND | ND | 5 | 460 |
| Soluble Chromium (VI) (Cr (VI)) (mg/kg) | ND | ND | ND | 0.025 | 0.053 |
| Soluble Cobalt (Co) (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper (Cu) (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead (Pb) (mg/kg) | ND | ND | ND | 5 | 23 |
| Soluble Manganese (Mn) (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury (Hg) (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel (Ni) (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium (Se) (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium (Sr) (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin (Sn) (mg/kg) | ND | ND | ND | 3 | 180000 |
| Soluble Organic Tin -- (mg/kg) | ND | ND | ND | -- | 12 |
| Soluble Zinc (Zn) (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Cream wood (Bracket)
2. Black plush (Nose)
3. Light brown tricot (Connector)
4. White plush w/ yellow printing, black, white embroidery (Body)
5. White plush w/ dark brown printing (Ear)
6. White plush w/ blue printing (Body) (Resubmission)
7. White plush w/ red printing (Body)
8. White plush w/ pink printing (Body) (Resubmission)
9. White plush w/ green printing (Body) (Resubmission)
10. White fabric (Sewn-in label)
11. White w/ black coating on fabric (Sewn-in label)
12. Transparent lacquer coating on wood (Bracket)
13. White long plush (Body)
14. White flannel (Face)
15. Apricot flannel (Foot)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

N.B. : - Only applicable clauses or requested testing items were shown.



Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

** = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.

Sample Picture (As received)

Pic.1



Pic.2



SGS authenticate the photo on original report only

*** End of Report ***

