

# EXTEND THE LIFE OF YOUR CUTTING TOOLS



## CUTTING FLUIDS




 **WALTER**  
Achieve Greatness

# INCREASE THE LIFE OF YOUR CUTTING TOOLS AND PREVENT TOOL BREAKAGE WITH OUR READY-TO-USE METAL CUTTING LUBRICANTS THAT STANDS UP TO PRESSURE AND HEAT.

## ENSURING MATERIAL COMPABILITY

WHEN CHOOSING A CUTTING FLUID, IT IS IMPORTANT TO IDENTIFY WHICH MATERIALS THEY WILL BE USED ON.

► Look for the following icons when choosing the right product for your application:



## CERTIFICATIONS

► WALTER offers chemicals that meet various certifications levels and benefits.



### VOLATILE ORGANIC COMPOUNDS

Volatile organic compounds (VOCs) are products that contain potentially toxic levels of hazardous materials. Paints, stains and varnishes have long contributed considerably to the prolific release of VOCs. Products where you see the VOC-free logo guarantee that they contain no VOCs.



### ACCEPTED FOR USE IN CANADIAN FOOD PLANTS

Products with this logo present are accepted for use in food plants within Canadian borders.

## COOLCUT™

Metal cutting lubricant  
COOLCUT™ is a ready-to-use, high-performance metal cutting lubricant that stands up to pressure and heat to reduce tool wear and prevent tool breakage.



### DID YOU KNOW?

Using COOLCUT™ Cutting Lubricants can increase up to 5 times the life of your tools.

### Applications:

- Machining operations
- Drilling
- MQL system



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	312 g	11 oz.	53-B 002	L-01	12
Solid stick	300 g	300 g	53-B 013	L-22	12
Liquid/Squeeze bottle	350 ml	11.8 fl. oz	53-B 003	L-09	12
Sprayer	500 ml	16.9 oz	53-B 004	L-09	12
Liquid	3.78 L	1 gal	53-B 005	L-09	1
Liquid	20 L	5.2 gal	53-B 007	L-09	1
Liquid	208 L	55 gal	53-B 008	L-09	1

### Accessories

Spout for 20 L square plastic pail	Order no.	53-L 207
Spout for 208 L plastic drum 2" NPT	Order no.	53-L 209
Spout for 208 L plastic drum 3/4" NPT	Order no.	53-L 210





## ICECUT™

Ready-to-use coolant/lubricant

ICECUT™ is a ready-to-use coolant/lubricant specially formulated for use with magnetic drilling units to reduce tool wear and improve production rates.



### Applications:

- ▷ *Drilling with annular cutters, carbide core cutters, and drill bits*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid	3.78 L	1 gal	53-C 055	L-122	1
Liquid	20 L	5.2 gal	53-C 057	L-122	1
Liquid	208 L	55 gal	53-C 058	L-122	1

Accessories	Order no.
Spout for 20 L square plastic pail	53-L 207
Spout for 208 L plastic drum 2" NPT	53-L 209
Spout for 208 L plastic drum 3/4" NPT	53-L 210

## STAINLESSCUT™

Stainless steel cutting lubricant

STAINLESSCUT™ is a heavy-duty cutting lubricant designed for tough metal cutting operations. Formulated for stainless steel, alloys, and ferrous alloys.



### Applications:

- ▷ *Machining operations*
- ▷ *Drilling*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Aerosol	312 g	11 oz.	53-B 202	L-53	12
Liquid/Squeeze bottle	350 ml	11.8 fl. oz	53-B 203	L-114	12
Liquid	3.78 L	1 gal	53-B 205	L-114	1
Liquid	20 L	5.2 gal	53-B 207	L-114	1

Accessories	Order no.
Spout for 20 L square plastic pail	53-L 207

## TAPCUT™

Thread cutting lubricant

TAPCUT™ is a biodegradable & non-toxic lubricant that is specially formulated for thread cutting with taps and dies.



### Applications:

- ▷ *Hand tapping*
- ▷ *Machine tapping*



Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Liquid/Squeeze bottle	350 ml	11.8 fl. oz	53-A 103	L-115	12
Liquid	3.78 L	1 gal	53-A 105	L-115	1
Liquid	20 L	5.2 gal	53-A 107	L-115	1

Accessories	Order no.
Spout for 20 L square plastic pail	53-L 207

## ALUCUT™

Solid stick aluminum cutting lubricant

ALUCUT™ is a high-performance lubricant that extends cutting tool life. Specially formulated for use with aluminum and other nonferrous metals.



### Applications:

- ▷ *Cutting with circular chop saws*
- ▷ *Drilling*

Description	Size		Order No.	(M)SDS	Std. Pkg.
	Metric	US Gal			
Solid stick	300 g	10.5 oz.	53-B 303	L-04	12



## Walter Surface Technologies

### Canada

#### Montreal

5977 Trans Canada Highway  
Pointe-Claire, Quebec  
H9R 1C1  
Tel.: 514 630-2800  
Toll free: 1 800 363-7368  
Fax: 514 630-2825

#### Edmonton

18527 – 104 Avenue NW  
Edmonton, Alberta  
T5S 2V8  
Tel.: 780 451-2053  
Toll free: 1 866 435-1271  
Fax: 780 453-1589

#### Toronto

151 Superior Blvd., Unit 12  
Mississauga, Ontario  
L5T 2L1  
Tel.: 905 795-8555  
Toll free: 1 888 821-9444  
Fax: 905 795-8558

#### Vancouver

1-1595 Cliveden Ave. West,  
Delta, British Columbia  
V3M 6M2  
Tel.: 604 540-4777  
Toll free: 1 877 366-9258  
Fax: 604 540-4778  
Fax toll free: 1 877 329-9258


### FOR MORE INFORMATION, TO SCHEDULE A FREE DEMO OR TO ORDER

Phone: 888 592-5837

Fax: 866 581-1121

Email: [csr@walter.com](mailto:csr@walter.com)

Or visit: [walter.com](http://walter.com)



### United States

#### Connecticut

810 Day Hill Road  
Windsor, CT 06095  
Phone: 1 860-298-1100  
Email: [info.us@walter.com](mailto:info.us@walter.com)Texas

#### Texas

710 Gateway Blvd.  
Suite 110  
Coppell, TX 75019

### FOR MORE INFORMATION, TO SCHEDULE A FREE DEMO OR TO ORDER

Phone: 866 592-5837

Fax: 866 274-4435

Email: [orderdesk.us@walter.com](mailto:orderdesk.us@walter.com)

Or visit: [walter.com](http://walter.com)

