

# Industrial Cleaning & Hygiene Solutions

Safety ■ Health ■ Appearance



Clean, Safe, Healthy Facilities - Lowest Total Cost




**HILLYARD**  
  
The Cleaning Resource®

# DEFCON® - 2D

Super-Concentrated, Closed Loop  
Cleaning & Degreasing System

## Formulated with SM-1® Technology

A proprietary surfactant technology developed by Hillyard results in a synergistic blend of three surfactants that remove more soil in less time than traditional degreasers.



Makes Up To  
**1,000**  
Gallons  
Ready-To-Use  
Solution!\*

\*One 2.5 gallon container. Based on consistent water pressure, bottle fill, light orange dilution tips, 1:400 dilution rate.

NSF A1,A4



# DEFCON<sup>®</sup>-2D

## Super Concentrate



### Spray & Wipe Bottle Fill - Low Flow

Dilution	Light	Medium	Heavy
Cleaning Level	General Purpose Spray and Wipe	Car Detailing Oily Residue	Parts and Motors Heavy Grease & Grime
Dilution Ratio	1:400	1:242	1:162
Yield*	1,000 Gallons	608 Gallons	408 Gallons
Tip Color	Light Orange	Olive Green	Pink

\*Based on 100% usage on low flow from one 2.5 gallon container.



### Bucket & Scrubber Fill - High Flow


Dilution	Light	Medium	Heavy
Cleaning Level	Everyday Floor cleaning	Greasy, Oily Floor Cleaning	Heavy Grease, Oil Restorative Cleaning
Dilution Rate	1:312	1:213	1:135
Yield*	783 Gallons	535 Gallons	340 Gallons
Tip Color	Green	Tan	Gray

\*Based on 100% usage on high flow from one 2.5 gallon container.



#### Dilution Control

Interchangeable tips in the dispenser deliver accurate, cost-effective ready-to-use cleaning solution.



#### Sealed System

Container is sealed for safety. Dispensing cap mates with bottle insert to draw chemical from container.



#### Dual Flow

Dual flow rates allow for fast and accurate filling. Fill buckets at up to 9 gallons per minute and bottles at 1 gallon per minute.

## Eliminate the Drum!



Dangerous Handling - Workers Compensation Claims



Chemical Spills - Exposure to Concentrated Chemicals



Environmental Disposal Costs - Sustainable Solutions



Storage Space - Inventory Costs

#### Defcon-2D Dispensing Kit

- I-Force Dispenser
- Special metering tips & cap
- Rack for container & bottles
- Low flow: 1 GPM
- High flow: 9 GPM
- Item No: HIL99724



#### Defcon-2D Refills

- 2 - 2.5 Gallon containers per case
- Item No: HIL0045447



**Safety**  
**Sustainability**  
**Cost-Effective**

# Specialty Cleaners & Degreasers

## GS-200, Environmentally Preferred – Green Seal™ Certified Degreaser

- Formulated to be non-toxic, phosphate-free, biodegradable and nonflammable.
- Minimizes the impact on the environment and improves worker safety.
- Contains no dye, fragrance or hazardous ingredients.



Dilution Rate: 1:64, 1:32, 1:21

Item	Pack
HIL0047806	4 - 1 Gallon Containers
HIL0047807	1 - 5 Gallon Bag-In-Box
HIL0047809	1 - 55 Gallon Drum
HIL0047811	1 - 275 Gallon Tote



## Citrus-Scrub® 90



Citrus-Scrub 90 is equipped to tackle asphalt, industrial oil, tar, carbon, adhesives, rubber burn marks, and more. Use Citrus-Scrub 90 to safely remove asphalt and rubber marks from machinery, tools, engines, concrete floors, metal surfaces, and more. Citrus-Scrub 90 delivers industrial strength yet contains no bleach, ammonia, phosphates, harsh acids, or alkalis. USDA Biobase Certified - 94%.

Item	Pack
HIL0048404	12 - 1 Quart Bottles
HIL0048406	6 - 1 Gallon Containers
HIL0048407	1 - 5 Gallon Pail
HIL0048409	1 - 55 Gallon Drum
HIL0048411	1 - 275 Gallon Tote



## D.M.B. Descaler Metal Brightener

An extra-strength cleaner formulated to remove hard water deposits from metal and plastic surfaces. It works quickly, leaving surfaces bright and free of buildup. D. M. B.'s phosphoric acid formulation is effective for removing hard water deposits such as lime, calcium, magnesium, iron, and aluminum, from metal and plastic surfaces. It works on all hard surfaces, but should not be used on marble, terrazzo, resilient flooring, or galvanized surfaces. NSF Category A-3.

Dilution Rate: 1:128 - 1:2

Item	Pack
HIL0047406	4 - 1 Gallon Containers
HIL0047409	1 - 55 Gallon Drum



## L.F.D. Low Foaming Degreaser

Formulated to take on the challenges of industrial cleaning. L.F.D. is perfect for use in autoscrubbers. As its name implies, it's a low foam degreaser that allows for enhanced productivity by keeping foam in the recovery tank to a minimum. More time cleaning, less time emptying tank!. L.F.D. can also be used in a mop bucket or trigger sprayer to spot-clean areas where an autoscrubber is impractical.

Dilution Rate: 1:32 - 1:5

Item	Pack
HIL0048106	4 - 1 Gallon Containers
HIL0048109	1 - 55 Gallon Drum
HIL0048111	1 - 275 Gallon Tote



Certified Kosher NSF A3

# SM-1<sup>®</sup> Degreaser

- Accelerated action removes the toughest greasy soil from any surface not harmed by water.
- Safe to use. HMIS in-dilution rating of 0,0,0.
- Extremely low VOCs.
- Butyl-free and solvent-free.
- Cost-effective dilution rates.
- Dilution rates range from 1 ounce per gallon of water to 12 ounces per gallon of water for extreme degreasing.

Dilution Rate: 1:128 - 1:10

Item	Pack
HIL0048706	4 - 1 Gallon Containers
HIL0048707	1 - 5 Gallon Bag-In-Box
HIL0048709	1 - 55 Gallon Drum
HIL0048711	1 - 275 Gallon Tote
HIL0048715	1 - 15 Gallon Drum

## Testing Confirms SM-1 Removes More Soil In Less Time!



Panel A  
Traditional Degreaser  
Dilution Rate 1:40  
Scrub Test Cycles: 75




Panel B  
SM-1 Degreaser  
Dilution Rate 1:40  
Scrub Test Cycles: 50



Panel C  
SM-1 Degreaser  
Dilution Rate 1:40  
Scrub Test Cycles: 75

Standardized laboratory tests on grease panels that simulate scrubbing action show SM-1 removes more soil in less time than competitive products formulated with traditional ingredients.

A proprietary surfactant technology developed by Hillyard has resulted in a synergistic blend of three surfactants that remove more soil in less time than traditional degreasers.



## GR-1000 - Graffiti Remover

GR-1000 Graffiti Remover is designed to remove paint, crayon, marker, pencil, pen, lipstick, paint pens, marking paint and most any form of graffiti from large surfaces such as bridge abutments, portable toilets, street signs, walls, and sidewalks.

Dilution Rate: RTU - 1:10

Item	Pack
HIL0102404	12 - 1 Quart Bottles
HIL0046506	4 - 1 Gallon Containers



## O.S.R. Oil Spot Remover

Oil Spot Remover is designed to absorb and lift stains from concrete without scrubbing. Simply pour on spot, allow the product to dry and absorb the spot, then brush away. Can be used indoors or outdoors on concrete surfaces. Commonly used on concrete driveways, garages, and walkways.

Dilution Rate: RTU

Item	Pack
HIL0049122	6 - 1/2 Gallon Containers



## Quick & Clean<sup>®</sup> KA<sup>®</sup> Industrial Degreaser

Works fast to emulsify and remove the toughest dirt, grease, oil, tar, and grime. It is the perfect choice for cleaning and degreasing a variety of surfaces and items including air filters, conveyors, exhaust hoods, walls, metal equipment, and machine parts.

Dilution Rate: RTU



Item	Pack
HIL0100604	12 - 1 Quart Bottles



# Dispensing Systems That Control Cost

## High-Low Dispensing Center

- Provides consistent, precise dilutions that maximize product performance, eliminates waste, and enhances worker safety.
- Wall mountable, automatically mixes cleaner concentrates with water to dispense at the desired dilution rate.
- Fill buckets and large equipment with the high-flow lever that dispenses mixed product at a fast 9 gallons per minute. Fill spray bottles with the low-flow button that dispenses mixed product at one gallon per minute.



#HIL99605

## High-Discharge Dispensing Center

- Provides consistent, precise dilutions that maximize product performance, eliminates waste, and enhances worker safety.
- Mounts easily to drums and totes. Automatically mixes cleaner concentrates with water to dispense at the desired dilution rate.
- High flow, up to 16 GPM.



#HIL99554



## KA® Industrial Degreaser

NSE A1

The perfect choice for cleaning and degreasing a variety of surfaces and items including air filters, concrete flooring, conveyors, exhaust hoods, walls, metal equipment, and machine parts.

Dilution Rate: 1:128 - 1:1

Item	Pack
HIL0013706	4 - 1 Gallon Containers
HIL0013707	1 - 5 Gallon Bag-In-Box
HIL0013709	1 - 55 Gallon Drum
HIL0013711	1 - 275 Gallon Tote
HIL0013728	1 - 30 Gallon Drum



## I.D. 200

A highly concentrated, multipurpose cleaner/degreaser formulated to remove a wide variety of dirt, grime, and grease. It is perfect for daily cleaning of light to medium-duty soils on concrete, paver brick, quarry tile, walls, machinery, and equipment. I.D. 200 can be used in autoscrubbers, mop buckets, spray bottles, and pressure washers.

Dilution Rate: 1:128 - 1:10

Item	Pack
HIL0048306	4 - 1 Gallon Containers
HIL0048307	1 - 5 Gallon Pail
HIL0048309	1 - 55 Gallon Drum
HIL0048311	1 - 275 Gallon Tote
HIL0048315	1 - 15 Gallon Drum
HIL0048328	1 - 30 Gallon Drum



## Defcon®-2R B-I-B Super Concentrate Refill

NSE A1,A4

Defcon®-2R is the 5 gallon bag-in-box SUPER concentrate refill used to make Defcon 2 Concentrated Degreaser. Simply fill an empty Defcon 2 drum with 40 gallons of water, empty one 5-gallon Defcon-2R into the drum and top-off with 10 gallons of water. The result is 55 gallons of Defcon 2 Concentrate which is further diluted at a rate of 4 to 8 oz. per gallon of water to make ready-to-use degreaser. One 5-gallon bag-in-box of Defcon-2R makes up to 1,815 gallons of ready-to-use degreaser!

Dilution Rate: 1:10 makes concentrate 55 gallons of concentrate. Then, concentrate can be diluted 1:32 - 1:16

Item	Pack
HIL0045407	1 - 5 Gallon Bag-In-Box



## Defcon® 2 Starter Drum

Defcon 2 is designed to be the starter drum for Defcon®-2R. The 55 gallon drum is When your Defcon 2 drum runs out, simply mix a 5-gallon bag-in-box of Defcon-2R SUPER Concentrate with 50 gallons of water in the drum and you have a full drum of concentrated degreaser ready to be diluted.

Dilution Rate: 1:32 - 1:16

Item	Pack
HIL0045509	1 - 55 Gallon Drum

Use Totes For High-Use Areas!



250 Gallons Of Water



# Vehicle Wash

## High Pressure & Hand Wash

### CV-Pro

A vehicle wash specifically formulated for use with high pressure cleaning equipment. CV-Pro removes most exhaust deposits, road film, and bug residue from painted vehicle surfaces, cleans aluminum siding, painted wood and metal surfaces. CV-Pro rinses residue-free and water will bead up for that "just waxed look." For use with hot or cold water, CV-Pro is heat stable to 180° Fahrenheit, and contains no solvents, free acids or phosphates.

*Dilution Rate: 1:20 - 1:64*

Item	Pack
HIL0047907	1 - 5 Gallon Pail
HIL0047909	1 - 55 Gallon Drum
HIL0047911	1 - 275 Gallon Tote

### HV-Pro

A vehicle wash specifically formulated for hand vehicle washing systems. HV-Pro removes most exhaust deposits, road film, and bug residue from painted vehicle surfaces, cleans aluminum siding, painted wood, and painted metal surfaces. HV-Pro rinses residue-free and water will bead up for that "just waxed look". For use with hot or cold water, HV-Pro is heat stable to 180° Fahrenheit, and contains no solvents, free acids or phosphates.

*Dilution Rate: 1:20 - 1:128*

Item	Pack
HIL0045306	4 - 1 Gallon Containers
HIL0045309	1 - 55 Gallon Drum



**Hand Defense®**

Professional Hand Hygiene



## Clean with High-Performance Hand Wash Formulas

### Hand Defense 2000 System

Light Duty



#### LDN - Natural

- Solvent-free
- Natural walnut scrubbers
- No added dye or fragrance
- Item No: HIL0041501
- Pack: 4 - 2,000ml/case

Medium Duty



#### MDP - Citrus

- Light solvent formula
- Natural pumice scrubbers
- Fresh citrus scent
- Item No: HIL0041301
- Pack: 4 - 2,000ml/case

Heavy Duty



#### HD - Citrus

- Pumice-free gel formula
- Excellent on inks and paint
- Fresh citrus scent
- Item No: HIL0041601
- Pack: 4 - 2,000ml/case



#### HDP - Citrus

- Natural pumice scrubbers
- Heavy grease, inks and paint
- Fresh citrus scent
- Item No: HIL0041701
- Pack: 4 - 2,000ml/case



#### HDP - Cherry

- Natural pumice scrubbers
- Heavy grease and adhesives
- Cherry scent
- Item No: HIL0041401
- Pack: 4 - 2,000ml/case

**40 percent** of industrial workers will suffer from occupational dermatitis causing pain, illness, absenteeism, lost productivity and **increased costs for employers.\***

Clean

Protect

Restore

**for healthy skin  
happy staff  
lower cost**

## Bio-based Solvents Surfactants - Emollients A Smart Choice



Many heavy duty hand soap formulators use petroleum-based solvents, like mineral spirits, to help cut the grease and grime on dirty hands. While effective, there are natural-based alternatives.

Hand Defense products are formulated with natural, bio-based solvents, surfactants, and emollients.†

Hillyard formulations with lower concentrations of natural solvents are very efficient at breaking down grease and grime when compared to products with higher concentrations of mineral spirit-based solvents.

Natural solvents, surfactants and emollients - a smart choice for your hands and our environment!

\*United States, Center for Disease Control


† LDN-Natural is solvent-free and contains natural bio-based emollients and surfactants. MDP-Citrus, HD-Citrus, HDP-Citrus contain natural bio-based solvents, emollients and surfactants. HDP-Cherry contains bio-based emollients and VOC exempt mineral-spirit solvent.



# Dispensing Systems

## Hand Defense 2000

- 2,000 ml cartridge system
- Lockable cabinet, easy access
- Modular, interchangeable pump
- Output: 2.5 ml per press
- Screw mount, no adhesive pad
- Dim: 11.5”T x 5.25”W x 5.5” D
- Item No: HIL22288



H.D. 2000



H.D. 1250



The Hillyard Hand Defense 1250 Dispenser accepts the full range of Hillyard Affinity® manual system 1,250ml cartridges to complete any skin care program!

- Foam & Liquid ■ Antibacterial ■ Instant Hand Sanitizer ■ Hair & Body Wash

## Protect and Restore Moisture with Skin Moisturizer

### Hand Defense 1250 System



**Healthy Skin** - Keep the outer layer of skin clean and moisturized so it can stay intact - keeping illness-causing irritants, dirt, and germs at bay.



**Damaged Skin** - Dry, cracked skin gives way to harmful, illness-causing irritants, dirt and germs while letting essential oils and moisture escape.

Apply Before and After Work 3-4 Times Daily!

### Skin Moisturizer

- Silicone-free
- Fragrance-free
- Contains allantoin to help moisturize
- Item No: HIL0041203
- Size: 1,250ml




## Game-Changing Application System

- Coat bare concrete
- Coat over existing coatings\*
- Safe, no acid etching required
- No grinding or shot blasting
- Test, prep, prime and coat\*\*
- Low odor, low VOC



### Hillyard Concrete Defense®

- Provides stain protection
- Eliminates concrete dusting
- Makes floor cleaning easier
- Improves gloss, increasing brightness and light levels
- Can completely transform concrete surfaces into showroom-caliber floors



### Coating Resistance



HOT TIRE

Very Good



WATER

Excellent



SOLVENT

Very Good



ALKALINE

Very Good



ACIDIC

Good

\* Existing coating must be structurally sound without peeling and have good adhesion to the sub-surface.

\*\* As with all concrete coatings, because concrete composition and condition varies greatly, it is best practice to perform small test patches prior to priming and coating an entire floor. Test kits are available. Follow all label instructions.

Pictured: 1 coat HTG Gray, Blue Flakes, HT Clear

## Ultimate Protection Ultimate Appearance

Transform bare concrete or previously coated concrete floors into showroom-caliber floors that deliver the ultimate in protection and appearance. Apply a complete 4-level system as shown, or apply HT, HTG or HTB as a single coat over Hillyard Concrete Primer.

### Heavy Traffic Concrete Seal

- Extreme performance
- 2 & 3 part, high-solids epoxy resin
- Resistant to hot tires
- Designed for indoor use, low odor
- Dries in 12 hours under normal conditions



Power Dollies






Forklift



Pedestrian



Carts

Item	Description	One Gallon	Five Gallon
Concrete Primer	Primer coat must be used under LT, MT, HT, and HTG Seals Dries: clear. Approximate coverage: 1,000-1,500 sq. ft./gallon.	HIL0050106 4 - 1 Gallon Containers	HIL0050107 1 - 5 Gallon Pail
HT Concrete Seal Clear	Heavy traffic, 3-part, epoxy resin for extreme durability. Dries: clear. Approximate coverage: 500-600 sq. ft./gallon.	HIL0049306 1 - 1 Gallon Kit	HIL0049307 1 - 5 Gallon Kit
HTG Concrete Seal Gray	Heavy traffic, 2-part, epoxy resin for extreme durability. Dries: gray. Approximate coverage: 300-400 sq. ft./gallon.	HIL0050006 1 - 1 Gallon Kit	HIL0050007 1 - 5 Gallon Kit
HTB Concrete Seal Beige	Heavy traffic, 2-part, epoxy resin for extreme durability. Dries: gray. Approximate coverage: 300-400 sq. ft./gallon.	HIL0050206 1 - 1 Gallon Kit	HIL0050207 1 - 5 Gallon Kit
Decorative Flakes	Polymer color flakes to enhance appearance and compliment decor. Best applied to HTG when wet and over-coated with HT. Pack: 5lbs./Case	HIL22015 - Beige 	HIL22012 - Gray 
			HIL22011 - Blue 
Slip-Resistant Additive	A unique texture additive that, when added to the FINAL topcoat of Hillyard Concrete Defense Seals HT, or HTG(B), can reduce the potential for slipping. This product will not change the color of the floor coating. Use on stairs, indoor decks, or walkways, damp or inclined areas that tend to get slippery.		HIL22000 1 - 18 oz. container

Scan code for more information on Hillyard Concrete Defense!



Clean  
Concrete

Primer  
Coat

HTG or HTB  
Epoxy

Decorative  
Flakes

HT  
Clear Epoxy

# Hillyard I-Force Degreaser & Vehicle Wash Formulas

Phosphate Free ■ VOC Compliant ■ Chlorinated Solvent Free

	Defcon® - 2D	Defcon® - 2R	SM-1® Degreaser*	KA® Industrial Degreaser	I.D. 200	GS-200	L.F.D. Low Foaming Degreaser	CV - Pro	HV - Pro
Product Type	Super Concentrate	Super Concentrate	Concentrate	Concentrate	Concentrate	Concentrate	Concentrate	Vehicle Wash	Hand Vehicle Wash
Product Description	Sealed system. Attach one 2.5-gallon container to the Defcon - 2D dispensing system. Super concentrate is diluted in range of 1:400 - 1:135 to make ready to use degreaser.	Add one 5-gallon B.I.B to 50 gallons of water to make one 55-gallon drum of concentrate. Further dilute concentrate in a range of 1:16-1:8.	Designed for today's hard to remove soils. Formulated with Accelerated Action Technology to work faster. Heat stable to 180°F for use in heated high-pressure equipment.	For cleaning and degreasing a variety of surfaces and items including air filters, concrete flooring, conveyors, exhaust hoods, walls, metal equipment, and machine parts.	A multi-purpose cleaner/degreaser formulated to remove a wide variety of dirt, grime, and grease. Perfect for daily cleaning of light to medium-duty soils.	Green Seal™ Certified GS-200 is formulated to be non-toxic, bio-degradable, and nonflammable, and contains no dye, fragrance, or hazardous ingredients.	L.F.D. is perfect for use in auto-scrubbers. A low foam degreaser that allows for enhanced productivity by keeping foam in the recovery tank to a minimum.	Formulated for use with high pressure cleaning equipment. CV-Pro is heat stable to 180° Fahrenheit. Moderate foaming characteristics.	Formulated for hand vehicle washing systems. For use with hot or cold water, HV-Pro is heat stable to 180° Fahrenheit. Excellent foaming characteristics.
Certifications - Ratings	NSF A1, A4	NSF A1, A4	NSF A1, A4	NSF A1	n/a	Green Seal	n/a	n/a	n/a
Color & Appearance	Amber - Clear	Amber - Clear	Purple - Clear	Red - Clear	Green - Clear	Brown - Clear	Clear	Red - Clear	Green - Clear
Scent	Mild Solvent	Mild Solvent	Mild Solvent	Mild Solvent	Lemon	Clean	Wintergreen	Clean	Clean
Use in Auto Scrubbers	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a
Use with Pressure Washers	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Spray & Wipe	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a
Damp Mopped	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a
In-Use Dilution Rates	1:400 - 1:135	1:32 - 1:16	1:32 - 1:16	1:64 - 1:20	1:128 - 1:10	1:64 - 1:21	1:32 - 1:5	1:64 - 1:20	1:128 - 1:20
pH (Concentrate)	12.00 - 13.50	12.00 - 13.50	12.50 - 13.50	10.50 - 11.50	12.50 - 13.50	10.50 - 11.50	11.00 - 12.00	11.50 - 12.50	8.00 - 9.50
Contains Butyl	No	No	No	Yes	No	No	Yes	No	No
Foaming Level	Moderate	Moderate	Moderate	Moderate	High	High	Very Low	Moderate	High
4 - 1 Gallon Containers	n/a	n/a	HIL0048706	HIL0013706	HIL0048306	HIL0047806	HIL0048106	n/a	HIL0045306
2 - 2.5 Gallon Containers	HIL0045447	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
1 - 5 Gallon Bag-In-Box	n/a	HIL0045407	HIL0048707	HIL0013707	HIL0048307	HIL0047807	n/a	n/a	n/a
1 - 5 Gallon Pail	n/a	n/a	n/a	n/a	n/a	n/a	n/a	HIL0047907	n/a
1 - 15 Gallon Containers	n/a	n/a	HIL0048715	n/a	HIL0048315	n/a	n/a	n/a	n/a
1 - 30 Gallon Containers	n/a	n/a	HIL0048728	HIL0013728	HIL0048328	n/a	n/a	n/a	n/a
1 - 55 Gallon Drum	n/a	n/a	HIL0048709	HIL0013709	HIL0048309	HIL0047809	HIL0048109	HIL0047909	HIL0045309
1 - 275 Gallon Tote	n/a	n/a	HIL0048711	HIL0013711	HIL0048311	HIL0047811	n/a	HIL0047911	n/a

## Heavy Duty Wipers

- Ideal for manufacturing, automotive, building maintenance and janitorial
- Excellent shop towel replacement, cloth-like feel and low lint
- Durable and highly absorbent



### Specifications

Item #	Color	Description	Size	Pack
HIL21410	Blue	Heavy Duty	9" x 16.5"	125/Box 4 Boxes/Cs

## Glass & Surface Wipers

- Ideal for janitorial, automotive, manufacturing and maintenance
- Nylon reinforced, low lint
- Multi-ply for superior wet strength



### Specifications

Item #	Color	Description	Size	Pack
HIL21412	White	4-ply Nylon Scrim Reinf.	9.75" x 16"	175/Box 4 Boxes/Cs

## Quick & Clean® Waterless Hand Cleaner

Heavy-duty, pre-moistened towels formulated to loosen, dissolve, and absorb dirt, ink, oils, grease, tar, paint, adhesives, and more. Conditions and softens hands as it cleans.



Item	Pack
HIL01061	6 - 72 Wipe Containers

## Windo Clean®+

Windo Clean+ is for cleaning and polishing windows, mirrors and other glass surfaces. With an exclusive formulation using denatured alcohol and no ammonia, this product cleans thoroughly, dries quickly, requires no rinsing and leaves a pleasant, fresh scent.



Item	Pack
HIL0102555	12 - 19 oz. Cans

**HILLYARD**  
The Cleaning Resource®

PO Box 909  
St. Joseph, MO 64502  
www.hillyard.com

LIT-IND-1216

Subject to change without notice.