



48" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-48

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

48" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

48" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

24" (610 mm)

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



52" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-52

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

52" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

52" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

26" (660 mm)

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



56" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-56

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

56" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

56" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

28" [711 mm]

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



60" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-60

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

60" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

60" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

30" (762 mm)

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



64" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-64

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

64" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

64" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

32" (813 mm)

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



68" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-68

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

68" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

68" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

34" [864 mm]

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



72" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-72

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

72" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

72" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.

Fixed Panel Width:

36" [914 mm]

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Shower Rod is cut 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale



78" Astro Square Slider
Shower Enclosure Hardware Kit
Glass Fabrication

AST-SLDK-78

FUTUREGLASS

FUTUREGLASS.US

Glass Fabrication

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Sliding Door Panel.

78" Astro Square Slider Door Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Sliding Shower Door Width:

Recommended Door Width:
Half of Opening Width + $1\frac{1}{2}$ "

Sliding Shower Door Height:

Overall Height minus $\frac{1}{4}$ " (6mm)

Important: Drawing not shown to scale. Cut Shower Rod 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale

Glass Fabrication (continued)

If fabricating custom glass for the Astro Square Slider Shower Hardware Kit, please use the specs below for the Fixed Panel.

78" Astro Square Slider Fixed Panel Dimensions

- Designed for Use With $\frac{5}{16}$ " (8mm) or $\frac{3}{8}$ " (10mm) Tempered Glass
- Do not use Laminated Glass.
- Maximum Recommended Glass Panel weight: 90 lbs.


Fixed Panel Width:

Half of Opening Width

Fixed Panel Height:

Overall Height

Important: Drawing not shown to scale. Cut Shower Rod 1" (25mm) less than Opening Width. Use wall-to-wall tight dimension. Overall Height is height from threshold/floor to top of glass.



*Diagram Not to Scale