
# INSTRUCTION MANUAL



### TABLE OF CONTENTS

### **ASSEMBLY INSTRUCTIONS**

Outdoor Rocking Poly Adirondack Chair	3
Outdoor Poly Adirondack Side Table	9

# INSTRUCTION MANUAL




Outdoor Rocking Poly Adirondack Chair

### ! NOTICE


**TOOLS REQUIRED** 


### Do not overtighten screws. (Insert all screws before tightening screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Please adjust the speed slowly when you use electric drill for assembling to avoid screw slipping.




### **PARTS**






### **PARTS**



### PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part C Left Chair Arm to Part E Left Chair Leg with 1 pc of Hardware #4 Bolt, Hardware #7 Washer and Hardware #6 Nut.


Do the same to Part F Right Chair Leg and Part D Right Chair Arm.

Do not tighten screws too much at this stage.




2

Attach Part F Right Chair Leg and Part E Left Chair Leg to Part A Chair Seat with 4 pcs of Hardware #4 Bolt, Hardware #7 Washer and Hardware #6 Nut.






Attach Part B Chair Backrest to Part A Chair Seat and Part D Right Chair Arm as well as Part C Left Chair Arm with 2 pcs of Hardware #1 Bolt and 2 pcs of Hardware #4 Bolt as below.



4

Turn the chair upside down, place **Part G Left Rocking Base** to **Part E Chair Left Leg** as below and attach them with 2 pcs of **Hardware #2 Screw**.


Attach Part G Left Rocking Base to Part A Chair Seat with 1 set of Hardware #3 Bolt, Hardware #7 Washer and Hardware #6 Nut.





Attach Part H Front Rail to Part G Left Rocking Base and Part E Left Chair Leg of Hardware #5 Screw.

Do the same to the right side to finish the assembly.





Tighten all the screws, bolts and nuts to ensure a steady use of this chair.



### INSTRUCTION MANUAL



Outdoor Poly Adirondack Side Table


### ! NOTICE

### Do not overtighten screws or bolts. (Insert all screws before tightening screws.)


- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Avoid using strong power tools to prevent cracking the PE boards when assembling.


### TABLE 1 PERSON UP TO 20 MIN. (PROVIDED) TABLE 1 PERSON UP TO 20 MIN. ASSEMBLY ASSEMBLY


### **HARDWARE**



### **PARTS**











Attach Part B Table Leg to Part A Table Top with 2 pcs of Hardware #1 Bolt using an Allen Wrench.

Do not tighten the bolts too much at this stage.



2


Attach Part C Table Wooden Braces to Part B Chair Legs with 2 pcs of Hardware #1 Bolt.



3

Attach Part B Table Leg to Part A Table Top and Part C Wooden Brace with 2 pcs of Hardware #1 Bolt using an Allen Wrench.

Tighten all bolts and screws to finish the assembly.





### **CLEANING TIPS**

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.