
3M Building and Contractor Specialties for Waterproofing and Moisture Protection





3M[™]Scotch-Weld[™] Cylinder Spray Adhesives... fast and easy drain board installation without nails



- · Short dry time and long open time to work at the best pace for the job
- · No cleaning or purging of hose and applicator necessary

3M[™] Scotch-Weld[™] HoldFast 70 Adhesive

- · Very fast tacking for spray and stick speed
- Bonds polystyrene without damaging it

3M[™] Scotch-Weld[™] General Purpose 60 CA Adhesive (Low VOC)

- · Very high coverage for great value from every cylinder
- Meets California VOC regulations
- · Not recommended for use on polystyrene foam



9501

3M [™] Scotch-Weld [™] Cylinder Spray Adhesives Product Selection					
Description	UPC	3M ID			
HoldFast 70 Adhesive	00-048011-61690-2	62-4983-8030-2			
General Purpose 60 CA Adhesive	00-048011-61687-2	62-4952-8030-7			
Adhesive applicator with 9501	00-048011-61706-0	62-9880-9930-5			
Adhesive applicator tip 9501	00-048011-61707-7	62-9880-9501-4			
Adhesive applicator tip QSS for 70	00-048011-61993-4	62-9880-8148-5			
6' hose	00-051115-25036-1	62-9880-0006-3			
12' hose	00-048011-61988-0	62-9880-0012-1			
25' hose	00-048011-61989-7	62-9880-0025-3			
50' hose	00-051115-25782-7	62-9880-0050-1			

QSS

3M science for simplicity in seaming, draping, hanging, bundling, and more

3M[™] Construction

Seaming Tape 8087

(2 13/16" x 55 yds.)

Seam, seal, or repair concrete underlayment,

vapor barriers, and more



Maintains tight seal at -40°F to 220°F (-40°C to 105°C)

UPC: 00-051115-23593-1

3M ID: 70-0064-1369-7

3M[™] Polystyrene Foam **Insulation 78 Spray** Adhesive

(24 fl. oz. aerosol)

Fast, easy pushbutton spray to attach polystyrene to concrete and cinder block

- Controlled spray pattern minimizes overspray and clean-up
- Spray adjusts 1-5" for targeted application, most efficient use of adhesive with less waste
- · Bonds with strength greater than the foam itself
- Bonds without attacking the foam

UPC: 00-021200-41593-7

3M ID: 62-4951-4930-4

Scotch-Brite[™] Bristle Disc

(4.5" dia., 50 grit)

Quick removal of coatings and dirt from concrete

- Long lasting abrasive
- Use with straight shaft tool or right angle grinder

UPC: 00-048011-24241-5 3M ID: 61-5001-3901-1

3M[™] Hi-Strength 90 Spray Adhesive (24 oz. aerosol)

Stick poly draping to itself, concrete, brick, metal, wood, and more

- Sticks fast
- California compliant with no methylene chloride, CFCs, or 1,1,1 trichlorethane

UPC: 00-021200-30023-3 3M ID: 62-4942-4930-3



3M[™] Polyurethane Adhesive Sealant 550 Fast Cure

- Multi-purpose adhesive sealant
- Paintable
- · Above/below waterline use



600mL Sausage pack: UPC: 00-048011-62801-1 3M ID: 62-5267-3930-5

1/10 Gallon cartridge: UPC: 00-048011-62799-1 3M ID: 62-5267-5230-8

3M safety products designed to encourage proper use

	Description	Application	UPC	3M ID	Quantity
18	3M [™] Particulate Respirator 8210, N95	Comfortable protection when sanding and grinding	50-051138-46457-3	70-0706-1439-4	160/case
19	3M [™] Particulate Respirator 8511, N95	Valve for easy exhalation and dry comfort at hot and humid jobsites	50-051138-54343-8	70-0707-5755-7	80/case
20	3M [™] XLR8 [™] Hard Hat with 6-pt. Pinlock Suspension – White	Revolutionary suspension eliminates the comfort problems associated with full-shift hard hat use	10-078371-45964-9	70-0715-1306-6	20/case
21	3M [™] Virtua [™] V4 Black Temple/Gray Overmold	Indoor/Outdoor Mirror Lens	10-078371-62038-4	70-0715-4040-8	20/case

More 3M good ideas for the job site

	Description	Application	UPC	3M ID	Quantity
22	3M™ Multipurpose Duct Tape 3900	Bundle; temporarily hold forms and brackets	00-021200-49830-5	70-0063-1521-5	24/case
23	3M [™] Scotch-Weld [™] Super 77 [™] Cylinder Spray Adhesive	Holds on contact for hanging or seaming poly	00-051115-25776-6	62-4979-8030-0	1/case
24	Scotch-Brite [™] General Purpose Hand Pad 7447	Fast, convenient cleaning of many surfaces	00-048011-04029-5	61-5001-2323-9	20 pads/box; 3 boxes/case
25	Scotch-Brite [™] Coating Removal Disc	Aggressive removal of coatings, corrosion, and other crud from metal and concrete	00-048011-18424-1	61-5001-2008-6	20/case
26	3M [™] Utility Duct Tape 2929	Bundling, labeling, and temporarily holding forms and brackets in place	00-051115-24883-2	70-0064-1634-4	24/case

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M

Industrial Adhesives and Tapes Division

3M Center, Building 225-3S-06 St. Paul, MN 55144-1000 800-362-3550 . 877-369-2923 (Fax) www.3M.com/construction 3M, Scotch-Weld, Super 77, and Scotch-Brite are trademarks of 3M Company. Printed in U.S.A. © 2010 3M 70-0711-0191-2