



# GRE-6 MULTI-TOOL

**Cut Wire. Crimp Connectors. Punch Panels.**

### Versatility

- QuickChange System™ allows operator to quickly and easily switch between interchangeable heads for cutting and crimping
- Interchangeable head options include soft and hard metal cutting heads – dieless and U-die crimping heads – knockout punch head for stainless and mild steel

### Value

- Reduce cost of tool ownership with one tool to perform multiple functions
- Multi-functional tool saves valuable storage space
- Seven year tool warranty

### Makita® Battery Platform

- Powered by the Makita 18V LXT® battery platform for the world's largest 18V cordless tool line up
- Rapid Optimum Charger provides faster charge time



# CUSTOMIZED SOLUTIONS TO FIT YOUR NEEDS

Now your most critical tasks can be accomplished with one tool. No more time wasted going back and forth to search for multiple tools. The GRE-6 helps you maximize your productivity and efficiency on the jobsite.

## GRE-6



### GRE-6 – 6-Ton Hydraulic Multi-Tool

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
06039G	783310060390	GRE-6, 6-Ton Hydraulic Base Tool	20.8	9,4

## CUTTING HEADS



### CU/AL Scissor Cutting Head

Designed for cutting up to 750 kcmil (MCM) copper/aluminum building wire

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
06047G	783310060475	SC-60C Cutting Head with Copper/ Aluminum Wire Blades	4.75	2,15



### ACSR Cutting Head

Designed for cutting up to 477 kcmil (MCM) ACSR and up to 3/8" guy wire

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
04046G	783310060468	SC-60C Cutting Head with ACSR Blades	4.75	2,15

## PUNCH HEAD



### Punch Head

- Punches 1/2" to 4" holes in 12 gauge mild steel and 14 gauge stainless steel
- 360° head rotation increases maneuverability

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
04042G	783310060420	Knockout Punch Head	6	2,7
06043G	783310060437	Draw Studs and Spacers	1.5	0,7

## CRIMPING HEADS



### 6-Ton Quad-Point Crimping Head

Classified to UL 1976 for copper connectors and wire from #8AWG to 750 kcmil (MCM) and aluminum connectors and wire from #8AWG to 500 kcmil (MCM)

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
06044G	783310060444	Quad Point Crimping Head Only	5.8	2,6



### 6-Ton Service Drop Crimping Heads

For use with:

- Copper Taps.....#10 Solid – 2/0 Stranded
- AL and ACSR Taps.....#14 Solid – 4/0 ACSR
- Stirrups.....#6 – 4/0 ACSR
- Tension Splices.....#10 Stranded – 4/0 ACSR
- Lugs & Splices.....#8-350 MCM AL, 500 MCM CU
- Services Entrances.....#10 Stranded – 4/0 ACSR

CAT. NO.	UPC NO.	DESCRIPTION	WEIGHT	
			LB	KG
06040G	783310060406	BGO/W-Die Crimping Head Only	4.85	2,20
04041G	783310060413	D30/W-Die Crimping Head Only	4.85	2,20



### GRE-6 A-LA-CARTE COMPONENTS

CAT. NO.	UPC NO.	DESCRIPTION
06039G	783310060390	Base GRE-6 Multi-tool
06040G	783310060406	BG Crimping Head
04041G	783310060413	D30 Crimping Head
06044G	783310060444	Quad Point Crimping Head
04046G	783310060468	ACSR Cutting Head
06047G	783310060475	CUAL Cutting Head
04042G	783310060420	Knockout Punch Head
06043G	783310060437	Knockout Punch Accessories
52177	783310521778	18V 2.0Ah Li-ion Battery
52178	783310521785	120V Li-ion Battery Charger
52180	783310521808	12V Li-ion Battery Charger
52179	783310521792	230V Li-ion Battery Charger
GPO1	783310047674	Gator Carrying Pouch

### MAKITA® 18V LXT® LITHIUM-ION CHARGER

52178	783310521785	Single Bay 120V Charger
-------	--------------	-------------------------

### GRE-6 CUSTOM ASSORTMENTS

CAT. NO.	UPC NO.	DESCRIPTION	CHARGER	BATTERY
UT-D3HS11	783310047230	D30 Crimp, Hard Metal, Soft Metal	120V Charger	Two 2.0Ah
UT-D3HS12	783310047247	D30 Crimp, Hard Metal, Soft Metal	12V Charger	Two 2.0Ah
UT-D3HS22	783310047254	D30 Crimp, Hard Metal, Soft Metal	230V Charger	Two 2.0Ah
UT-D3HSB	783310047261	D30 Crimp, Hard Metal, Soft Metal	Bare	Bare
UT-BGHS11	783310047278	BG Crimp, Hard Metal, Soft Metal	120V Charger	Two 2.0Ah
UT-BGHS12	783310047285	BG Crimp, Hard Metal, Soft Metal	12V Charger	Two 2.0Ah
UT-BGHS22	783310047292	BG Crimp, Hard Metal, Soft Metal	230V Charger	Two 2.0Ah
UT-BGHSB	783310047308	BG Crimp, Hard Metal, Soft Metal	Bare	Bare
EC-QKS11	783310047315	Quad Crimp, Knockout*, Soft Metal	120V Charger	Two 2.0Ah
EC-QKS12	783310047322	Quad Crimp, Knockout*, Soft Metal	12V Charger	Two 2.0Ah
EC-QKS22	783310047339	Quad Crimp, Knockout*, Soft Metal	230V Charger	Two 2.0Ah
EC-QKSB	783310047377	Quad Crimp, Knockout*, Soft Metal	Bare	Bare

\*EC-QKS11, EC-QKS12, EC-QKS22, and EC-QKSB do not include knockout punches or dies



#### UT-D3HS

GRE-6, D30 Crimper, Hard Metal Cutter, Soft Metal Cutter



#### EC-QKS

GRE-6, Quad Crimper, Knockout, Soft Metal Cutter



05167



52178

### Makita® 18V LXT® Lithium-Ion 2.0Ah Battery\*\*

- Provides up to 50% more run time per charge compared to the 18V 1.5Ah battery (BL1815)
- Reaches a full charge in 25 minutes or less on the Makita Rapid Optimum Charger (sold separately)
- Compatible with all Makita 18V LXT® and 18V Compact cordless tools
- Battery delivers consistent power and run time in extreme temperatures, even in winter (-4°F/-20°C)
- Impact-resistant outer case and shock-absorbing inner-liner are engineered to protect the battery
- Battery resists self-discharge and remains ready for use even after long periods of storage

\*\*The following are reminders and not intended to replace reading instruction manuals and other safety information. Battery tool information available at makitatools.com

Makita and LXT are registered trademarks of MAKITA CORPORATION.