



L-Glutamine with Theracurmin[®]

Muscle Repair*

- Includes 5 g of L-glutamine and 30 mg of Theracurmin per serving
- Supports healthy muscle recovery through multiple pathways following exercise*
- Supports healthy digestion and normal immunity*
- Theracurmin has higher bioavailability and more rapid absorption in humans, compared to standard curcumin^{1,2}
- Powder formulation allows for flexible and convenient servings
- Suitable for vegetarians/vegans

Code: 9252

Size: 306 g Powder

PRODUCT SUMMARY

L-Glutamine with Theracurmin includes two complementary nutrients to support intestinal and musculoskeletal health, especially in response to exercise.* L-glutamine is the most plentiful amino acid in the body, a Krebs-cycle intermediary of particular importance to intestinal and immune cells, and one known to be impacted by strenuous physical activity.³ L-glutamine supplementation may help maintain normal post-exercise intestinal permeability by supporting tight junction stability, and maintaining normal cytokine production, notably of NF-κB.*⁴ L-glutamine also helps maintain healthy protein synthesis pathways while supporting normal protein breakdown, and may also support healthy and comfortable muscle recovery following exercise.*⁵⁻⁷

Curcumin may help support normal function of multiple molecular targets, including NF-κB, as well as cyclooxygenases and lipoxygenases.* It also helps maintain intestinal integrity by supporting normal tight junction protein expression.*⁸⁻¹⁰ Curcumin supplementation may help support healthy muscle recovery following exercise, maintain post-exercise muscle comfort, and support normal muscle performance.*¹¹ Theracurmin specifically has been shown to support healthy creatine kinase levels and normal muscle protein breakdown, supporting joint comfort following eccentric exercise.*^{12,13} L-glutamine and Theracurmin both support multiple mechanisms associated with normal muscle use, repair, and function.*¹⁴



Supplement Facts

Serving Size 1 Scoop (5.2 g)
Servings Per Container Approx. 60

	Amount Per Serving	% Daily Value
Micronized L-Glutamine	5 g	**
Theracurmin® Curcumin† (<i>Curcuma longa</i>) (root)	30 mg	**

† A highly bioavailable form of curcumin – the most active curcuminoid in turmeric.
** Daily Value not established.

Serving Size: 5.2 g

Servings Per Container: 60

Suggested Usage: 1 scoop (5.2 g) per day or as directed by a health care professional. Mix product well in 8–16 fl oz of liquid (water, juice, etc.) immediately before consumption.

Note: The product is a brilliant yellow color due to the turmeric.

Caution: Consult your health care professional prior to use if you are pregnant, trying to become pregnant, breastfeeding, taking medication, have a medical condition, or anticipate surgery. Keep out of reach of children.

Drug Interactions: Caution is advised when taking with anticoagulant medications.* Curcumin should only be used under medical supervision by those receiving chemotherapy. Monitoring of anti-glycemic medication use is recommended.*¹⁵

Contains no artificial colors, preservatives, or sweeteners; no dairy, starch, sugar, wheat, gluten, yeast, soy, egg, fish, shellfish, animal products, salt, tree nuts, or GMOs. Suitable for vegetarians/vegans. Sealed for your protection. Do not use if seal is broken. For freshness, store in a cool, dry place.

References

1. Sasaki, H., Sunagawa, Y., Takahashi, K., et al. (2011). *Biol Pharm Bull*, 34(5), 660-5.
2. Chung, H., Yoon, S.H., Cho, J.Y., et al. (2021). *Int J Clin Pharmacol Ther*, 59(10), 684-90.
3. Agostini, F., & Biolo, G. (2010). *Curr Opin Clin Nutr Metab Care*, 13(1), 58-64.
4. Zuhl, M., Dokladny, K., Mermier, C., et al. (2015). *Cell Stress Chaperones*, 20(1), 85-93.
5. Lambertucci, A.C., Lambertucci, R.H., Hirabara, S.M., et al. (2012). *PLoS One*, 7(12), e50390.
6. Legault, Z., Bagnall, N., & Kimmerly, D.S. (2015). *Int J Sport Nutr Exerc Metab*, 25(5), 417-26.
7. Córdova-Martínez, A., Caballero-García, A., Bello, H.J., et al. (2021). *Nutrients*, 13(6), 2073.
8. Shakibaei, M., John, T., Schulze-Tanzil, G., et al. (2007). *Biochem Pharmacol*, 73(9), 1434-45.
9. Wongcharoen, W., & Phrommintikul, A. (2009). *Int J Cardiol*, 133(2), 145-51.
10. Tian, S., Guo, R., Wei, S., et al. (2016). *Korean J Physiol Pharmacol*, 20(2), 147-52.
11. Nicol, L.M., Rowlands, D.S., Fazakerly, R., et al. (2015). *Eur J Appl Physiol*, 115(8), 1769-77.
12. Tanabe, Y., Maeda, S., Akazawa, N., et al. (2015). *Eur J Appl Physiol*, 115(9), 1949-57.
13. Nakagawa, Y., Mukai, S., Yamada, S., et al. (2014). *J Orthop Sci*, 19(6), 933-9.
14. Amirato, G.R., Borges, J.O., Marques, D.L., et al. (2021). *Nutrients*, 13(3), 1025.
15. Samocha-Bonet, D., Chisholm, D.J., Gribble, F.M., et al. (2014). *PLoS One*, 9(11), e113366.



· GUARANTEED ·

Bioclinic Naturals® products are guaranteed to meet or exceed Good Manufacturing Practices (GMP) of the U.S. Food and Drug Administration (FDA), Health Canada, and the Therapeutic Goods Administration (TGA) of Australia.



PRODUCT OF CANADA
Manufactured for and distributed
by Bioclinic Naturals® U.S.
14224 167th Ave. SE,
Monroe WA, USA 98272
bioclinicnaturals.com

FOR PROFESSIONAL USE ONLY. *These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

© All Rights Reserved Bioclinic Naturals® 2022. May 4, 2022. 9227256

Head office Assured Natural Distribution Inc., 104 – 3686 Bonneville Place, Burnaby, BC, Canada V3N 4T6 | U.S. Distribution office 14224 167th Avenue SE, Monroe, WA, USA 98272
Customer service 1-877-433-9860 • Fax 1-877-433-9862 • Email customersupport@bioclinicnaturals.com