


# INSTRUCTION MANUAL




Altura Outdoor Adirondack Chair

V1.0

## ! CARE & MAINTENANCE

- **Do not overtighten bolts. (Insert all bolts before tightening bolts.)**
- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.

## TOOLS REQUIRED



**CHAIR  
330 LBS  
CAPACITY**






**1 PERSON  
ASSEMBLY**






**UP TO 30 MIN.  
ASSEMBLY**






## HARDWARE



## PARTS




## PARTS



## PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




## PRODUCT ASSEMBLY

1

Attach **Part F Left Chair Leg** to **Part A Chair Seat** with 3 pcs of **Hardware #2 Bolt**, **Hardware #6 Washer** and **Hardware #5 Nut**. Do the same to **Part E Right Chair Leg** and **Part A Chair Seat**.

Attach **Part H Front Rail** to the two chair legs with 2 pcs of **Hardware #4 Bolt**.


Do not tighten bolts too much at this stage.



2

Attach **Part C Right Chair Arm** to **Part E Right Chair Leg** with 1pc of **Hardware #2 Bolt**, **Hardware #6 Washer** and **Hardware #5 Nut**.

Do the same to attach **Part D Left Chair Arm** to **Part F Left Chair Leg**.




## PRODUCT ASSEMBLY

**3**

Attach **Part B Chair Backrest** to **Part C Right Chair Arm** and **Part D Left Chair Arm** with 2 pcs of **Hardware #1 Bolt**.


Attach **Part B Chair Backrest** to **Part A Chair Seat** with 2 pcs of **Hardware #3 Bolt**.



**4**

Attach **Part G Back Rail** between rear legs of **Part A Chair Seat** with 2 pcs of **Hardware #4 Bolt**.

Check and tighten all the bolts and screws again and finish the assembly.



---

## CLEANING TIPS

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.