FLEXSTEEL®

W1016-825


Lyra Buffet

IMPORTANT NOTE


Part List

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent damage to the parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.



Assembly Instructions 1/3




Tool(s) recommended for assembly: Level and Screwdriver


FLEXSTEEL®

Assembly Instructions 2/3

IMPORTANT NOTES


- Use a soft cloth between these parts and the floor.
- We recommend this product be assembled by at least two adults.






STEP 1

Tilt the Shelf (R) and place it inside the Buffet . Repeat this step on the other Shelf (R). (See Figures 1 & 2.) Note: Shelves can be used with Flat Face on top or Wine Storage Face on top depending on what is needed.



STEP 2

- 1. Lift the upper Shelf (R) up, then insert 4 Shelf Supports (A) into the holes at the desired shelf height.
- 2. Pace the upper Shelf (R) on the Shelf Supports (A). (See Figure 3.)
- 3. Repeat this step on lower Shelf (R). (See Figure 4.)




FLEXSTEEL°

Assembly Instructions 3/3

IMPORTANT NOTES

POSITION THE ANTI-TIPPING RESTRAINT AS CLOSE AS POSSIBLE TO THE TOP CENTER BACK OF THE CASE. REFER TO TIPPING KIT MANUFACTURER'S INSTRUCTIONS FOR ATTACHMENT

- Phillips screwdriver (not included) is required for assembling anti tipping kit.
- Assembly and installation of tip restraint by two adults is highly recommended.



Adjust the levelers on the legs until the furniture is leveled. (See Figure 5.)

CARE INSTRUCTIONS

- To avoid scratches, do not place sharp or jagged objects directly on the buffet top.
- Do not place hot items directly on the buffet top.
- Use placemats or trivets under hot items and coasters under beverages to prevent marks and stains.
- Avoid the use of harsh chemicals or abrasive cleaning materials.
- Wipe the buffet clean with a soft, dry cloth after each use.
- Wipe up spills quickly with a soft, dry cloth.

Flexsteel Industries, Inc. For Parts or Customer Service call toll-free: 1-888-415-3979 Monday-Friday 8:00 a.m. -5:00 p.m. (Central Time) Email:. customersolutions@flexsteel.com

www.flexsteel.com