# INSTRUCTION MANUAL



Kids Outdoor Poly Adirondack Chair

# ! NOTICE

# Do not overtighten screws. (Insert all screws before tightening screws.)

- Be careful when assembly, avoid hurting the top surface.
- Clean the table with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.







### **HARDWARE**













# **PARTS**










# PRODUCT ASSEMBLY - OVERALL VIEW

1 PC

Look at the overall view of this chair and learn the exact position of each part to be assembled.

1 PC




2 PCS

# PRODUCT ASSEMBLY




Attach Part F Left Chair Leg to Part A Chair Seat with 2 sets of Hardware #3 Bolt and Hardware #4 Nut.

Do not tighten screws and bolts too much at this stage.



2

Attach Part E Right Chair Leg to the Part A Chair Seat with 2 sets of Hardware #3 Bolt and Hardware #4 Nut.




# **PRODUCT ASSEMBLY**

3

Attach Part G Right Rear Leg to Part A Chair Seat with 2 sets of Hardware #3 Bolt and Hardware #4 Nut.


Do the same of Part H Left Rear Leg to Part A Chair Seat.



4


Attach Part I Rail to Part E and Part F Chair Legs with 2 pcs of Hardware #2 Screw.

Attach Part I Rail to Part G and Part H Rear Legs with 2 pcs of Hardware #2 Screw.






Attach Part B Chair Backrest to Part A Chair Seat with 2 pcs of Hardware #2 Screw.



6

Place Part C Right Chair Arm onto Part E Right Front Leg and Part G Right Rear Leg and fix them with 1 pc of Hardware #1 Screw, 1 set of Hardware #3 Bolt and Hardware #4 Nut.

Do the same to attach another Part D Left Chair Arm to Part F and H Left legs with 1 pc of Hardware #1 Screw, 1 set of Hardware #3 Bolt and Hardware #4 Nut.



# PRODUCT ASSEMBLY



Tighten all the bolts and lock nuts as well as the screws again to ensure the steady of this chair.



# **CLEANING TIPS**

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.