

MELBOURNE FULL / QUEEN / KING BED ASSEMBLY INSTRUCTIONS






BOX #3 D. SIDE RAIL 2 PCS E. CENTER SLAT SUPPORT 1 PC F. SUPPORT LEG 3 PCS



BOX #2


B. FOOTBOARD 1PC




HARDWARE PACKED IN BOX #2


1	ALLEN BOLT (M8X90)		2 PCS
2	ALLEN BOLT (M8X40)		10 PCS
3	SPRING WASHER (M8X13)	6	12 PCS
4	FLAT WASHER (M8X16)	0	12 PCS
5	WOOD SCREW (M4X30)	<i><aaaa< i="">(3)</aaaa<></i>	6 PCS
6	ALLEN KEY		1 PC

TOOL REQUIRED
PHILLIPS HEAD SCREW DRIVER
(NOT PROVIDED)





MELBOURNE BED FULLY ASSEMBLED





STEP 3:






INSTRUCTIONS FOR ADJUSTING LEVELER:

POSITION THE BED IN YOUR SPACE AND LOCATE THE LEVELER UNDER EACH SUPPORT LEG. TURN THE LEVELER COUNTER-CLOCKWISE TO EXTEND THE LEVELER AND CLOCKWISE TO RETRACT IT.

ADJUST EACH LEVELER UNTIL EACH SUPPORT LEG IS APPLYING EQUAL, UPWARD PRESSURE ON THE SUPPORT SLAT.



MAINTENANCE INSTRUCTIONS:

REMOVE YOUR MATTRESS, AND BOX SPRING IF APPLICABLE, BEFORE MOVING YOUR BED.

LIFT YOUR BED WHEN MOVING IT; DRAGGING CAN DAMAGE THE SUPPORTS.

RE-ADJUST THE LEVELERS AFTER MOVING YOUR BED.

PAGE 4 OF 4