

## Shelving Solutions



# Available Products

## Z-Line



**Boltless rivet shelving.** Easy assembly. Access all four sides. Most versatile option.

## Die Rack



**Heavy duty boltless rivet with steel shelving.** Very high load capacity.

## Bulk Storage



**Beam and upright system.** Highest capacity. Widest span. Welded uprights. Boltless.

# Available Products

## Q-Line



**Industrial clip shelving.** Smooth steel shelf. Open and closed styles. Most economical option.

## L&T



**Designed for quick installation and reconfiguration.**  
Versatile, low-cost storage solution. Highly customizable.

## Capstone



**Boltless shelving with steel shelves.**  
Multipurpose shelving. Great for office and warehouse use.

## ESP



**Durable packaged shelving.**  
Economical storage option.

## Stur-D-Stor™



**Complete unit ships in one box.**  
Vertical or horizontal configuration. Quick assembly.

## Regal



**Clean and professional appearance.**  
Snap-together assembly. Wood grain laminate shelves.



# Z-Line

## Z-Line: Boltless Rivet Shelving

1



### Easy Assembly

Tapered keyhole slots and snap-in rivet design makes installation easy.

2

### Unobstructed Access

No side or back braces allows access to stored items from all sides.

3

### Structural Integrity

Shelf supports incorporate double rivet connection to intermediate "T" posts making a rigid shelving framework.

4

### Flexible Design

Shelves adjust in 1 1/2" increments.

5

### Locater Keyhole Slot

Locater slot makes positioning shelves easy.

6

### Great for Tall Ceilings

Upright posts available in heights of up to 16'.

7

### Added Reinforcement

Center supports reinforce deep shelves.

8

### Variety of Shelf Options

Industrial grade 5/8" thick particleboard, solid steel or 2" x 4" grid-pattern wire decking.

9

### Durable Finish

Painted with a tough, long lasting epoxy finish.



### Low Profile

Capacity: Up to 800 lbs. per shelf, evenly distributed



### Medium Profile

Capacity: Up to 1,000 lbs. per shelf, evenly distributed



### Heavy Duty


Capacity: Up to 2,250 lbs. per shelf, evenly distributed



### Extra Heavy Duty

Capacity: Up to 2,500 lbs. per shelf, evenly distributed

### Available Colors




Sand (SND)

Light Grey (LGY)


Medium Grey (MGY)

## Support Options




### Light Duty Supports

Specially designed 1 1/8" high shelf supports provide greater openings, allowing for extra vertical space.




### Medium Duty Supports

2 1/4" shelf supports are engineered to allow for decking to be seated on shelf supports, providing extra storage space.



### Heavy Duty Supports


2 3/4" high steel beam provides a heavy-duty load capacity.



### Extra Heavy Duty Supports


3 1/4" high steel channel beam provides maximum strength for widths of up to 96".

## Decking Choices




### Particleboard

Industrial grade 5/8" particleboard decking provides a sturdy work surface that is both strong and economical.




### Wire

Select wire decking for better visibility of items. Meets Factory Mutual fire codes.



### Solid Steel

Ideal for applications with excessive humidity or specific fire codes.



### Perforated Steel

Ideal for applications with excessive humidity and higher visibility.









# Z-Line Options

## Post Options



Select SUR posts for heavy weight applications.




Select EUR for light or medium weight applications.



Select intermediate ZTP posts when connecting shelving units.

## Accessories



**Foot Plates** are used to secure shelving unit(s) to the floor.



**End Caps/Feet** offer protection from sharp edges. Choose from soft pliable vinyl caps or rigid nylon caps.



**Caster Mounts** available as swivel with brakes or fixed casters. (Available on select sizes)



**Hang Rods** allow for storage of clothing or other items.

## Additional Shelving Configurations



**Sloped-Style**



**Tire Rack**



**Archive Storage**

## Tool & Die Rack

- 1 Heavy Load Capacities**  
Shelves offer load capacities of up to 4,000 lbs. per shelf and 13,000 lbs. per shelving unit.
- 2 Superior Strength**  
 Unique combination of shelf supports with cross beam supports creates a super-reinforced unit.
- 3 Intelligent Design**  
Engineered to prevent deformities, even under the heaviest loads.
- 4 Highly Configurable**  
Extra shelves and heights available, providing a customizable heavy-duty shelving option.
- 5 Heavy Gauge Steel**  
16-gauge steel shelves with a 14-gauge support framework make this unit perfect for heavy materials.
- 6 Braceless Construction**  
Easy access to stored materials from all sides.
- 7 Smooth Steel Surface**  
Makes placing and maneuvering items on the steel shelf easy.
- 8 Wide Range of Shelf Sizes**  
Sizes from 36" w x 18" d to 96" w x 36" d.
- 9 Durable Finish**  
Painted with a tough, long lasting epoxy finish.



**48" Wide**

Capacity: Up to 4,000 lbs. per shelf, evenly distributed



**60" Wide**

Capacity: Up to 3,250 lbs. per shelf, evenly distributed



**72" Wide**

Capacity: Up to 2,750 lbs. per shelf, evenly distributed



**96" Wide**

Capacity: Up to 2,600 lbs. per shelf, evenly distributed

**Available Color**



Medium Grey (MGY)





# Q-Line

## Q-Line: Industrial Clip Shelving

- 1 Strong Shelves**  
Shelf corners are fully lapped and welded for extra strength, allowing for support of up to 1,000 lbs per shelf, evenly distributed.
- 2 Easily Adjustable**  
Shelves can be adjusted quickly and easily in 1" increments to make maximum use of vertical space.
- 3 Three Post Options**  
Offset Angle for stand-alone units.  
Standard Beaded for long runs of shelving.  
Heavy Beaded for long runs of shelving with heavier loads.
- 4 Shelf Clips**  
13-Gauge compression clips make adding shelves simple.
- 5 Locater Slot**  
Specially designed square locater slots allow for easy adjustability.
- 6 Easily Expand a Row of Shelving**  
Shared posts simplify connecting shelving units.
- 7 Open & Closed Style**



### Open Style

Easy access  
to items



### Closed Style

Ideal for storing small  
or loose items

- 8 Durable Finish**  
Painted with a tough, long lasting epoxy finish.




### Available Colors



Sand (SND)    Light Grey (LGY)    Medium Grey (MGY)

## Post Options



**Offset Angle Posts** are used for stand-alone units or as rear posts in conjunction with beaded posts in front.



**Standard Beaded Posts** are used as a common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.



**Heavy Beaded Posts** are used for heavier load situations as common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.

## Accessories/Options




**Perforated Shelves** helps to meet fire codes by allowing sprinkler water to reach all levels.



**Shelf Boxes** feature welded steel construction and a selection of six box sizes.




**Sliding Dividers** can be placed anywhere along shelves for maximum versatility. Includes built-in label holder.



**End Sway Braces** provide rigidity by keeping the shelving unit perfectly square even when heavily loaded.




**Back Sway Braces** maintain the unit's vertical alignment to assure that even the heaviest loads can be safely stored.



**Splice Plates** are used to splice two uprights together.



**Label Holders** provide a way to locate and identify stored items.



**Shelf Dividers** are available in 15 sizes and create custom sized bins.



**Bin Fronts** keep parts from spilling off shelves.







# Bulk

## Bulk Storage Rack

### 1 Unique Tapered Finger Design

Superior beams lock into the uprights on 2" centers and hold up to 4,150 lbs., when weight is evenly distributed.

### 2 Reinforced Uprights

Uprights are pre-welded for strength and will support up to 17,000 lbs.

### 3 Z-Profile & Channel Beams

Specially formed beams add strength at the front and rear of shelf edges.

### 4 Three Decking Options

Choice of corrugated steel, particleboard or flat wire decking.

### 5 Easy Assembly

Bulk storage units go together fast and easy. Beams simply slide into place.

### 6 Various Sizes Available

Construct units from four widths, four depths and seven heights.

### 7 Durable Finish

Painted with a tough, long lasting epoxy finish.



Intended for hand loading only.



### Available Colors



Sand (SND)    Light Grey (LGY)    Medium Grey (MGY)

## L&T Boltless Shelving



### 1 Unique Construction

Intuitive design allows for endless expansion. Add sections to an existing installation by using "T" uprights as common center posts and finish with "L" uprights.

### 2 Easy, Snap-Together Assembly

Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.

### 3 Double Entry Access

Grants access to items from the front or back of the shelving unit.

### 4 Multiple Shelf Options

Offerings include thin line, heavy duty, particleboard, library with dividers.

### 5 Adjustable Shelves

Shelves are adjustable in 1 1/2" increments to create custom openings.

### 6 Customize Your Shelving

Complete customization with options including dividers, back/end stops and bin partitions.

### 7 Variety of Finished Uprights


Choice of open uprights, closed uprights, or library double wall uprights.

### 8 Durable Finish

Painted with a tough, long lasting epoxy finish.



### Available Colors







Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

Archive Box  
Contents:  
Destroy/Date: \_\_\_\_\_ Location: \_\_\_\_\_

# L&T Options

## L&T Accessories



**Reference Shelf** provides a convenient pull-out workspace.



**Shelf Reinforcements** spans from front to back and adds support to deeper shelves.



**Front Base** prevents items from rolling under shelving and provides a finished look.



**Unslotted Center Dividers** keep materials separated on double entry shelves.



**Backs** provide shelving with a finished look. Heavy gauge seismic backs also available.



**Aisle Ties** add stability to units or ranges by connecting them across the aisle.



**Wall Ties** secure shelving units to the wall for added stability.



**Periodical Shelves** are used for displaying media.



**Seismic Full Height Center Stops** are used to help reinforce shelving units in seismic zones.



**Center Stops/Back Stops** support shelf dividers and keep items where they belong with back stops (single entry) and center stops (double entry).

## Capstone Shelving

### 1 Pre-Configured Units

Individual units are available in 76" and 88" heights, 36", 42" and 48" widths while offering 18" and 24" depths.

### 2 Clean Line Style

Double wall post construction conceals the keyhole slots for a clean, attractive appearance.

### 3 Ships In One Box For Easy Assembly

Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.

### 4 Super Strong Framework

Steel shoulder rivets, combined with steel uprights and shelf supports, offer up to 650 lb. shelf capacity.

### 5 Adjustable Shelves

Shelves are adjustable in 1 1/2" increments to create custom openings.

### 6 Protects Flooring

Carpet friendly molded Polyethylene feet help prevent damage to flooring.

### 7 Durable Finish

Painted with a tough, long lasting epoxy finish.



#### Available Color



Medium  
Grey (MGY)







# Commercial Clip

## ESP Shelving

- 1 Lightweight, Economical, and Durable**  
Shelving offers multipurpose use at a reasonable price.
- 2 Ships In One Box**  
Complete shelving unit ships in one box for simple shipping and assembly.
- 3 Flanged Shelves**  
Multiple-bend flanges with lapped and welded corners support up to 250 lbs. per shelf, with weight evenly distributed.
- 4 Convenient Adjustability**  
Compression clips make adding and adjusting shelves a simple and convenient process.
- 5 Variety of Depths**  
Available in three depths to suit any application.
- 6 Choice of Open or Closed Unit**  
Open style units provide convenient access and complete visibility of contents, while closed style units keep contents from falling off of shelves.
- 7 Durable Finish**  
Painted with a tough, long lasting epoxy finish.



**Closed Style**  
Ideal for storing small or loose items



**Open Style**  
Easy access to items



Available Color



Medium  
Grey (MGY)

## Regal Shelving

- 1 Double Wall Posts**  
Double wall post construction conceals the keyhole slots for a clean, attractive appearance.
- 2 Easy, Tool-Free Assembly**  
Unique design offers time saving snap-together assembly without tools. A rubber mallet is required to secure supports.
- 3 Pre-Configured Units**  
Individual units are 76" high x 36" wide x 18" deep.
- 4 Adjustable Shelves**  
Shelves are adjustable in 1 1/2" increments to create custom openings for books, binders, supplies and more.
- 5 Obstacle-Free Access**  
Framework requires no nuts, bolts or sway braces offering obstacle-free access from all sides.
- 6 Protect Your Flooring**  
Carpet friendly molded Polyethylene feet protect your flooring.
- 7 Laminate Shelves**  
Wood grained, laminate board provides a clean and professional appearance.
- 8 Durable, Attractive Finish**  
Powder-coated durable finish .



Available Color



Sand  
(SND)

# Boltless

## Stur-D-Stor<sup>(TM)</sup> Shelving

- 1 Shelving Unit Ships In One Box**  
All supports and shelf levels ship in the same box for convenience and simplicity.
- 2 Horizontal or Vertical Configuration**  
Can be configured in horizontal or vertical format.



- 3 Industrial Grade Particleboard Decking**  
Solid shelves prevent items from slipping or snagging and holds up to 1,000 lbs. per shelf, with weight evenly distributed.
- 4 Assembles In Minutes**  
Unique design offers time saving snap-together assembly. A rubber mallet is required to secure supports.
- 5 Protective Post Caps/Feet**  
Eight nylon caps included for protection from sharp edges or to keep from damaging floor and carpet.
- 6 Durable Finish**  
Painted with a tough, long lasting epoxy finish.







































Available Color



Sand  
(SND)

**PRODUCT LINE OVERVIEW**

STORAGE CABINETS											
	Deluxe	Standard	Jumbo	C-Thru	Specialty						
BOOKCASES											
	13 1/2" Deep	18" Deep	Cabinet/Bookcase Combo								
FILING											
	Card & Multimedia	Fixed Shelf Lateral File	Lateral File	Imperial Shelving	Fixed Shelf Filing	Lit. Sorter & 30 Drawers					
LOCKERS											
	Standard	Ventilated	C-Thru	Heavy-Duty	Cubby						
SHELVING											
	Bulk Rack	ESP	Q-Line	Stur-D-Stor	Regal	Z-Line	Record Archive	Capstone	L&T	Estey Library	
SHOP EQUIPMENT											
	All Purpose Workbench	Electronic Workbench		Modular Workbench		Modular/Mobile Tool Cart		Foreman's Desk	Service Cart		Packing Table



Customer Service: (866) 446-8686 • [www.tennsco.com](http://www.tennsco.com) • [customerservice@tennsco.com](mailto:customerservice@tennsco.com)



**PROUDLY MADE IN THE U.S.A.**