

SAFETY DATA SHEET

1. Identification

Product identifier	K&W® Super Turbo™ Engine Oil Stop Leak				
Other means of identification					
Product code	402715				
Recommended use	Restores and reconditions seals and gaskets				
Recommended restrictions	None known.				
Manufacturer/Importer/Supplie	r/Distributor information				
Manufactured or sold by:					
Company name	CRC Industries, Inc.				
Address	885 Louis Dr.				
	Warminster, PA 18974 US				
Telephone					
General Information	215-674-4300				
Technical	800-521-3168				
Assistance	800 272 4620				
Customer Service	800-272-4620				
24-Hour Emergency	800-424-9300 (US)				
(CHEMTREC)	703-527-3887 (International)				
Website	www.crcindustries.com				
2. Hazard(s) identification	on				
Physical hazards	Not classified.				
Health hazards	Not classified.				
-					

Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	90 - 100

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
General fire hazards	No unusual fire or explosion hazards noted.		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handlingUse care in handling/storage. For product usage instructions, please see the product label.Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Form Components Туре Value PEL Distillates (petroleum), 5 mg/m3 Mist. hydrotreated heavy naphthenic (CAS 64742-52-5) 2000 mg/m3 500 ppm **US. ACGIH Threshold Limit Values** Form Components Type Value TWA Distillates (petroleum), 5 mg/m3 Inhalable fraction. hydrotreated heavy naphthenic (CAS 64742-52-5)

US. NIOSH: Pocket Guide	to Chemical Hazards				
Components	Туре	Value	Form		
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3			
	STEL	10 mg/m3	Mist.		
	TWA	5 mg/m3	Mist.		
Biological limit values	No biological exposure limits noted for the	No biological exposure limits noted for the ingredient(s).			
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.				
Individual protection measures	s, such as personal protective equipment				
Eye/face protection	Wear safety glasses with side shields (or goggles).				
Skin protection					
Hand protection	Wear protective gloves such as: Nitrile. Neoprene.				
Other	Wear suitable protective clothing.				
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.				
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.				
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.				

9. Physical and chemical properties

-				
Appearance				
Physical state	Liquid.			
Form	Liquid.			
Color	Red.			
Odor	Mild.			
Odor threshold	Not available.			
рН	Not available.			
Melting point/freezing point	-40 °F (-40 °C) estimated			
Initial boiling point and boiling range	620.6 °F (327 °C) estimated			
Flash point	> 315 °F (> 157.2 °C) Tag Closed Cup			
Evaporation rate	Slow.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or exp	plosive limits			
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Vapor pressure	0.1 hPa estimated			
Vapor density	> 5 (air = 1)			
Relative density	0.9			
Solubility (water)	Negligible.			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	600 °F (315.6 °C) estimated			
Decomposition temperature	Not available.			
Viscosity (kinematic)	Not available.			
Material name: K&W® Super Turbo™	M Engine Qil Stop Leak SDS U			

Percent volatile

91.8 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Halogens.
Hazardous decomposition products	Carbon oxides. Sulfur oxides.

aioal inf ~ | . _ ...

11. Toxicological inform	ation			
Information on likely routes of e	exposure			
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	Prolonged skin contact may cause temporary irritation.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological eff	ects			
Acute toxicity	Not available.			
Product	Species	Test Results		
K&W® Super Turbo™ Engine Oil	Stop Leak			
Acute				
Dermal				
LD50	Rat	2178 mg/kg estimated		
Oral				
LD50	Rat	5445 mg/kg estimated		
* Estimates for product may b	be based on additional component data no	tshown		
Skin corrosion/irritation	Prolonged skin contact may cause temp			
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.			
irritation				
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Not available. US. National Toxicology Pr Not available.	ogram (NTP) Report on Carcinogens			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Further information	This product has no known adverse effect on human health.			

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environme			
Components	Species Test Results			
Distillates (petroleum), hydro	treated heavy r	haphthenic (CAS 64742-52-	5)	
Aquatic				
Acute				
Fish	LC50	Fathead minnow (Pimep	hales promelas) >30000 mg/l	
* Estimates for product ma	y be based on a	additional component data n	ot shown.	
Persistence and degradability	No data is a	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal considerat	ions			
Disposal of waste from residues / unused products	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.			
Hazardous waste code	Not regulated.			

14. Transport information

Contaminated packaging

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

disposal.

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

Food and Drug	Not regulated.
Administration (FDA)	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No

US state regulations

US. California. Candidate Cł (a))	nemicals List. Safer Consur	ner Products Regulations (Cal. Code R	egs, tit. 22, 69502.3, subd.
Distillates (petroleum), hy	drotreated heavy naphthenic ibstances. CA Department of	(CAS 64742-52-5) of Justice (California Health and Safety	Code Section 11100)
Not listed.			
US. Massachusetts RTK - Su			
US. New Jersey Worker and	drotreated heavy naphthenic Community Right-to-Know		
Not listed.	d Community Dight to Kno		
US. Pennsylvania Worker ar		ow Law	
Sulfur dioxide (CAS 7446 US. Rhode Island RTK	-09-0)		
None.			
US. California Proposition 6	5		
-		the State of California to cause cancer a	nd birth defects or other
US - California Proposit	ion 65 - CRT: Listed date/Ca	arcinogenic substance	
Benzene (CAS 71-43		Listed: February 27, 1987	
Ethylbenzene (CAS 2		Listed: June 11, 2004	
Benzene (CAS 71-43	ion 65 - CRT: Listed date/De	Listed: December 26, 1997	
Sulfur dioxide (CAS 7		Listed: July 29, 2011	
Toluene (CAS 108-8	8-3)	Listed: January 1, 1991	
•	ion 65 - CRT: Listed date/M	-	
Benzene (CAS 71-43	3-2)	Listed: December 26, 1997	
Volatile organic compounds (VC	OC) regulations		
EPA	04 0 %		
VOC content (40 CFR 51.100(s))	91.8 %		
Consumer products (40 CFR 59, Subpt. C)	Not regulated		
State			
Consumer products	Not regulated		
VOC content (CA)	0 %		
VOC content (OTC)	0 %		
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Che	mical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada			No
China	Inventory of Existing Chemi	ical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Ye Substances (EINECS)		
Europe	European List of Notified Cl	hemical Substances (ELINCS)	No
Japan	Inventory of Existing and Ne	ew Chemical Substances (ENCS)	No
Matarial name: K&W@ Super TurbeTM	Engine Oil Chan Look		

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-16-2016
Prepared by	Allison Cho
Version #	01
Further information	CRC # 904A
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.