

Replacement Parts List

NOTE: If requested color is not available, similar color will be substituted.

| Part | Cost | Quantity | Total Cost |
|---------------------------|-------------|-----------------|-------------------|
| Seat Pad | \$10.99 | X | _____ = \$ _____ |
| Optional Cup Holder | \$3.50 | X | _____ = \$ _____ |
| Instructions | \$0.00 | X | _____ = \$ _____ |

Merchandise Total \$ _____

Shipping and handling: \$ _____

| | | | |
|---------------------------|--------|----------------------------|---------|
| Up to \$25.00 | \$5.95 | \$100.01 to \$150.00 | \$10.95 |
| \$25.01 to \$50.00 | \$6.95 | \$150.01 to \$200.00 | \$11.95 |
| \$50.01 to \$75.00 | \$8.95 | \$200.01 and up | \$13.95 |
| \$75.01 to \$100.00 | \$9.95 | Outside Continental USA | \$10.00 |

Sales Tax \$ _____
 (Indiana, California, Arkansas, and Massachusetts residents add applicable sales tax.)

Grand Total \$ _____

No shipping and handling on instruction manuals on quantities 6 or less. Add \$.50 for each instruction manual over 6, then add applicable shipping and handling.

Fill Out For Credit Card

Visa Mastercard

Card Exp. Date: _____

Cardholder's Name: _____

Card Number: _____

Signature _____

CUT ON DOTTED LINE

Eng. 4358-3767


Ambassador SE Belt-Positioning Booster Instruction Manual

www.djgusa.com

This child restraint is designed for use by children whose:

Weight:
30-100 pounds
(14-45 kg)

Height:
34-57 inches
(86-145 cm)



Read all instructions
BEFORE USING
this child restraint.

KEEP INSTRUCTIONS FOR FUTURE USE.

▲ IMPORTANT!

Failure to follow these warnings could result in the serious injury or death of your child.

Para recibir las instrucciones en español, llame al 1-800-544-1108 o solicítase por escrito al dirección por arriba.

Before You Begin...

Thank you for choosing this car seat, referred to throughout this manual as a child restraint. The DJG family is committed to creating a child restraint with the most comfort and convenience available today.

Remember, parents are a child's first teachers and examples. If you always buckle your seat belt, your child will think it is the natural thing to do. Make it a firm rule that the vehicle does not go until everyone is buckled up. Make no exceptions.

No one can predict if use of a child restraint will prevent injury or death in a particular crash. However, combined with careful driving, proper use of a child restraint can lower a child's risk of injury or death in most crashes.

Your child's safety is worth the time it will take to read and follow these instructions. After reading, if you still have questions or have any problems with this child restraint, please contact our Consumer Relations Department at:

| | |
|-----------------------------------|--|
| Dorel Juvenile Group, Inc. | |
| Website: | www.djgusa.com |
| Fax: | 1-800-207-8182 |
| Mailing Address: | Dorel Juvenile Group, Inc. P.O. Box 2609 Columbus, IN 47202-2609 |
| Telephone: | 1-800-544-1108 7 A.M. to 6 P.M. EST M-TH 7 A.M. to 4:30 P.M. EST FRI |

On the bottom of the shell there is an expiration date for use of this child restraint. Do not use this seat after the expiration date.

Table of Contents

| | |
|---|-------|
| Warnings | 2-3 |
| Warm Weather Use | 4 |
| Registration and Recall | 4 |
| Aircraft Installation..... | 4 |
| Weight and Height Chart..... | 5 |
| Understanding Your Vehicle..... | 6-7 |
| Child Restraint Parts | 8-9 |
| Preparing Child Restraint | 10-11 |
| Knowing Your Vehicle Belts | 12 |
| Belt-Positioning Booster Use | 13 |
| Belt-Positioning Booster Installation | 14-15 |
| Removing Seat Pad for Cleaning..... | 16 |
| Troubleshooting | 16 |
| Warranty | 17 |
| Replacement Parts Order Form..... | 21-22 |

! WARNING

Failure to follow these warnings could result in the serious injury or death of your child. To help you recognize those instructions which are most critical for your child's safety, we use this symbol !:

- ! According to accident statistics, children are safer when properly restrained in the rear seating positions than in the front seating positions.
- ! Never place a child less than one-year old forward-facing.
- ! Check vehicle instructions for more information about air bag/child restraint use.
- ! For vehicles with an air bag, but without a back seat, refer to your vehicle owners manual.
- ! The vehicle belt must stay tight at the belt path. If not, your child could be seriously injured or killed.
- ! Never take child out of the child restraint or try to tend to child's needs while the vehicle is moving. Never leave child unattended.
- ! Do not use a child restraint with damaged or missing parts.
- ! Do not substitute parts or try to modify the child restraint in any way.
- ! Do not use a child restraint that has been in a crash. You must get a new child restraint.
- ! Use the child restraint only on vehicle seats that face forward. Do not use on seats that face the sides or rear of the vehicle.

! WARNING

- ! Check the vehicle belt before each use. Use only if the belt can be tightened properly and securely.
- ! This child restraint should be securely belted in the vehicle even when not in use. In a crash or sudden stop, an unsecured child restraint could injure other occupants.
- ! Do not use this child restraint if the midpoint of your child's head is above the top of the vehicle seat.
- ! Dorel Juvenile Group does not recommend the use of any child restraint accessories except those recommended by DJG.
- ! Never allow any child to play with this child restraint; it is not a toy.
- ! Do not remove any of the warning labels or other labels on the child restraint.
- ! Placing your child in a hot child restraint may result in burns.
- ! Read instructions for other warnings.

Warm Weather Use

To avoid your child being seriously burned, take the following precautions:

1. Park in the shade or where sun does not directly hit the child restraint.
2. Cover the child restraint with a sheet or blanket when not in use.
3. Check for hot seat and buckles before placing child in child restraint.

Registration and Recall Information

Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Fill out the registration card attached to the child restraint or send your name, address and the restraint's model number and manufacturing date to:

Dorel Juvenile Group, Inc.
 P.O. Box 2609, Columbus, IN 47202-2609
 Attn: Consumer Relations
 or call 1-800-544-1108

You can now register your child restraint online at www.djgusa.com. Please do not send in your registration card if you registered your child restraint online.


For recall information, call the U.S. Government's Auto Safety Hotline at 1-800-424-9393 (202-366-0123 in the Washington D.C. area).

Aircraft Installation

This restraint is not certified for aircraft use. Aircraft seats are not equipped with lap/shoulder belts, which are required for use with this child restraint.

Weight and Height Chart


NOTE: If your child does not meet the criteria for the Belt-Positioning Booster, do not use this child restraint!



- Rear-Facing**
 Less than 1 year old AND 5-35 lbs. (2.3-16 kg.) AND 19"-36" tall (48-91 cm.).
- Forward-Facing**
 Over 1 year old AND 22-40 lbs. (10-18 kg.) AND 29"-43" tall (74-109 cm.).
- Belt-Positioning Booster**
 Over 1 year old AND 30-100 lbs. (14-45 kg.) AND 34"-57" (86-145 cm.).


Understanding Your Vehicle

Your vehicle's features may be considerably different than those pictured here. Consult your vehicle owner's manual to help identify your vehicle's specific features.




Child Restraint Parts

Front




Back




- A.** Seat Pad
- B.** Armrest Pads (optional)
- C.** Cup Holder (optional)
- D.** Seat Shell
- E.** Instructions
(on bottom of seat)

Preparing Child Restraint




Install Optional Cup Holder:

Turn booster seat bottom upside down. Align screw holes of cup holder to screw holes in side of seat bottom.




Screw cup holder to seat bottom with 2 #8 screws provided.




Install Seat Pad:


Place the seat pad on the shell with the tabs towards the front of the shell as shown.



Pull tabs through the slots in the shell and attach to hooks under shell.



Pull pad over the back of shell and attach to the hooks under the shell.




Install Optional Armrest Covers:

Slide armrest covers over each armrest.

Knowing Your Vehicle Belts

This belt-positioning booster must only be used in vehicles with appropriate vehicle belts that can be tightened securely. **If the vehicle belt cannot be tightened securely, it must be replaced. This booster MUST only be used with a lap/shoulder belt.** Belt systems which will not work with this child auto booster (or sometimes any child restraint) include, but are not limited to, the following:

- **Do not use with any automatic/passive vehicle seat belt.** An automatic (passive) 2-point belt has no lap belt. You must install a lap belt to secure a child restraint. You may also need to install an extra lap belt for an automatic (passive) 3-point belt. Refer to the vehicle owner's manual.
- **If your vehicle belt is too short,** contact your vehicle dealer for a seat belt extender. Do not route the seat belt any way except as shown in the instructions.
- **You must move the auto booster to another seating location if the belts come out of the center of the door or side panel (A); or if the buckle is in the middle of the vehicle seat cushion (so that they are forward of the bight) (B).**




Belt-Positioning Booster Use



Lap/Shoulder Belt

Vehicle lap/shoulder belt combination. Child and child restraint face the front of the vehicle and are placed in the back seat.

Refer to the Weight and Height Chart to make sure your child is at the proper weight and height to use the belt-positioning booster.




Some vehicle belts will not work with a child restraint. See previous page for specific instructions.

Belt-Positioning Booster Installation



Place child restraint against the back of the vehicle seat. Place the child's bottom and back flat against the child restraint.



Place lap belt across child's thighs. Lock buckle. The shoulder belt should cross the base of the child's neck and across the chest (not the face or neck). Pull up on the shoulder belt to tighten belt snugly.

NOTE: A snug belt should not allow any slack. It lies in a relatively straight line without sagging. It does not press on the child's flesh or push the child's body into an unnatural position.

⚠ WARNING

Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat. Failure to do this can result in serious injury or death.

Do not use this child restraint if the midpoint of your child's head is above the top of the vehicle seat back or headrest.

Check vehicle instructions for more information about air bag/child restraint use.

Do Not Use only the lap belt when using this seat.

The shoulder belt must always be adjusted snugly across the child's chest.

NEVER place the shoulder belt under the child's arms or behind child's back.

Failure to follow these warnings could cause serious injury or death to your child.



Removing Seat Pad for Cleaning

Remove seat pad by reversing order in the “Preparing Child Restraint” section.

Hand wash with warm sudsy water, rinse clean and air dry. Do not use bleach or other harsh cleaners. Do not dry clean.

Replace seat pad by revisiting the “Preparing Child Restraint” section.

Troubleshooting

✓ 1. If your child restraint is not held securely by the vehicle belt:

Remove all the slack in the vehicle belt. Make sure the belt buckle is not up against the child restraint where the belt cannot be tightened. If you cannot secure the child restraint tightly, move it to another seating location.

✓ 2. If the shoulder belt crosses the child’s neck when using the child restraint:

Try moving the child restraint toward the center of vehicle or move the vehicle seat forward or back. Check to see if your vehicle has adjustable shoulder belt anchor points. **Do Not** place the shoulder belt behind the child.

Warranty

Dorel Juvenile Group, Inc. (DJG) warrants this product to the original retail purchaser as follows:

This product is warranted against defective materials or workmanship for one year from the date of original purchase. **An original receipt is required to validate your warranty.** DJG will, at its option, provide replacement parts or replace this product. DJG reserves the right to substitute if the part or model has been discontinued.

To make a claim under this warranty you may contact us at www.djgusa.com, fax us at 1-800-207-8182 24 hours a day, write to DJG, Consumer Relations Department, P. O. Box 2609, Columbus, IN 47202-2609, or call 1-800-544-1108 from 7:00 a.m. to 6:00 p.m. EST Monday through Thursday and from 7:00 a.m. to 4:30 p.m. on Friday. **Proof of purchase is required and shipping charges are the responsibility of the consumer.**

Warranty Limitations:

This warranty does not include damages which arise from misuse or abuse of this product.

Limitation of Damages:

The warranty and remedies as set forth are exclusive and in lieu of all others, oral or written, expressed or implied. In no event will DJG or the dealer selling this product be liable to you for any damages, including incidental or consequential damages, arising out of the use or inability to use this product.

Limitation of warranties and other warranty terms and state law rights:

Any implied warranties, including implied warranties of the merchantability and fitness for a particular purpose, shall be limited to the duration and terms of the express written warranty. Some states do not allow limitations as to how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary from state to state. Neither DJG nor the dealer selling this product authorized any person to create for it any other warranty, obligation, or liability in connection with this product.

PLEASE COMPLETE AND MAIL THE PRE-ADDRESSED OWNER REGISTRATION CARD WITHIN (30) DAYS OF PURCHASE TO EXPEDITE WARRANTY CLAIMS AND TO VERIFY THE ORIGINAL DATE OF PURCHASE.

Replacement Parts Order Form

Complete the form below. Your model number with color code and manufacturer date code **MUST** be included on the form to ensure proper replacement parts. Your model number with color code and the date code can be found on a sticker on the bottom of the child restraint. Payment in U.S. dollars must accompany your order. Choose parts needed from the list on the next page. Return the form with payment to:

Dorel Juvenile Group, Inc.
Consumer Relations Department
P.O. Box 2609
Columbus, IN 47202-2609

Fax orders to: 1-800-207-8182

Please make money orders payable to Dorel Juvenile Group, Inc. Fill in the area below to charge to Visa or Mastercard. We do not accept personal checks or Discover Card. All outside of U.S. and Canada **MUST** use credit card.

Ship To (Please Print): _____

Name: _____

Address: _____

City: _____

State/Province: _____ Zip _____

Telephone: _____

Email Address: _____

We **MUST have this information to process your order:**
Model Number (5 digits & 3 letters): _____
Manufacture Date (mm/dd/yyyy): _____