

SCOTCH-BRITE™ BRISTLE DISCS AND BRUSHES

CONSISTENT PERFORMANCE. CONFORMABILITY. SAFETY.



WHY CHOOSE SCOTCH-BRITE™ BRISTLE PRODUCTS

Scotch-Brite[™] Radial Bristle Disc, using proprietary 3M[™] Ceramic Abrasive Grain and molded, flexible bristles, provides more surface contact than wire brushes and maintains abrasive property throughout the life of the disc. Our fast- running disc removes paint, stains, adhesives, weld burns, rust, heavy oxides, and surface contaminants from large areas.

SCOTCH-BRITE™ BRISTLE BRUSHES AND DISCS

Safer operation and conformability in contoured areas



Long life with consistent performance.

Scotch-Brite Bristle Discs and Brushes last longer than most abrasives and provide the same finish and cut throughout their life. For productivity in automated procedures, there are fewer changeovers.



APPLICATIONS

Deburring

Cleaning

Finishing

Safety.

Conformability and more surface contact.

Unlike most abrasives, Scotch-Brite Bristle products are flexible and conform to irregular surfaces. They require less manipulation by operators on parts. You can expect a consistent finish even on the most complex parts.

To help you meet increasingly tough safety standards,

benefit of not emitting harmful chemical vapors.

Use on metal and plastic.

removing base material.

Scotch-Brite[™] Bristle Discs contain no wire filaments. When replacing chemicals or compounds, they have the added

Clean welds, remove corrosion, paint and rust without

Achieve various grains including satin finishes for softer



▶ Tech Tips


Do not use excessive downward pressure on the tool – let the tool and bristle tips do the work.

Bristle discs perform the best when slightly angled (2-4 degrees).

Do not work bristle over sharp edges. When finishing edges on a flat surface, position the tool so that the bristles run off the edge and not into the edge.

Do not dwell on a localized area to avoid excessive heat build up.

When using the Type A and C bristle products, the bristles are directional.





USEFUL FOR A WIDE RANGE OF APPLICATIONS

SCOTCH-BRITE BRISTLE DISCS

Brush-like bristle discs remove coarse coatings from large open areas of a work piece. Works on right angle tools quickly and easily with little or no pressure.

SCOTCH-BRITE™ ROLOC™ BRISTLE DISC

Fast-running discs with a standard 3M Roloc Attachment, efficiently clean or strip many substances from various surfaces without damaging the work piece. Quickly and easily achieve a quality and consistent finish with light pressure.

SCOTCH-BRITE™ RADIAL BRISTLE DISCS

Radial Bristle Discs create an incredibly uniform finish even around protrusions, detailed grooves, patterns and other hard-to-reach areas.

SCOTCH-BRITE™ RADIAL BRISTLE BRUSHES

Bristle Brushes can ensure the quality finish that you demand. Replace your wire wheel products with this great technology from 3M. These brushes are suited to many of your heavy-duty industrial applications. Use on bench motors.

Straight, Non-Directional

Type S - Rigid and very aggressive for cleaning and deburring, non-directional.




Angled, Directional

Type A - Rigid and very aggressive, similar to Type S but for smaller diameters, directional.

Type C – Less

aggressive and more

Curved, Directional















Product Tooling

Scotch-Brite[™] Roloc[™] Bristle Discs

| 3M ID | Size | Grade | Color | Trim (T=Tapered) | Max RPM |
|------------|------|-------|--------|------------------|------------|
| 7100081711 | 1" | P36 | Purple | 5/8" | 30,000 RPM |
| 700000740 | 1" | P50 | Green | 5/8" | 30,000 RPM |
| 7100138319 | 1" | P80 | Yellow | 5/8" | 30,000 RPM |
| 700000741 | 1" | P120 | White | 5/8" | 30,000 RPM |
| 700000775 | 2" | P36 | Purple | 5/8"T | 25,000 RPM |
| 700000742 | 2" | P50 | Green | 5/8"T | 25,000 RPM |
| 700000743 | 2" | P80 | Yellow | 5/8"T | 25,000 RPM |
| 700000744 | 2" | P120 | White | 5/8"T | 25,000 RPM |
| 700000777 | 3" | P36 | Purple | 5/8"T | 18,000 RPM |
| 700000745 | 3" | P50 | Green | 5/8"T | 15,000 RPM |
| 7100138320 | 3" | P80 | Yellow | 5/8"T | 15,000 RPM |
| 7100138192 | 3" | P120 | White | 5/8"T | 15,000 RPM |

Scotch-Brite[™] Roloc[™] Radial Bristle Discs

| 3M ID | Size | Grade | Color | Bristle Type | Max RPM |
|------------|------|-------|--------|--------------|------------|
| 7100138176 | 3" | P50 | Green | Type A | 25,000 RPM |
| 7100138177 | 3" | P80 | Yellow | Type A | 25,000 RPM |
| 7100138178 | 3" | P120 | White | Type A | 25,000 RPM |

Scotch-Brite[™] Sealant Removal "SR" Radial Bristle Discs

3M ID Size Grade Color Bristle Type Max RPM 7000000770 2" x 3/8" None Cream Type C 20,000 RPM 7000028525 3" x 3/8" None Cream Type C 20,000 RPM

Scotch-Brite[™] Radial Bristle Discs

| 3M ID | Size | Grade | Color | Bristle Type | Max RPM |
|------------|---------------|----------|-------------|--------------|------------|
| 700000764 | 9/16" x 1/16" | P120 | White | Type A | 35,000 RPM |
| 7100002321 | 9/16" x 1/16" | P220 | Red | Type A | 35,000 RPM |
| 7000046125 | 9/16" x 1/16" | P400 | Blue | Type A | 35,000 RPM |
| 7000046126 | 9/16" x 1/16" | Pumice | Pink | Type A | 35,000 RPM |
| 7000121004 | 9/16" x 1/16" | 6 Micron | Peach | Type A | 35,000 RPM |
| 7000046127 | 9/16" x 1/16" | 1 Micron | Light Green | Type A | 35,000 RPM |
| 700000757 | 3/4" x 1/16" | P80 | Yellow | Type A | 35,000 RPM |
| 7100138342 | 3/4" x 1/16" | P120 | White | Type A | 35,000 RPM |
| 700000758 | 3/4" x 1/16" | P220 | Red | Type A | 35,000 RPM |
| 700000759 | 3/4" x 1/16" | P400 | Blue | Type A | 35,000 RPM |
| 700000760 | 3/4" x 1/16" | Pumice | Pink | Type A | 35,000 RPM |
| 700000765 | 3/4" x 1/16" | 6 Micron | Peach | Type A | 35,000 RPM |
| 700000766 | 3/4" x 1/16" | 1 Micron | Light Green | Type A | 35,000 RPM |
| 7100138326 | 1" x 1/8" | P36 | Brown | Type A | 35,000 RPM |
| 700000761 | 1" x 1/8" | P50 | Green | Type A | 35,000 RPM |
| 700000762 | 1" x 1/8" | P80 | Yellow | Type A | 35,000 RPM |
| 700000763 | 1" x 1/8" | P120 | White | Type A | 35,000 RPM |
| 7100135084 | 1" x 1/8" | P220 | Red | Type A | 35,000 RPM |
| 7100135085 | 1" x 1/8" | P400 | Blue | Type A | 35,000 RPM |
| 7100138293 | 2" x 3/8" | P80 | Yellow | Type C | 30,000 RPM |
| 7100138294 | 2" x 3/8" | P120 | White | Type C | 30,000 RPM |
| 7100138295 | 2" x 3/8" | P220 | Red | Type C | 30,000 RPM |
| 7000028529 | 2" x 3/8" | P400 | Blue | Type C | 30,000 RPM |
| 7000046158 | 2" x 3/8" | Pumice | Pink | Type C | 30,000 RPM |
| 7000046159 | 2" x 3/8" | 6 Micron | Peach | Type C | 30,000 RPM |
| 7000046160 | 2" x 3/8" | 1 Micron | Light Green | Type C | 30,000 RPM |
| 7100138323 | 3" x 3/8" | P50 | Green | Type A | 20,000 RPM |
| 7100138324 | 3" x 3/8" | P80 | Yellow | Type A | 20,000 RPM |
| 700000749 | 3" x 3/8" | P120 | White | Type A | 20,000 RPM |
| 7100138325 | 3" x 3/8" | P50 | Green | Type C | 20,000 RPM |
| 7100138193 | 3" x 3/8" | P80 | Yellow | Type C | 20,000 RPM |
| 7100138179 | 3" x 3/8" | P120 | White | Type C | 20,000 RPM |
| 7100138297 | 3" x 3/8" | P220 | Red | Type C | 20,000 RPM |
| 7000046182 | 3" x 3/8" | P360* | Lime Green | Type C | 20,000 RPM |
| 7000028532 | 3" x 3/8" | P400 | Blue | Type C | 20,000 RPM |
| 700000772 | 3" x 3/8" | Pumice | Pink | Type C | 20,000 RPM |
| 7000046161 | 3" x 3/8" | 6 Micron | Peach | Type C | 20,000 RPM |
| 7100007341 | 3" x 3/8" | 1 Micron | Light Green | Type C | 20,000 RPM |

*Radial Bristle Discs for Corrosion and Paint Removal 360



3M Abrasive Systems

3M Center, Building 223-6N-02 St. Paul, MN 55144 USA

Phone 1-866-279-1235 Web 3M.com/abrasives

Scotch-Brite[™] Bristle Discs (for Right Angle Tools)

| 3M ID | Size | Grade | Color | Bristle Type | Max RPM |
|------------|------------------|-------|--------|--------------|------------|
| 7100138181 | 4-1/2" x 5/8"-11 | P36 | Brown | Type S | 12,000 RPM |
| 7100138173 | 4-1/2" x 5/8"-11 | P50 | Green | Type S | 12,000 RPM |
| 7100138174 | 4-1/2" x 5/8"-11 | P80 | Yellow | Type S | 12,000 RPM |
| 7100138175 | 4-1/2" x 5/8"-11 | P120 | White | Type S | 12,000 RPM |
| 7100138183 | 7" x 7/8" | P36 | Brown | Type S | 6,000 RPM |
| 7100138180 | 7" x 7/8" | P50 | Green | Type S | 6,000 RPM |

Scotch-Brite[™] Radial Bristle Brush with Adapter

| 3M ID | Size | Grade | Color | Bristle Type | Max RPM |
|------------|----------------------|----------|-------------|--------------|-----------|
| 7100138300 | 6" x 7/16" x 1" | P80 | Yellow | Type C | 6,000 RPM |
| 7100138298 | 6" x 7/16" x 1" | P120 | White | Type C | 6,000 RPM |
| 7100138299 | 6" x 7/16" x 1" | P220 | Red | Type C | 6,000 RPM |
| 7000021284 | 6" x 7/16" x 1" | P400 | Blue | Type C | 6,000 RPM |
| 7000046180 | 6" x 7/16" x 1" | 6 Micron | Peach | Type C | 6,000 RPM |
| 7000046181 | 6" x 7/16" x 1" | 1 Micron | Light Green | Type C | 6,000 RPM |
| 7100138290 | 6" x 1/2" x 1" | P36 | Brown | Type A | 6,000 RPM |
| 7100138347 | 6" x 1/2" x 1" | P50 | Green | Type A | 6,000 RPM |
| 7100138291 | 6" x 1/2" x 1" | P80 | Yellow | Type A | 6,000 RPM |
| 7010309543 | 6" x 1/2" x 1" | 6 Micron | Peach | Type A | 6,000 RPM |
| 7100138337 | 7-5/8" x 1" x 1-1/4" | P80 | Yellow | Type C | 6,000 RPM |
| 7100138338 | 7-5/8" x 1" x 1-1/4" | P120 | White | Type C | 6,000 RPM |
| 7100138335 | 7-5/8" x 1" x 1-1/4" | P220 | Red | Type C | 6,000 RPM |
| 7100138336 | 7-5/8" x 1" x 1-1/4" | P400 | Blue | Type C | 6,000 RPM |
| 7100138332 | 8" x 1" x 1-1/4" | P50 | Green | Type S | 6,000 RPM |
| 7100138333 | 8" x 1" x 1-1/4" | P80 | Yellow | Type S | 6,000 RPM |
| 7100138334 | 8" x 1" x 1-1/4" | P120 | White | Type S | 6,000 RPM |

Scotch-Brite[™] Bristle Brush Refill Packs

| ocoten bine | coton brite bristle brush kemin acks | | | | | |
|-------------|--------------------------------------|-------|--------|--------------|-----------|--|
| 3M ID | Size | Grade | Color | Bristle Type | Max RPM | |
| 7100138292 | 6" x 1/2", 40/Pack | P36 | Brown | Type A | 6,000 RPM | |
| 7100138327 | 6" x 1/2", 40/Pack | P50 | Green | Type A | 6,000 RPM | |
| 7100138194 | 6" x 1/2", 40/Pack | P80 | Yellow | Type A | 6,000 RPM | |
| 7100138301 | 6", 40/Pack | P80 | Yellow | Type C | 6,000 RPM | |
| 7000021285 | 6", 40/Pack | P120 | White | Type C | 6,000 RPM | |
| 7100138184 | 6", 40/Pack | P120 | White | Type C | 6,000 RPM | |
| 7100138302 | 6", 40/Pack | P220 | Red | Type C | 6,000 RPM | |
| 7000144604 | 6", 40/Pack | P400 | Blue | Type C | 6,000 RPM | |
| 7100138303 | 7-5/8" x 1", 70/Pack | P80 | Yellow | Type C | 6,000 RPM | |
| 7100138304 | 7-5/8" x 1", 70/Pack | P120 | White | Type C | 6,000 RPM | |
| 7100138341 | 7-5/8" x 1", 70/Pack | P220 | Red | Type C | 6,000 RPM | |
| 7100143047 | 7-5/8" x 1", 70/Pack | P400 | Blue | Type C | 6,000 RPM | |
| 7100138339 | 8" x 1", 70/Pack | P50 | Green | Type S | 6,000 RPM | |
| 7100138340 | 8" x 1", 70/Pack | P80 | Yellow | Type S | 6,000 RPM | |
| 7100038608 | 8" x 1", 70/Pack | P120 | White | Type S | 6,000 RPM | |
| | | | | | | |

Accessories for Scotch-Brite™ Bristle

| 3M ID | Description | Additional Notes | | | |
|---|--|--|--|--|--|
| For use with Scotch-Brite™ Roloc™ Bristle Discs and Roloc™ Radial Bristle Discs | | | | | |
| 7100003161 | 3M Roloc™ TR Disc Pad Holder | 1", Hardness-Medium | | | |
| 7000045282 | 3M Roloc™ TR Disc Pad Holder | 2", Hardness-Medium | | | |
| 700000441 | 3M Roloc™ TR Disc Pad Holder | 2", Hardness-Hard | | | |
| 700000602 | 3M Roloc™ TR Disc Pad Holder | 3", Hardness-Medium | | | |
| 7100002305 | 3M Roloc™ TR Disc Pad Holder | 3", Hardness-Hard | | | |
| 7000045770 | 3M Roloc™ TR Disc Pad Holder | 1/4", Threaded Shaft | | | |
| For use with 3" Scotch-Brite™ Radial Bristle Discs | | | | | |
| 7000028456 | 3M™ Mandrel #990 | | | | |
| 7100008859 | Tapered Spindle Adapter, 1/16"-1/2" | For use on bench motors with tapered spindle shaft | | | |
| For use with 3/4" o | and 9/16" Scotch-Brite™ Radial Bristle Discs | | | | |
| 7000046130 | 3M Mandrel, 3/32" shank x 1/16" screw | Comes with 9/16" and 3/4" discs | | | |
| For use with1" Scot | tch-Brite™ Radial Bristle Discs | | | | |
| 27681 | 3M Mandrel, 1/8" shank x 1/8" screw | Packaged with 1" discs | | | |
| 27684 | 3M Mandrel, 1/4" shank x 1/8" screw | Alternate to 27681 | | | |
| For use with 6" Sco | otch-Brite™ Radial Bristle Brush, TA and TC | | | | |
| 7000144596 | 3M Brush Shaft Adaptor, Telescopic #5 | Adapts to 1/2", 5/8", 3/4", 7/8" | | | |
| 7000046162 | 3M Spindle Extender Adaptor | | | | |
| 7000028515 | 3M Brush Flange (side) | | | | |

More grades and sizes are available. Contact your 3M Abrasives Representative for more information.