



Technical Support

If you need technical support with your Boss Audio product or have questions about its use, please contact us: 805.751.4853 www.BossAudio.com

*Due to ongoing product development, specifications are subject to change without notice.

Congratulations on your purchase of the Boss Audio Phantom Series Subwoofer. Boss Audio takes great pride in producing products that look great, sound great, and stand up to the daily rigors applied by audio enthusiasts around the world.









D10F 10" (25cm) Flat Subwoofer

- Single 4 Ω Voice Coil
- 800 W Peak Power Handling
- High Temperature Voice Coil
- Butyl Rubber Surround




Enclosures

The D10F will work in a compact sealed enclosure. Since the woofer has pole-vent, it needs a minimum clearance from the rear wall of the enclosure of 0.75" (19 mm).

Below you will find the dimensions to make the enclosure to suit the subwoofers needs, it has been designed for maximum output while retaining great sound quality.

The dimensions have already accounted for the volume displacement of the subwoofer, and using 3/4" (19mm) MDF. All dimensions are external.

Enclosure Dimensions



Sealed Dimensions: Length (L) : 16" (406 mm) Width (W) : 9" (229 mm) Height (H) : 12" (305 mm) Cutout Diameter: 9-1/8" (232 mm) Int. Volume: 0.6 ft³










Wiring your Subwoofer

4Ω



Multiple Subwoofers











Product Specifications

Impedance	4 Ω
Resonant Frequency	50 Hz
Qts	0.814
Qms	5.416
Qes	0.957
Vas	0.692 cu ft. (19.6 liters)
Xmax	5mm
Sensitivity (1 W/ 1 m)	87 dB
Peak Power Handling	800 W
Mounting Depth	3-7/8" (98 mm)
Cutout Diameter	9-3/16" (233 mm)

