



Shown with optional SS-27-A shroud

Vitreous China Wall-Mounted Lavatory

SS-3065

Product description

Standard, Vitreous China Wall-Mounted Ledgeback Lavatory.

Compliances & Certifications



(ADA Compliant, cUPC Certified, IAPMO)

Code 3873065

Downloads

- [SS-3X65 Installation Instructions.pdf](#)
- [Vitreous China Lavatories Repair and Maintenance Guide.pdf](#)
- [Sinks - Full Line Brochure.pdf](#)
- [Fixture Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Centerset: 4"
- Nominal Dimensions: 20" x 21.5" x 5.75" (508 x 546 x 146mm)
- Lavatory Type: Wall-Mounted

Features

- White, vitreous china wall hung lavatory with rear overflow
- Great complement to all of Sloan's sensor faucet series
- IAPMO certified to meet or exceed ASME A112.19.2 standards
- Meets ADA guidelines and ANSI A117.1 requirements when installed accordingly

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

All vitreous china dimensions shown in these drawings are nominal and not to scale. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. It is important to consider this when planning rough-in and plumbing layouts.

