



## Thank you for using Motion Concepts eForms.

Motion Concepts is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email\* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.



### Adobe Acrobat Reader DC

\* Interactive functions of our new forms work best with the latest version of Adobe Acrobat Reader DC visit <https://get.adobe.com/reader/> to download and install on your PC or Mac or visit Google Play/ iTunes to download the Adobe Acrobat Reader DC app for your device.

#### Save

Adobe Acrobat Reader DC allows you to save this form with your content - to complete later or use as a starting point for your next form. Please note that content must be added and saved in Acrobat - saving content from completed forms in the browser may not be possible.

**SAVE**

#### Submit

Adobe Acrobat Reader DC allows you to submit this form electronically via your email client.

Simply click the submit button below and step through the simple process.

**SUBMIT**

**CLEAR FORM**

#### Print

If you do not have access to Adobe Acrobat Reader DC simply print this form and complete it by hand and fax it to our Customer Service Department at:

**1-888-433-6818**

**PRINT FORM**



**PRINT FORM**      **SAVE**      **CLEAR FORM**

**Contact Motion Concepts Customer Service: 1.888.433.6818 | quotes@motionconcepts.com**

**REQUIRED INFORMATION**

Quote     Order

Date of Order: \_\_\_\_\_ Dealer Account #: \_\_\_\_\_

Dealer Name: \_\_\_\_\_

PO #: \_\_\_\_\_ Tag \_\_\_\_\_

Purchasing Contact: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

E-mail: \_\_\_\_\_

ATP/Therapist: \_\_\_\_\_

Ship to Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_


Zip: \_\_\_\_\_ Client Gender:  M  F

Special Client Conditions: \_\_\_\_\_

**REQUIRED MEASUREMENTS**

To ensure system is accurately configured please fill in all required

Client Height:	
Client Weight (lbs):	
A. Seat to Shoulder:	
B. Trunk Depth:	
C. Chest Width:	
D. Knee to Back:	
E. Seat to Top of Head:	
F. Elbow to Hand:	
G. Seat to Elbow:	
H. Hip Width:	
I. Knee to Heel:	
Cushion Thickness:	



**INVACARE POWER BASES**

- TDXSP2HD      TDX SP2 HD Base for Rehab Seating System  
HCPCS code K0850 ..... \$8,595
- TDXSP2HD-CG      TDX SP2 HD Base for Single Actuator System  
HCPCS code K0858. .... \$8,795
- TDXSP2HD-MCG      TDX SP2 HD Base for Multiple Actuator System  
HCPCS code K0862. .... \$8,795

Select STF<sup>(1)</sup>:  
SLOWH  17.25"    LOWH  17.75"    MEDH  18.75"    TALLH  19.75"

1. Seat-to-floor height is measured at the front of the seat pan based on a standard seat size.

**USER WEIGHT LIMITS**

- U350      Weight Capacity up to 350 lbs ..... STD
- U400      Weight Capacity up to 400 lbs ..... STD

**TRANSPORT TIE DOWN**

- TRBKTS      Wheelchair Transport Brackets<sup>(1)</sup> ..... STD
1. For unoccupied use only

**TIRE OPTIONS**

- B1431-3      14" x 3" Black Tires w/Gel Foam Inserts ..... STD
- B1430-3      14" x 3" Black Tire - Pneumatic ..... N/C

**FORK OPTIONS**

- DSFK      Double-Sided Fork Package ..... STD
- FKPKG      Single-Sided Fork Package ..... \$250

**BATTERY TRAY TYPE**

- 24TRY      Group 24 Style Tray - Standard Base 25.5" ..... N/C

**BATTERY CHARGER OPTION**


- 110CHARGER      110 Volt Battery Charger ..... N/C
- L8900      Omit Battery Charger ..... (\$80)

**FRAME FINISH**

- 163P      Black Ice Glossy ..... N/C
- 162P      Space Station Silver ..... N/C
- 160P      Invacare Blue ..... N/C
- 158P      Lights Out Black Matte. .... N/C
- 154P      Rockstar Red ..... N/C
- 155P      Tangy Orange ..... N/C
- 161P      Grape Jelly Bean ..... N/C
- 157P      Island Blue ..... N/C
- 156P      Monster Green ..... N/C
- 159P      White Out ..... N/C

**RIM INSERT COLORS - MUST PICK ONE**

- 163PR      Black Ice Glossy ..... N/C
- 162PR      Space Station Silver ..... N/C
- 160PR      Invacare Blue ..... N/C
- 158PR      Lights Out Black Matte. .... N/C
- 154PR      Rockstar Red ..... N/C
- 155PR      Tangy Orange ..... N/C
- 161PR      Grape Jelly Bean ..... N/C
- 157PR      Island Blue ..... N/C
- 156PR      Monster Green ..... N/C
- 159PR      White Out ..... N/C



# Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

## LIGHTS AND INDICATORS

LIGHTS LED Lights and Indicators<sup>(1)</sup> ..... \$700

1. Must order REM215, REM216, REM400 or REM500

## NON-EXPANDABLE SINGLE ACTUATOR JOYSTICKS

REM110S LED Drive Only Remote/Joystick<sup>(1)</sup> ..... N/C

One drive function, control of single actuator through separate switch.  
Select switch on page 14 under Single/Dual Function Electronics

REM210S LED Non-Expandable Remote/Joystick<sup>(1)</sup> ..... N/C

Three drive function, control of single actuator through drive control.

REM215S LED Non-Expandable Remote with Lights<sup>(2)(3)</sup> ..... \$350

Three drive functions, control of single actuator through drive control and light operation.

1. Not available with lights and indicators.

2. Must choose Single/Dual function through drive control, (E2310) separately on page 14 under Single Function Electronics.

3. Must choose lighting package separately

## NON-EXPANDABLE DUAL ACTUATOR JOYSTICKS

REM110D LED Drive Only Remote/Joystick<sup>(1)</sup> ..... N/C

One drive function, control of dual actuator through separate switch.  
Select switch on page 14 under Single/Dual Function Electronics

REM210D LED Non-Expandable Remote/Joystick<sup>(1)</sup> ..... N/C

Three drive function, control of dual actuator through drive control.

REM215D LED Non-Expandable Remote with Lights<sup>(2)(3)</sup> ..... \$350

Three drive functions, control of dual actuator through drive control and light operation.

1. Lights are not available with non-expandable remote.

2. Must choose Single/Dual function through drive control, (E2310) separately on page 14 under Single Function Electronics.

3. Must choose lighting package separately

## ELECTRONICS - EXPANDABLE

EXPC Expandable Controller<sup>(1)</sup> HCPCS code E2377. ....

\$700

Three drive functions, control through separate switch/toggle.  
Select switch on page 14 under multi-function electronics.

PWH Harness Required for Expandable System  
HCPCS code E2313 ..... \$450 NEW

GTRAC-LX LiNX G-TRAC Module HCPCS code K0108 ..... NEW

\$995

REM211 LED Expandable Remote/Joystick<sup>(2)(3)</sup> ..... N/C

Three drive functions, control of up to 6 actuators through the drive control.  
Not for use with specialty controls.

REM216 LED Expandable Remote/Joystick with Lights<sup>(3)(4)</sup> ..... \$350

Three drive functions, control of up to 6 actuators through the drive control and light operation. Not for use with specialty controls.

## ELECTRONICS - EXPANDABLE

REM400 Color 3.5" Touch Screen  
Remote/Joystick<sup>(3)(4)(5)</sup> ..... \$1,000

SW400TGL Toggle Kit for REM400<sup>(6)</sup> ..... \$200

REM500 LiNX Color 3.5" Touch Screen  
Display Only - No Driver Control<sup>(3)(4)(5)</sup> ..... \$1,500

Select mounting position  R5MR Right  
 R5ML Left

1. This item is required when ordering power tilt, power recline, and power elevating legrest together OR when ordering an Alternative Drive Control

2. Not available with lights and indicators

3. Must choose EXPC Expandable Controller and PWH Harness.

4. Can control lighting, must choose lighting package separately.

5. REM400 or REM500 is required when using specialty controls, choose specialty controls purchased separately.

6. Adds 2 toggle switches to REM400.

## ELECTRONICS - EXPANDABLE MODULES

OUT500 Output Module ..... \$500

IN200 LiNX Input Module for REM200 Series<sup>(1)</sup> ..... \$500

IN500H LiNX 9 Pin Input Module  
for Head Array<sup>(2)(3)(4)</sup>  
HCPCS code E2328 ..... \$1,500

IN500 LiNX 9 Pin Input Module  
with Sip-N-Puff Nozzle<sup>(2)(3)(4)</sup>  
HCPCS code E2325 ..... \$1,500

PKG32666 Therafin Sip-N-Puff Breath Tube Kit ..... \$380  
HCPCS code E2326

COVER-L Large Recline Shroud Cover<sup>(5)</sup> ..... N/C

1. Not for use with Alternative Drive Controls. (Uses switch ports).

2. Only one input module per chair, requires REM400 or REM500 for compatibility.

3. Input module also required for any 9-pin specialty control.

4. 9 pin specialty control and Sip-N-Puff cannot both be used together.

5. May be required when choosing OUT500 or IN500 options.

## MOUNTING FOR DRIVER CONTROLS

FR Fixed Joystick Mounting - Right ..... STD

FL Fixed Joystick Mounting - Left ..... STD

MRR Maxx Resolve Swing-Away Joystick Mount  
(Right Hand)<sup>(1)</sup> HCPCS code E1028 ..... \$395

MRL Maxx Resolve Swing-Away Joystick Mount  
(Left Hand)<sup>(1)</sup> HCPCS code E1028 ..... \$395

SAQR Motion Height Adjustable Swing-Away  
Quad Link (Right Hand)<sup>(1)</sup> HCPCS code E1028 ..... \$235

SAQL Motion Height Adjustable Swing-Away  
Quad Link (Left Hand)<sup>(1)</sup> HCPCS code E1028 ..... \$235



## Maxx Bariatric Power Positioning System Base

NOTE: Systems Include Seat Pan, Back Pan, Standard Armrests and Front Rigging. They are designed for use with a 2" - 3" cushion.

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

### BARIATRIC REHAB SEAT

MBRS Maxx Bariatric Rehab Seat . . . . . \$2,995

### SYSTEMS MUST SELECT ONE SYSTEMS

MBT Maxx Bariatric CG Tilt - up to 350 lbs . . . . \$6,595

MBT400 Maxx Bariatric CG Tilt - 350-400 lbs . . . . \$7,345

MBTRE<sup>(1)</sup> Maxx Bariatric CG Tilt (50°) & Power Recline (150°) w/Extended Shear Reduction(ESR) up to 350 lbs . . . . . \$10,795

MBTRE400<sup>(1)</sup> Maxx Bariatric CG Tilt (50°) & Power Recline (150°) w/Extended Shear Reduction(ESR) 350-400 lbs . . . . . \$11,545

MBRE Modular Maxx Power Recline (150°) w/Extended Shear Reduction(ESR) up to 350 lbs . . . . . \$5,995

MBRE400 Modular Maxx Power Recline (150°) w/Extended Shear Reduction(ESR) 350-400 lbs . . . . . \$6,745

1. Tilt will be reduced to 45° if adding an Elevating Lift Seat Module

### MODULES MUST SELECT SYSTEM TO ADD MODULES

PRM8 8° Precline Module<sup>(1)</sup> only available with Recline . . . . .N/C

PRM30 30° Precline Module<sup>(1)</sup> only available with Recline . . . . \$500

1. Total degrees of recline is 170° ie. if 30° of precline is used, then 140° of recline will be available.

### ADD: HD ELEVATING LIFT SEAT MODULE

ESM10 10" Elevating Lift Seat Module<sup>(1)(2)</sup> . . . . \$2,995  
Weight capacity up to 350lbs

1. Only Available with Tilt. Uses an integrated Tilt/Lift mechanism, tilt is 45°  
2. Not available on seat sizes greater than 22" wide by 22" deep

### LAP BELTS

BELT60 Push Button Style Lap Belt, Length 60" . . . . N/C

BELT71 Push Button Style Lap Belt, Length 71" . . . . N/C

PLB2 Bodypoint Padded Lap Belt 2 Point<sup>(1)</sup> . . . . \$250

PLB4 Bodypoint Padded Lap Belt 4 Point<sup>(1)</sup> . . . . \$315

### ADULT SEAT WIDTH SETTINGS

BW120 20" Wide (Adjustable from 20" to 24") . . . . .N/C

BW121 21" Wide (Adjustable from 20" to 24") . . . . .N/C

BW122 22" Wide (Adjustable from 20" to 24") . . . . .N/C

BW123 23" Wide (Adjustable from 20" to 24") . . . . .N/C

BW124 24" Wide (Adjustable from 20" to 24") . . . . .N/C

BW222 22" Wide (Adjustable from 22" to 26") . . . . .N/C

BW223 23" Wide (Adjustable from 22" to 26") . . . . .N/C

BW224 24" Wide (Adjustable from 22" to 26") . . . . .N/C

BW225 25" Wide (Adjustable from 22" to 26") . . . . .N/C

BW226 26" Wide (Adjustable from 22" to 26") . . . . .N/C

### ADULT ULTRA RAIL SEAT DEPTH SETTINGS

SD117 17" Deep (Adjustable from 17" to 21") . . . . .N/C

SD118 18" Deep (Adjustable from 17" to 21") . . . . .N/C

SD119 19" Deep (Adjustable from 17" to 21") . . . . .N/C

SD120 20" Deep (Adjustable from 17" to 21") . . . . .N/C

SD121 21" Deep (Adjustable from 17" to 21") . . . . .N/C

SD219 19" Deep (Adjustable from 19" to 23") . . . . .N/C

SD220 20" Deep (Adjustable from 19" to 23") . . . . .N/C

SD221 21" Deep (Adjustable from 19" to 23") . . . . .N/C

SD222 22" Deep (Adjustable from 19" to 23") . . . . .N/C

SD223 23" Deep (Adjustable from 19" to 23") . . . . .N/C

### FABRIC OPTIONS FOR CUSHIONS

 Meshtex	 Startex	 Infection Control
 Spacetex	 Onyx	 Fusion

Cushion	Meshtex	Startex	Infection	Spacetex	Onyx	Fusion
Libra/Adjust	N/A	STD	\$50	N/C	N/A	N/A
PS/PSP	N/A	STD -Reversible	STD -Reversible	N/A	N/A	N/A
Vi	STD	\$50	\$50	N/A	\$100	\$150

SFLF Spacetex Fabric Option for Libra Cushion . . . . . N/C

ICFL Infection Control Fabric Upgrade for Libra Cushion . . . . . \$50

FFV Fusion Fabric Upgrade for Matrx Vi Cushion.. \$150

OCUMA Onyx Fabric Upgrade for Matrx Vi Cushion... \$100

SFVS Smooth side Startex Fabric Upgrade for Matrx Vi Cushion . . . . . \$50

SFVF Fabric side Startex Fabric Upgrade for Matrx Vi Cushion . . . . . \$50

1. 67" length only option

## Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

### MATRIX SEAT CUSHION OPTIONS

<b>Matrix PS Seat Cushion 20" wide/reversable cover</b> HCPCS code E2605 . . . . .	<b>\$345</b>
<input type="checkbox"/> PS2016 <input type="checkbox"/> PS2018 <input type="checkbox"/> PS2020	
<b>Matrix PS HD Seat Cushion 22" - 26" wide</b> HCPCS code E2606 . . . . .	<b>\$545</b>
<input type="checkbox"/> PS2218 <input type="checkbox"/> PS2220 <input type="checkbox"/> PS2222 <input type="checkbox"/> PS2418 <input type="checkbox"/> PS2420 <input type="checkbox"/> PS2422 <input type="checkbox"/> PS2618 <input type="checkbox"/> PS2620 <input type="checkbox"/> PS2622	
<b>Matrix PSP Seat Cushion - 20" wide</b> HCPCS code E2607 . . . . .	<b>\$395</b>
<input type="checkbox"/> PSP2016 <input type="checkbox"/> PSP2018 <input type="checkbox"/> PSP2020	
<b>Matrix Vi Seat Cushion 20" wide</b> HCPCS code E2607 . . . . .	<b>\$425</b>
<input type="checkbox"/> MA2016-VI <input type="checkbox"/> MA2018-VI <input type="checkbox"/> MA2020-VI	
<b>Matrix Vi Seat Cushion 22" wide</b> HCPCS code E2607 . . . . .	<b>\$475</b>
<input type="checkbox"/> MA2218-VI <input type="checkbox"/> MA2220-VI	
<b>Matrix Vi HD Seat Cushion 22"-24" wide</b> HCPCS code E2608 .	<b>\$625</b>
<input type="checkbox"/> MA2222-VI <input type="checkbox"/> MA2418-VI <input type="checkbox"/> MA2420-VI	
<b>Matrix Vi HD Seat Cushion up to 26" wide</b> E2608 . . . . .	<b>\$625</b>
<input type="checkbox"/> MWWDD-VI Specify size: _____	
<b>Matrix Libra Seat Cushion - 20" wide</b> HCPCS Code E2624 . . .	<b>\$485</b>
<input type="checkbox"/> LC2016 <input type="checkbox"/> LC2018 <input type="checkbox"/> LC2020	
<b>Matrix Libra Seat Cushion - 21" wide</b> HCPCS Code E2624 . . .	<b>\$485</b>
<input type="checkbox"/> LC2118 <input type="checkbox"/> LC2120	
<b>Matrix Libra Seat Cushion 22" depth</b> HCPCS Code E2624 . . . . .	<b>\$525</b>
<input type="checkbox"/> LC2022	
<b>Matrix Libra Seat Cushion 21" - 24" wide</b> HCPCS Code E2625 . . . . .	<b>\$595</b>
<input type="checkbox"/> LC2122 <input type="checkbox"/> LC2218 <input type="checkbox"/> LC2220 <input type="checkbox"/> LC2222 <input type="checkbox"/> LC2318 <input type="checkbox"/> LC2320 <input type="checkbox"/> LC2322 <input type="checkbox"/> LC2418 <input type="checkbox"/> LC2420 <input type="checkbox"/> LC2422	
<b>Matrix Libra Adjust Seat Cushion - 20" wide</b> HCPCS Code E2624 . . . . .	<b>\$625</b>
<input type="checkbox"/> LC2016-ADJ <input type="checkbox"/> LC2018-ADJ <input type="checkbox"/> LC2020-ADJ	
<b>Matrix Libra Adjust Seat Cushion - 21" wide</b> HCPCS Code E2624 . . . . .	<b>\$665</b>
<input type="checkbox"/> LC2118-ADJ <input type="checkbox"/> LC2120-ADJ	
<b>Matrix Libra Adjust Seat Cushion 22" depth</b> HCPCS Code E2624 . . . . .	<b>\$665</b>
<input type="checkbox"/> LC2022-ADJ	
<b>Matrix Libra Adjust Seat Cushion 21" - 24" wide</b> HCPCS Code E2624 21" W/ E2625 for 22" W. . . . .	<b>\$735</b>
<input type="checkbox"/> LC2122-ADJ <input type="checkbox"/> LC2218-ADJ <input type="checkbox"/> LC2220-ADJ <input type="checkbox"/> LC2222-ADJ <input type="checkbox"/> LC2318-ADJ <input type="checkbox"/> LC2320-ADJ <input type="checkbox"/> LC2322-ADJ <input type="checkbox"/> LC2418-ADJ <input type="checkbox"/> LC2420-ADJ <input type="checkbox"/> LC2422-ADJ	
<input type="checkbox"/> OCCC   "ON-CHAIR" Cushion Credit <sup>(1)</sup> . . . . .	<b>(\$90)</b>

1. Not available on Matrix PS or PSP Cushions.

### MATRIX ELAN HEADREST PAD<sup>(1)</sup> HCPCS CODE E0955

<input type="checkbox"/> ESP6	Matrix Elan Standard Pad 6" . . . . .	<b>\$235</b>
<input type="checkbox"/> ESP10	Matrix Elan Standard Pad 10" . . . . .	<b>\$235</b>
<input type="checkbox"/> ESP14	Matrix Elan Standard Pad 14" . . . . .	<b>\$235</b>
<input type="checkbox"/> EOP9	Matrix Elan Occipital Pad 9" . . . . .	<b>\$235</b>
<input type="checkbox"/> EOP12	Matrix Elan Occipital Pad 12" . . . . .	<b>\$235</b>
<input type="checkbox"/> E4PTSM	Matrix Elan 4-Point Pad 9"W x 7"H . . . . .	<b>\$325</b>
<input type="checkbox"/> E4POINT	Matrix Elan 4-Point Pad 11"W x 10"H . . . . .	<b>\$325</b>
<input type="checkbox"/> ESP6-IC	Matrix Elan Standard Pad 6" with Infection Control . . . . .	<b>\$235</b>
<input type="checkbox"/> ESP10-IC	Matrix Elan Standard Pad 10" with Infection Control . . . . .	<b>\$235</b>
<input type="checkbox"/> ESP14-IC	Matrix Elan Standard Pad 14" with Infection Control . . . . .	<b>\$235</b>
<input type="checkbox"/> EOP9-IC	Matrix Elan Occipital Pad 9" with Infection Control . . . . .	<b>\$235</b>
<input type="checkbox"/> EOP12-IC	Matrix Elan Occipital Pad 12" with Infection Control . . . . .	<b>\$235</b>
<input type="checkbox"/> E4PTSM-IC	Matrix Elan 4-Point Pad 9"W x 7"H with Infection Control . . . . .	<b>\$325</b>
<input type="checkbox"/> E4POINT-IC	Matrix Elan 4-Point Pad 11"W x 10"H with Infection Control . . . . .	<b>\$325</b>

1. If mounting on PB Elite must order removable hardware

### MOTION CONCEPTS HEADREST PAD HCPCS CODE E0955

<input type="checkbox"/> MCSH	Motion Concepts Standard . . . . .	<b>\$295</b>
<input type="checkbox"/> MCOH	Motion Concepts Auto Style <sup>(1)</sup> . . . . .	<b>\$350</b>

1. Comes Standard with Fixed Mounting hardware; for use on Matrix PB or Elite Backs, you must select the removable hardware upgrade below.

### HEADREST MOUNTING HARDWARE OPTIONS

<input type="checkbox"/> FM	Fixed Mounting (non-removable) <sup>(1)</sup> . . . . .	<b>N/C</b>
<input type="checkbox"/> LXSHW	LOXX Standard Hardware with 15" Vertical Post HCPCS code E1028 . . . . .	<b>\$215</b>
<input type="checkbox"/> LXMMH	LOXX Mini Hardware with 11" Vertical Post HCPCS code E1028 . . . . .	<b>\$215</b>
<input type="checkbox"/> MEHW	Elan Hardware 15" Vertical Post HCPCS code E1028 . . . . .	<b>\$220</b>
<input type="checkbox"/> MEMH	Elan Mini Hardware 11" Vertical Post HCPCS code E1028 . . . . .	<b>\$220</b>
<input type="checkbox"/> MEHW-EXT	Elan Extended Hardware (Extra Link) HCPCS code E1028 . . . . .	<b>\$295</b>
<input type="checkbox"/> MAHU	Motion Concepts Multi-Axis Rem.HDW HCPCS code E1028 . . . . .	<b>\$195</b>
<input type="checkbox"/> OHR	OMIT: Headrest . . . . .	<b>N/C</b>

1. Only compatible w/Standard Rehab, Contour & High Back Models. All other headrests REQUIRE an upgrade to Removable Hardware.



**Maxx Bariatric Power Positioning System Base**

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

**STANDARD BACK CANES FOR TILT SYSTEMS**

- SBC18 18" Straight Back Canes . . . . . STD
- SBC20 20" Straight Back Canes . . . . . STD
- SBC22 22" Straight Back Canes . . . . . STD
- SBC24 24" Straight Back Canes . . . . . STD
- Select Cane Angle  BA75 75°  BA79 79°  BA85 85°  BA90 90°  BA95 95°  
 BA101 101°  BA106 106°  BA112 112°  BA116 116°
- ABC20 20" Angled (5°) Back Canes . . . . . N/C
- ABC22 22" Angled (5°) Back Canes . . . . . N/C
- ABC24 24" Angled (5°) Back Canes . . . . . N/C
- Select Cane Angle  BA81 81°  BA84 84°  BA91 91°  BA96 96°  BAA101 101°  
 BAA106 106°  BA111 111°  BA117 117°  BA121 121°
- EBC22 22" Endomorph Back Canes<sup>(1)</sup> . . . . . \$350
- EBC24 24" Endomorph Back Canes<sup>(1)</sup> . . . . . \$350
  - EBCN1 1" Narrower . . . . . N/C
  - EBCN2 2" Narrower . . . . . N/C
  - EBCN4 4" Narrower . . . . . N/C
- TBC18 18" 10° Mid-Angle Tilt Back Canes<sup>(2)</sup> . . . . . \$250
- TBC20 20" 10° Mid-Angle Tilt Back Canes<sup>(2)</sup> . . . . . \$250
- TBC22 22" 10° Mid-Angle Tilt Back Canes<sup>(2)</sup> . . . . . \$250
- TBC24 24" 10° Mid-Angle Tilt Back Canes<sup>(2)</sup> . . . . . \$250

1. Comes standard with Cantilever Armrest Cane Mounted.  
 2. Quick Height Adjustment on Backrest not available.

**CANE OPTIONS FOR RECLINE SYSTEMS**

- BFS2 Recline Body Fit 2" Narrower<sup>(1)</sup> . . . . . \$995
- BFS4 Recline Body Fit 4" Narrower<sup>(1)</sup> . . . . . \$995
- AHH Adjustable Hooking Handles<sup>(2)</sup> (pair) . . . . . \$450
- RPHS Push Handles for Recline - Straight<sup>(3)</sup> (pair) . . . \$350
- RPHA Push Handles for Recline - Angled<sup>(3)</sup> (pair) . . . \$350

1. Minimum finished back widths of 16".  
 2. Handle measures 6.5" high and has .75" height adjustment with angle adjustment.  
 3. 4" of total vertical mounting adjustment.

**FINISHED BACK HEIGHT<sup>(1)(2)</sup> FOR TILT ONLY/ELEVATE ONLY**

- FBT18 18"  FBT19 19"  FBT20 20"  FBT21 21"  FBT22 22"
- FBT23 23"  FBT24 24"  FBT25 25"

1. 4" Gap from the seat pan to the bottom of back pan is recommended.  
 2. Finished back height is measured from seat pan to top of backrest.

**FINISHED BACK HEIGHT<sup>(1)(2)</sup> FOR RECLINE OR TILT/RECLINE**

- FBR20 20"  FBR21 21"  FBR22 22"  FBR23 23"  FBR24 24"
- FBR25 25"  FBR26 26"  FBR27 27"

1. 6" Gap from the seat pan to the bottom of back pan is recommended.  
 2. Finished back height is measured from seat pan to top of backrest.

**STANDARD BACK OPTIONS**

- SRB Standard Rehab Back & Cushion . . . . . N/C
- SS Additional Super Soft/HR Foam<sup>(1)</sup> . . . . . \$100
- MFU Matrix Fabric Upcharge . . . . . \$100
- OBC OMIT: Back Cushion . . . . . (\$25)
- PIPF Flat Planar Interface Plate<sup>(2)(3)</sup> . . . . . \$125
- PIPR Recessed Planar Interface Plate<sup>(2)(3)</sup> . . . . . \$125
- ORBC OMIT: Rigid Back & Cushion<sup>(4)</sup> . . . . . (\$75)

1. Additional foam added may impact seat depth  
 2. Not available on tilt only or tilt/elevate systems, for use with Recline Module.  
 3. Required with all Recline Systems when no back is selected. May also be used as an interface for after market backs.  
 4. Not available with Recline/ESR.

**UPGRADABLE BACK OPTIONS**

- High Back 20" - 24" wide . . . . . \$595
  - HB2016  HB2018  HB2020  HB2116
  - HB2118  HB2120  HB2216  HB2218
  - HB2220  HB2316  HB2318  HB2320
  - HB2416  HB2418  HB2420

- Matrix Elite Back 20" wide (3" Contour) HCPCS code E2620 . \$625
  - PBE2014  PBE2016  PBE2018  PBE2020

- Matrix Elite HD Back 21" - 24" wide (3" Contour) HCPCS code E2620 for 21" E2621 for 22" . . . . . \$795
  - PBE2116-HD  PBE2120-HD  PBE2216-HD
  - PBE2220-HD  PBE2316-HD  PBE2320-HD
  - PBE2416-HD  PBE2420-HD

- Matrix Elite HD Back 26" wide (3" Contour) HCPCS code E2620 for 21" E2621 for 22" . . . . . \$1,395
  - PBE2616-HD  PBE2620-HD

- Matrix Elite Deep Back 20" wide (3" Contour) HCPCS code E2620 . . . . . \$760
  - EDB2014  EDB2016  EDB2018  EDB2020

- Matrix Elite Deep HD Back 21" - 24" wide (6" Contour) HCPCS code E2620 for 21" E2621 for 22" . . . . . \$930
  - EDB2116-HD  EDB2118-HD  EDB2120-HD
  - EDB2216-HD  EDB2218-HD  EDB2220-HD
  - EDB2316-HD  EDB2318-HD  EDB2320-HD
  - EDB2416-HD  EDB2418-HD  EDB2420-HD

- Matrix Elite TR Back 20" wide (3" Contour) HCPCS code E2620 . . . . . \$650
  - PBE2016-TR  PBE2018-TR  PBE2020-TR

- Matrix Elite TR HD Back 21" - 24" wide (3" Contour) HCPCS code E2620 for 21" E2621 for 22" . . . . . \$845
  - PBE2120-TRHD  PBE2220-TRHD  PBE2320-TRHD
  - PBE2420-TRHD

- Matrix PB Posture Back - 20" wide (5" Contour) HCPCS code E2615 . . . . . \$625
  - MPB2012  MPB2016  MPB2020

# Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

## UPGRADEABLE BACK OPTIONS CONTINUED

**Matrix PB Posture Back Deep - 20" wide (7" Contour)**  
 HCPCS code E2615. . . . . \$645

- PBD2012     PBD2016     PBD2020

**Matrix PB Heavy Duty Back 20" - 24" wide<sup>(1)</sup> (5" Contour)**  
 HCPCS code E2615 for 21" E2616 for 22" . . . . . \$835

- HDB2016     HDB2020     HDB2216     HDB2220  
 HDB2416     HDB2420


**Matrix PB Heavy Duty Deep Back 20"-22" wide<sup>(1)</sup> (5" Contour)**  
 HCPCS code E2615 for 21" E2616 for 22" . . . . . \$935

- DHD2016     DHD2020     DHD2216     DHD2220  
 DHD2416     DHD2420

OCBC "ON-CHAIR" Matrix Back Credit . . . . . (\$125)

1. The Heavy Duty PB Back and PB Deep Back are not available on Recline systems with seat widths of 21" and 22".

## OTHER UPGRADABLE BACK OPTIONS



Back	Meshtex	Infection	Onyx
High	STD	N/A	\$103
Elite/ Elite HD/Elite Deep	STD	\$100	N/A
Elite TR/ Elite TR HD	STD	\$100	N/A
PB/PB HD/PB Deep/PB HD Deep	STD	\$100	N/A

- EBSS Super Soft Foam for Elite Back Upgrade . . . \$100  
 OCUHB Onyx Fabric Upgrade for High Backs. . . . . \$100  
 WSCU Infection Control Cover for Elite/PB Backs . . \$100  
*purchased with back*  
 WSC Infection Control Cover for Elite/PB Backs . . \$150  
*purchased with without back*  
 CHIEB Chest Harness Interface Kit for Elite Back<sup>(1)(2)</sup> . . \$95  
 CHIPB Chest Harness Interface Kit for PB Back<sup>(1)(2)</sup> . . \$45

1. Does not include the chest strap.  
 2. This Interface Kit is only Required for 4 point harness

## TILT ARMRESTS

- DP1 Adult Dual Post Adjustable with Quick Height Adjustment Lever 9.75"-12.75" . . . . . STD  
 DP2 Adult Dual Post Adjustable with Quick Height Adjustment Lever 12.75"-15.75" . . . . . STD  
 DP3 Adult Dual Post Adjustable with Quick Height Adjustment Lever 15.75"-18.75" . . . . . STD  
 Select:  
 FP Flat Pouch . . . . . STD  
 GB Glove Boxes . . . . . N/C  
 ADD: OutBack Arm Option Left<sup>(1)</sup> (each). . . . \$195  
 ADD: OutBack Arm Option Right<sup>(1)</sup> (each) . . . \$195  
 RMCAN Ultra Rail Seat Mnt Flip Back Cantilever MAXX Tilt Arm (9-12.5")<sup>(2)</sup> . . . . . \$250  
 RMCAN2 Ultra Rail Seat Mnt Flip Back Cantilever MAXX Tilt Arm (11-14")<sup>(2)</sup> . . . . . \$250  
 ADD: Dual Post Module to RMCAN (pair) . . . \$250  
 OCTA1 Outback Cantilever Tilt Armrest 9"-12" . . . \$350  
 OCTA2 Outback Cantilever Tilt Armrest 12"-15" . . \$350  
 CAFEBC Cantilever Arms for Endomorph Back Canes (pair) (see page 5)<sup>(3)</sup> . . . . . STD

1. Only available with Dual Post Armrests.  
 2. Mounts to Seat Rail. Slotted upper tube for infinite fore/aft adjustment of arm pad.

## RECLINE ARMRESTS

- RC1 Reclining Adjustable Height. 9.5"-13" . . . . . STD  
 RC2 Reclining Adjustable Height. 13"-16" . . . . . STD  
 OARL ADD: OutBack Arm Option Left<sup>(1)</sup> (each). . . . \$195  
 OARR ADD: OutBack Arm Option Right<sup>(1)</sup> (each) . . . \$195  
 MCAN1 Maxx Style Cane Mounted Height, Width and Angle Adjustable Cantilever Flip Back Armrests for Recline Systems 9.5"-13" . . . . \$250  
 MCAN2 Maxx Style Cane Mounted Height, Width and Angle Adjustable Cantilever Flip Back Armrests for Recline Systems 12.5"-16" . . . . \$250  
 OCRA1 Outback Cantilever Recline Armrest 9"-12" . \$350  
 OCRA2 Outback Cantilever Recline Armrest 12"-15" \$350  
 CANQ1 Cane Mounted Height & Angle Adjustable Cantilver Flip Back Armrest 9.5"-12" . . . . . \$350  
 CANQ2 Cane Mounted Height & Angle Adjustable Cantilver Flip Back Armrest 10"-13" . . . . . \$350  
 CANQ3 Cane Mounted Height & Angle Adjustable Cantilver Flip Back Armrest 13"-16" . . . . . \$350

1. Only available with Reclining Armrests.

## ARMREST TUBE LENGTH - PLEASE SPECIFY

- ATFL Left Full . . . . . STD  
 ATDL Left Desk . . . . . STD  
 ATFR Right Full . . . . . STD  
 ATDR Right Desk . . . . . STD



# Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

## ARMPADS

<b>Standard</b>		
<input type="checkbox"/> SAPFL	Left Full (2.25" x 14") . . . . .	STD
<input type="checkbox"/> SAPDL	Left Desk (2.25" x 10") . . . . .	STD
<input type="checkbox"/> SAPFR	Right Full (2.25" x 14") . . . . .	STD
<input type="checkbox"/> SAPDR	Right Desk (2.25" x 10") . . . . .	STD

<b>Waterfall Arm Pads<sup>(1)</sup></b>		
<input type="checkbox"/> WAPFL	Left Full (13") . . . . .	\$50
<input type="checkbox"/> WAPDL	Left Desk (9") . . . . .	\$50
<input type="checkbox"/> WAPFR	Right Full (13") . . . . .	\$50
<input type="checkbox"/> WAPDR	Right Desk (9") . . . . .	\$50

<b>Modular Arm Pad - Left<sup>(2)</sup></b>		
<input type="checkbox"/> MAPTFL	Left Tray Full (14") . . . . .	\$55
<input type="checkbox"/> MAPTDL	Left Tray Desk (10") . . . . .	\$55

Select Pad Insert below:

- ISSFL Iskin - Integrated soft skin foam
- SCVFL Startex Covered Visco foam

<b>Modular Arm Pad - Right<sup>(2)</sup></b>		
<input type="checkbox"/> MAPFR	Right Tray Full (14") . . . . .	\$55
<input type="checkbox"/> MAPDR	Right Tray Desk (10") . . . . .	\$55

Select Pad Insert below:

- ISSFR Iskin - Integrated soft skin foam
- SCVFR Startex Covered Visco foam

<b>Flat Multi Position Arm Pads</b>		
<input type="checkbox"/> MPAFL	Left Full (14") . . . . .	\$55
<input type="checkbox"/> MPADL	Left Desk (10") . . . . .	\$55
<input type="checkbox"/> MPAFR	Right Full (14") . . . . .	\$55
<input type="checkbox"/> MPADR	Right Desk (10") . . . . .	\$55

<b>Gel Pads</b>		
<input type="checkbox"/> GAPNL	Narrow Left Desk (2" x 12") . . . . .	\$75
<input type="checkbox"/> GAPNR	Narrow Right Desk (2" x 12") . . . . .	\$75
<input type="checkbox"/> GAPWL	Wide Left Desk (3.5" x 12") . . . . .	\$75
<input type="checkbox"/> GAPWR	Wide Right Desk (3.5" x 12") . . . . .	\$75
<input type="checkbox"/> GAPLL	Long Left Full (3.5" x 14") . . . . .	\$90
<input type="checkbox"/> GAPLR	Long Right Full (3.5" x 14") . . . . .	\$90

<b>Arm Troughs</b>		
<input type="checkbox"/> EATL	Ergonomic Arm Trough - Left HCPCS code E2209 . . .	\$85
<input type="checkbox"/> EATR	Ergonomic Arm Trough - Right HCPCS code E2209 . . .	\$85
<input type="checkbox"/> FHPL	Flat Hand Pad - Left <sup>(3)</sup> HCPCS code K0108 . . . . .	\$55
<input type="checkbox"/> FHPR	Flat Hand Pad - Right <sup>(3)</sup> HCPCS code K0108 . . . . .	\$55

<b>Arm Pad Storage/Cup Holder<sup>(4)</sup></b>		
<input type="checkbox"/> APSL	Left . . . . .	\$295
<input type="checkbox"/> APSR	Right . . . . .	\$295
<input type="checkbox"/> OAP	Omit Armpads(7/8" diameter tube) . . . . .	(\$25)

1. Full length pad not compatible with the desk length armrest tube if using Ultra Rail mounted Tilt Arms.  
 2. Requires interchangeable pad insert.  
 3. Must order with ergonomic arm trough.  
 4. Not available on the joystick side, or with Outback Cantilever arms.

## ELBOW BLOCKS

<b>Left Elbow Block<sup>(1)</sup></b>		
<i>Select Pad Size and Both Extensions:</i>		
<input type="checkbox"/> EBXL	Size XS (3.25" x 4.25") . . . . .	\$195
<input type="checkbox"/> EBSL	Size S (3.5" x 5.25") . . . . .	\$195
<input type="checkbox"/> EBML	Size M (3.75" x 5.75") . . . . .	\$195
<input type="checkbox"/> EBLL	Size L (4.25" x 6.5") . . . . .	\$195
<input type="checkbox"/> LV3	Left Vertical Extension <sup>3</sup> "	
<input type="checkbox"/> LV5	Left Vertical Extension 5"	
<input type="checkbox"/> LH5	Left Horizontal Extension 5"	
<input type="checkbox"/> LH7	Left Horizontal Extension 7"	

<b>Right Elbow Block<sup>(1)</sup></b>		
<i>Select Pad Size and Both Extensions:</i>		
<input type="checkbox"/> EBXR	Size XS (3.25" x 4.25") . . . . .	\$195
<input type="checkbox"/> EBSR	Size S (3.5" x 5.25") . . . . .	\$195
<input type="checkbox"/> EBMR	Size M (3.75" x 5.75") . . . . .	\$195
<input type="checkbox"/> EBLR	Size L (4.25" x 6.5") . . . . .	\$195
<input type="checkbox"/> RV3	Right Vertical Extension <sup>3</sup> "	
<input type="checkbox"/> RV5	Right Vertical Extension 5"	
<input type="checkbox"/> RH5	Right Horizontal Extension 5"	
<input type="checkbox"/> RH7	Right Horizontal Extension 7"	

1. Prevents arm from slipping.

## ADDITIONAL ARM ACCESSORIES

<input type="checkbox"/> UCH	Universal Cup Holder <sup>(1)</sup> . . . . .	\$35
<input type="checkbox"/> MACESL	Multi Axis Upper Extremity Support <sup>(2)</sup> (each) Left Side . . . . .	\$225
<input type="checkbox"/> MACESR	Multi Axis Upper Extremity Support <sup>(2)</sup> (each) Right Side . . . . .	\$225
<input type="checkbox"/> OAS2L	1" Offset Armrest Spacer Left(each) . . . . .	\$125
<input type="checkbox"/> OAS2R	1" Offset Armrest Spacer Right(each) . . . . .	\$125
<input type="checkbox"/> OAS1L	1/2" Offset Armrest Spacer Left(each) . . . . .	\$125
<input type="checkbox"/> OAS1R	1/2" Offset Armrest Spacer Right(each) . . . . .	\$125
<input type="checkbox"/> MPAPA	Multi Purpose Arm Pad Adapter Block <sup>(3)</sup> (each) Quantity ( ) . . . . .	\$35

1. Not available on the joystick side  
 2. Allows rotation of the armpad, only compatible with Gel Arm pad, Flat Arm pad or Ergonomic Arm Troughs.  
 3. Not available with Standard Arm Pads or Waterfall Arm Pads.

## Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

### MAXX LATERALS TRUNK SUPPORTS<sup>(1)</sup>

#### Left Fixed Mount Lateral Trunk Support<sup>(1)</sup>

Select Left Trunk Support Size

<input type="checkbox"/> LATXL	Size XS (3.25" x 4.25")	.....	\$100
<input type="checkbox"/> LATSL	Size S (3.5" x 5.25")	.....	\$100
<input type="checkbox"/> LATML	Size M (3.75" x 5.75")	.....	\$100
<input type="checkbox"/> LATLL	Size L (4.25" x 6.5")	.....	\$100

#### Right Fixed Mount Lateral Trunk Support<sup>(1)</sup>

Select Right Trunk Support Size

<input type="checkbox"/> LATXR	Size XS (3.25" x 4.25")	.....	\$100
<input type="checkbox"/> LATSR	Size S (3.5" x 5.25")	.....	\$100
<input type="checkbox"/> LATMR	Size M (3.75" x 5.75")	.....	\$100
<input type="checkbox"/> LATLR	Size L (4.25" x 6.5")	.....	\$100

1. These laterals are not available with Matrix PB, PB Elite Deep, and PB Deep Backs.

### MAXX SWING-AWAY TRUNK SUPPORT HARDWARE<sup>(1)</sup>

<input type="checkbox"/> SALATL	Left MAXX Style Swing Away HDW <sup>(1)</sup>	.....	\$195
---------------------------------	---	-------	-------

Select Left Trunk Support Size

<input type="checkbox"/> SALATR	Right MAXX Style Swing Away HDW <sup>(1)</sup>	.....	\$195
---------------------------------	--	-------	-------

Select Right Trunk Support Size

<input type="checkbox"/> ATLL	Additional Telescoping Link - Left <sup>(2)</sup>	.....	\$75
<input type="checkbox"/> ATLR	Additional Telescoping Link - Right <sup>(2)</sup>	.....	\$75

1. These laterals are not available with Matrix PB, PB Elite Deep, and PB Deep Backs and come standard with 1" telescoping link which gives 0-2.75" medial offset.  
2. The amount of offset available may be impacted by back thickness.

### MATRIX FIXED LATERALS - FOR ELITE AND ELITE TR BACKS

HCPCS code E0956

<input type="checkbox"/> PBSSL	Matrix Small Lateral Fixed-Left(3x5.5")	.....	\$100
<input type="checkbox"/> PBSSR	Matrix Small Lateral Fixed-Right(3x5.5")	.....	\$100
<input type="checkbox"/> PBLSL	Matrix Standard Lateral Fixed-Left(7.5x5")	.....	\$100
<input type="checkbox"/> PBLSR	Matrix Standard Lateral Fixed-Right (7.5x5")	.....	\$100
<input type="checkbox"/> PBOLL	Matrix Offset Lateral Fixed Left	.....	\$110
<input type="checkbox"/> PBOLR	Matrix Offset Lateral Fixed Right	.....	\$110

### MATRIX SWING AWAY LATERALS - FOR ELITE AND ELITE TR BACKS

Matrix Lateral Trunk Support Left<sup>(1)</sup> HCPCS code E0956

<input type="checkbox"/> EPADXL	Size XS (3.25x4.25")	.....	\$100
<input type="checkbox"/> EPADSL	Size S (3.5x5.25")	.....	\$100
<input type="checkbox"/> EPADM L	Size M (3.75x5.75")	.....	\$100
<input type="checkbox"/> EPADLL	Size L (4.25x6.5")	.....	\$100

Matrix Lateral Trunk Support Right<sup>(1)</sup> HCPCS code E0956

<input type="checkbox"/> EPADXR	Size XS (3.25x4.25")	.....	\$100
<input type="checkbox"/> EPADSR	Size S (3.5x5.25")	.....	\$100
<input type="checkbox"/> EPADM R	Size M (3.75x5.75")	.....	\$100
<input type="checkbox"/> EPADLR	Size L (4.25x6.5")	.....	\$100

1. Must choose swing away hardware below

### MATRIX SWING AWAY HARDWARE - FOR ELITE AND ELITE TR BACKS

<input type="checkbox"/> SAHEBL	Matrix Elite Swing Away Hardware Left	HCPCS code E1028	.....	\$195
<input type="checkbox"/> SAHEBR	Matrix Elite Swing Away Hardware Right	HCPCS code E1028	.....	\$195
<input type="checkbox"/> OSAHL	Matrix Offset Elite Swing Away Hardware Left	HCPCS code E1028	.....	\$195
<input type="checkbox"/> OSAHR	Matrix Offset Elite Swing Away Hardware Right	HCPCS code E1028	.....	\$195

## Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

### FIXED HIP/ KNEE SUPPORTS <sup>(1)</sup>

#### Lateral Hip Support with Fixed Mounting Hardware Left

HCPCS code E0953

Select Pad Size and mounting position at Hip:

- HSPXLH Size XS (5.5" W x 4" H) mounted at Hip . . . \$120
- HSPSLH Size S (7" W x 6" H) mounted at Hip . . . . . \$120
- HSPMLH Size M (9" W x 4" H) mounted at Hip . . . . . \$120
- HSPLLH Size L (13" W x 4" H) mounted at Hip . . . . . \$120

Select Pad Size and mounting position at Knee:

- HSPXLK Size XS (5.5" W x 4" H) mounted at Knee . . . \$120
- HSPSLK Size S (7" W x 6" H) mounted at Knee . . . . . \$120
- HSPMLK Size M (9" W x 4" H) mounted at Knee . . . . . \$120
- HSPLLK Size L (13" W x 4" H) mounted at Knee . . . . . \$120

#### Lateral Hip Support with Fixed Mounting Hardware Right

Select Pad Size and mounting position:

- HSPXRH Size XS (5.5" W x 4" H) mounted at Hip . . . \$120
- HSPSRH Size S (7" W x 6" H) mounted at Hip . . . . . \$120
- HSPMRH Size M (9" W x 4" H) mounted at Hip . . . . . \$120
- HSPLRH Size L (13" W x 4" H) mounted at Hip . . . . . \$120

Select Pad Size and mounting position at Knee:

- HSPXRK Size XS (5.5" W x 4" H) mounted at Knee . . . \$120
- HSPSRK Size S (7" W x 6" H) mounted at Knee . . . . . \$120
- HSPMRK Size M (9" W x 4" H) mounted at Knee . . . . . \$120
- HSPLRK Size L (13" W x 4" H) mounted at Knee . . . . . \$120

1. Must choose swing away hardware below if required.

### REMOVABLE HIP/ KNEE SUPPORT HARDWARE

#### Lift Off Removable Hardware for Hip Support HCPCS code E1028

(Hip Position Only)

- LOHL Left . . . . . \$195
- LOHR Right . . . . . \$195

#### MAXX Style Quick Release, Removable, Multi-Axis Mounting

Hardware for Hip Supports HCPCS code E1028

Select mounting position:

- MHSHLH Left mounted at Hip . . . . . \$215
- MHSHLK Left mounted at Knee . . . . . \$215
- MHSHRH Right mounted at Hip . . . . . \$215
- MHSHRK Right mounted at Knee . . . . . \$215

### REMOVABLE HIP/ KNEE SUPPORT HARDWARE

#### Swing Away Removable Hardware for Hip Supports

HCPCS code E1028

Select mounting position:

- SHSHLH Left mounted at Hip . . . . . \$215
- SHSHLK Left mounted at Knee . . . . . \$215
- SHSHRH Right mounted at Hip . . . . . \$215
- SHSHRK Right mounted at Knee . . . . . \$215

#### Extended Maxx Style Quick Release, Removable, Multi-Axis

Mounting Hardware for Hip Supports<sup>(1)</sup> HCPCS code E1028

Select mounting position:

- EMQHLH Left mounted at Hip . . . . . \$215
- EMQHLK Left mounted at Knee . . . . . \$215
- EMQHRH Right mounted at Hip . . . . . \$215
- EMQHRK Right mounted at Knee . . . . . \$215


1. Recommended when finished seat cushion thickness will be greater than 3.5" high.

# Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_  
 Dealer Account Number: \_\_\_\_\_  
 PO #: \_\_\_\_\_  
 Tag: \_\_\_\_\_

## STANDARD FRONT RIGGING

- FCMP Fixed Center Mount Platform<sup>(1)</sup> . . . . . N/C
- FBIFP Comes with a standard footplate with (17" d x 13"w) . . . . . N/C
- Select seat pan to footplate:
  - FSPTF1 9" - 13" . . . . . N/C
  - FSPTF14 13" -19" . . . . . N/C
- Set at:
  - FSA70 Set at 70° . . . . . N/C
  - FSA90 Set at 90° . . . . . N/C
  - FSA97 Set at 97° . . . . . N/C



1. 3" ground clearance required.

## FOOT PLATFORM OPTIONS FOR MOTION CONCEPTS FIXED CENTER MOUNTS AND LNX



- MFFP Medium Platform<sup>(1)</sup> (12"w x 10.75"d) . . . . . \$180
- LFFP Large Platform<sup>(1)</sup> (14.5"w x 13"d) . . . . . \$250
- XLFFP Extra Large Platform<sup>(1)</sup> (17"w x 13"d) . . . . . \$250
- XXLFFP Extra Extra Large Platform<sup>(1)</sup> (21"w x 13"d) \$250

1. May need to adjust leg position to avoid interference with front casters


## POWER CENTER MOUNT FOOT PLATFORM

MUST BE COMPLETED	Measurement in Inches
<input type="checkbox"/> Knee to Heel:	
<input type="checkbox"/> Cushion Thickness: (Subtract)	
<input type="checkbox"/> Cushion Compression:(Add)	
<input type="checkbox"/> Seat Pan to Footplate:(Total)	

- LNX LNX Power Center Mount Foot Platform<sup>(1)</sup> HCPCS code E1012 13" - 19" Seat pan to footplate . . . . . \$2,995
- LBIFP Comes with a standard footplate (17" w x 13"d) . . . . . N/C
- LICP Comes standard with individual calf pads. . . . . STD
- OPCP One Piece Malleable Calf Panel . . . . . \$250
- PFO Plantar Flex Option for LNX Foot Platform<sup>(2)</sup> . \$250

1. 3" ground clearance required.  
 2. Only available with Foot Platform Options.

## INDIVIDUAL FOOT PLATES FOR MOTION CONCEPTS FIXED CENTER MOUNTS AND LNX CMFP




- IFSL Small<sup>(1)</sup> - (5" x 7.5" deep) - Left . . . . . \$165
- IFSR Small<sup>(1)</sup> - (5" x 7.5" deep) - Right . . . . . \$165
- IFML Medium<sup>(1)</sup> - (5.5" x 9.5" deep) - Left . . . . . \$165
- IFMR Medium<sup>(1)</sup> - (5.5" x 9.5" deep) - Right . . . . . \$165
- IFLL Large<sup>(1)</sup> - (6" x 11.5" deep) - Left . . . . . \$165
- IFLR Large<sup>(1)</sup> - (6" x 11.5" deep) - Right . . . . . \$165
- MFOL Multi-Axis Optional Footplate Left (6"W x 10"D) . \$225
- MFOR Multi-Axis Optional Footplate Right (6"W x 10"D) \$225

1. Foot plates may interfere with casters in certain configurations

## MANUAL CENTER MOUNT FRONT RIGGING

- MSFCMFP Maxx Style Fixed Center Mount Foot Platform<sup>(1)(2)</sup> . . . . . \$395
- With Quick Release Height Adjustment
- MBIFP Comes with a standard footplate (17" w x 13"d) . . . . . N/C
- MICP Comes standard with individual calf pads. . N/C
- Select seat pan to footplate:
  - MSPTF1 9" - 13" . . . . . N/C
  - MSPTF14 13" -19" . . . . . N/C
- Set at:
  - MSA70 Set at 70° . . . . . N/C
  - MSA90 Set at 90° . . . . . N/C
  - MSA97 Set at 97° . . . . . N/C



1. Depth and height adjustable.  
 2. 3" ground clearance required.

## MAXX STYLE POWER ELEVATING LEGRESTS

- MSPPL MAXX Swing Away Power Elevating<sup>(1)</sup> HCPCS code E1010 . . . . . \$2,490
- Select Power Legrest Function:
  - INDA Individual Movement<sup>(2)</sup> . . . . . N/C
  - COMA Combined Movement . . . . . N/C
  - SYNA Synchronized/Recline Movement . . . . . N/C
- Select Receivers:
  - MRS Straight Receivers . . . . . N/C
  - MRF Flared 1" Outward Receivers . . . . . N/C
- Select Seat Pan to Footplate:
  - PSPTF5 Length: 10"-14" . . . . . N/C
  - PSPTF2 Length: 13"-17" . . . . . N/C
  - PSPTF7 Length: 16"-20" . . . . . N/C
- PMCP Moulded I-Skin Calf Pads . . . . . STD
- PFCPMS Flat Calf Pad Option (pair) . . . . . \$275
- PCCPMS Curved Calf Pad Option (inside with 6")<sup>(2)</sup> (pair) \$275

1. Must choose footplate on page 10.  
 2. Individual movement counts as two functions for electronics.

## Maxx Bariatric Power Positioning System Base

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

### MAXX STYLE MANUAL ELEVATING LEGRESTS

MMPPSA MAXX Swing Away Manual Elevating<sup>(1)</sup> ..... \$680

Select Receivers:

ERS Straight Receivers ..... N/C

ERF Flared 1" Outward Receivers ..... N/C

Select Seat Pan to Footplate:

ESPTF5 Length: 10"-14" ..... N/C

ESPTF2 Length: 13"-17" ..... N/C

ESPTF7 Length: 16"-20" ..... N/C

EMCP Moulded I-Skin Calf Pads ..... STD

EFCPMS Flat Calf Pad Option (pair) ..... \$275

ECCPMS Curved Calf Pad Option (inside with 6")<sup>(2)</sup> (pair) \$275

1. Must choose footplate under footplate options.

### SWING AWAY LEGREST

HD70 Heavy Duty 70° Swing Away Footrest(pair)<sup>(1)(2)</sup> . \$495

Select Receivers:

RS Straight Receivers ..... N/C

RF Flared 1" Outward Receivers ..... N/C

Select Seat Pan to Footplate:

HSPTF11 Length: 6"-10" ..... N/C

HSPTF8 Length: 11"-15" ..... N/C

HSPTF2 Length: 13"-17" ..... N/C

HSPTF7 Length: 16"-20" ..... N/C

HD70FCP Flat Calf Pad Option (pair) ..... \$275

HD70CCP Curved Calf Pad Option (inside with 6") (pair) .. \$275

RLSL Residual Limb Support - Left<sup>(3)</sup>  
(6.75"W x 9.75"L x 2"H) (each) HCPCS code E1020 \$495


RLSR Residual Limb Support - Right<sup>(3)</sup>  
(6.75"W x 9.75"L x 2"H) (each) HCPCS code E1020 \$495

1. Must choose footplate under footplate options.

2. Heavy duty durable construction (4.5lbs ea.).

3. Swing away and removable, 50° of angle adjustment, 3.5" height adjustment and 2" of for/aft adjustment.

### FOOTPLATE FOR SWING AWAY/ELEVATING LEGS



1. Certain footplate sizes may not fit all seat widths depending on legrests selected.

### ADJUSTABLE ANGLE FOOTPLATES

HCPCS code K0040

AFSL Left Small Footplate (4.25"W x 8"D) ..... \$165

AFSR Right Small Footplate (4.25"W x 8"D) ..... \$165

AFML Left Medium Footplate (5.25"W x 8"D) ..... \$165

AFMR Right Medium Footplate (5.25"W x 8"D) ..... \$165

AFLL Left Large Footplate (6.25"W x 8"D) ..... \$165

AFLR Right Large Footplate (6.25"W x 8"D) ..... \$165

AFXL Left Extra Large Footplate (9"W x 11"D) ..... \$165

AFXR Right Extra Large Footplate (9"W x 11"D) ..... \$165

### MULTI-AXIS ADJUSTABLE ANGLE FOOTPLATES

HCPCS code K0040

MFSL Left Small Footplate (4.25"W x 8"D) ..... \$225

MFSR Right Small Footplate (4.25"W x 8"D) ..... \$225

MFML Left Medium Footplate (5.25"W x 8"D) ..... \$225

MFMR Right Medium Footplate (5.25"W x 8"D) ..... \$225

MFLL Left Large Footplate (6.25"W x 8"D) ..... \$225

MFLR Right Large Footplate (6.25"W x 8"D) ..... \$225

MFXL Left Extra Large Footplate (9"W x 11"D) ..... \$225

MFXR Right Extra Large Footplate (9"W x 11"D) ..... \$225

### HEEL LOOPS, CUPS AND TOE STRAPS

HLL Left Heel Loop (each) HCPCS code E0951 ..... \$20

HLR Right Heel Loop (each) HCPCS code E0951 ..... \$20

HCL Left Cup Loop (each) HCPCS code E0951 ..... \$20

HCR Right Cup Loop (each) HCPCS code E0951 ..... \$20

TSL Left Toe Strap (each) HCPCS code E0952 ..... \$20

TSR Right Toe Strap (each) HCPCS code E0952 ..... \$20



# Maxx Bariatric Power Positioning System Base


Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

## FOOTPLATE/CUT OUTS SIZE SELECTION



1. Certain footplate sizes may not fit all seat widths depending on legrests selected

## ADJUSTABLE ANGLE FOOTPLATES/CUT OUTS

HCPCS code K0040

<input type="checkbox"/> AFCSL	Left Small Footplate (7.25"W x 9"D)	..... \$165
<input type="checkbox"/> AFCSR	Right Small Footplate (7.25"W x 9"D)	..... \$165
<input type="checkbox"/> AFCML	Left Medium Footplate (7.5"W x 11"D)	..... \$165
<input type="checkbox"/> AFCMR	Right Medium Footplate (7.5"W x 11"D)	..... \$165
<input type="checkbox"/> AFCLL	Left Large Footplate (10"W x 14"D)	..... \$165
<input type="checkbox"/> AFCLR	Right Large Footplate (10"W x 14"D)	..... \$165

## MULTI-AXIS ADJUSTABLE ANGLE FOOTPLATES/ CUT OUTS

HCPCS code K0040

<input type="checkbox"/> MFCSL	Left Small Footplate (7.25"W x 9"D)	..... \$225
<input type="checkbox"/> MFCSR	Right Small Footplate (7.25"W x 9"D)	..... \$225
<input type="checkbox"/> MFCML	Left Medium Footplate (7.5"W x 11"D)	..... \$225
<input type="checkbox"/> MFCMR	Right Medium Footplate (7.5"W x 11"D)	..... \$225
<input type="checkbox"/> MFCLL	Left Large Footplate (10"W x 14"D)	..... \$225
<input type="checkbox"/> MFCLR	Right Large Footplate (10"W x 14"D)	..... \$225

## CALF STRAPS AND CALF PANELS

<input type="checkbox"/> CSM	Body Point Airmesh Calf Strap for Chairs 15"-18" wide with 3.5" H Pad <sup>(1)</sup>	..... \$150
<input type="checkbox"/> CSL	Body Point Airmesh Calf Strap for Chairs 18"-22" wide with 3.5" H Pad <sup>(1)</sup>	..... \$150
<input type="checkbox"/> CPM	Body Point Airmesh Calf Panel for Chairs 15"-18" wide with 35.5" W x 9" H Pad <sup>(1)</sup>	... \$220
<input type="checkbox"/> CPL	Body Point Airmesh Calf Panel for Chairs 18"-22" wide with 38.5" W x 9" H Pad <sup>(1)</sup>	... \$235

1. Not available for Center Mounted Front Rigging.

## ELECTRONIC SWITCH MOUNTING

<input type="checkbox"/> ESML	Left Side (Armpad)
<input type="checkbox"/> ESMR	Right Side (Armpad)
<input type="checkbox"/> ESMJL	Joystick Left (Mounts to Joystick Bracket)
<input type="checkbox"/> ESMJR	Joystick Right (Mounts to Joystick Bracket)
<input type="checkbox"/> ESMD	Do not mount

## SINGLE-DUAL FUNCTION ELECTRONICS

<input type="checkbox"/> SFCB	Single/Dual Function Electronics <sup>(1)</sup>	..... STD	
Select Switch:	<input type="checkbox"/> SPBSO	Single Push Button	
	<input type="checkbox"/> STO	Single Toggle	
	<input type="checkbox"/> DPBO	Dual Push Button	
	<input type="checkbox"/> OSO	Omit Switch	
Optional:	<input type="checkbox"/> RDE	Reduced Drive for Elevating Seat <sup>(2)</sup>	..... \$400
<input type="checkbox"/> SFCBA	Single/Dual Function Drive Control <sup>(1)</sup>	..... \$1,795	
	HCPCS code E2310		
	<input type="checkbox"/> JOY	Through Joystick	
	<input type="checkbox"/> SC	Through Specialty Control	
Optional:	<input type="checkbox"/> RDES	Reduced Drive for Elevating Seat <sup>(2)</sup>	..... \$400

1. These electronics include drive lock-out and tilt limit.  
2. If reduced drive is not selected the system will be in drive lock-out when elevated.

## MULTI-FUNCTION ELECTRONICS

<input type="checkbox"/> MFCBS	Multi-Function through Switch <sup>(1)</sup>	..... N/C	
Comes with:	<input type="checkbox"/> QPBO	Quad Push Button	
<input type="checkbox"/> RDEM	Reduced Drive for Elevating Seat <sup>(2)</sup>	... \$400	
<input type="checkbox"/> MFCBD	Multi-Function M610 Through Drive Control <sup>(1)(3)</sup>	HCPCS code E2311	..... \$2,995
<input type="checkbox"/> RDEY	Reduced Drive - Elevating Seat <sup>(2)</sup> - yes	... N/C	
<input type="checkbox"/> RDEN	Reduced Drive - Elevating Seat <sup>(2)</sup> - no	... N/C	

1. Requires Expandable Controller (EXPC) & Harness for Expandable System (PWH), select on page 2.  
2. If reduced drive is not selected system will be in drive lock-out when elevated.  
3. These electronics include seating attendant control, drive lock-out, tilt/recline limit and actuator speed control.

## ADDITIONAL SWITCH OPTIONS

<input type="checkbox"/> SPBSA	Single Push Button	..... \$150
<input type="checkbox"/> STA	Single Toggle Switch	..... \$150
<input type="checkbox"/> DPBA	Dual Push Button	..... \$150
<input type="checkbox"/> QPBA	Quad Button	..... \$150
<input type="checkbox"/> FWTA	Four-Way Toggle Switch	..... \$150
<input type="checkbox"/> EWRA	8-Way Rocker <sup>(1)</sup>	..... \$205

1. Dual function is not available with 8-Way Rocker.

**Maxx Bariatric Power Positioning System Base**

Dealer Name: \_\_\_\_\_

Dealer Account Number: \_\_\_\_\_

PO #: \_\_\_\_\_

Tag: \_\_\_\_\_

**ELECTRONICS OPTIONS**

- M616S M616 Converter<sup>(1)</sup> HCPCS code E2399 . . . . . \$125  
*Allows for multiple switch options with phone plug connection*
- FTSQ Feather Touch Switch Single Function Quarter Size . . . . . \$295
- FTMD Feather Touch Switch Multi-Function Dual Dime Size<sup>(1)</sup> . . . . . \$295
- FTMQ Feather Touch Switch Multi-Function Quad Dime Size<sup>(1)</sup> . . . . . \$295
- SESG Stealth Egg Switch - Single Function Green . . . . . \$95
- SESB Stealth Egg Switch - Single Function Black. . . . . \$95
- LJS Lazarus Jump Starter<sup>(1)</sup> HCPCS code A9270 . . . \$150
- APPS Accessory Port Power Supply<sup>(1)</sup> (3 amp capacity) . . . . . \$195
- TPSPMH 12 Piece Switch Mounting Hardware Kit (additional kits). . . . . \$39

1. Not available with Single-Dual Function Electronics.

**O2 HOLDERS<sup>(1)</sup>**

- NAO2H Non-Articulating O<sup>2</sup> Gas Holder . . . . . \$395
- AOHG Articulating O<sup>2</sup> Gas Holder Cylinder Style<sup>(2)(3)</sup> . . . . . \$1,250
- AOHL Articulating Liquid O<sup>2</sup> Holder (6.5" x 4.5")<sup>(2)(3)</sup> . . . . . \$1,250

1. The user weight limit is 225 lbs. The maximum weight capacity of the O2 holder is 20 lbs.

2. Required for use on Recline Systems

3. Articulating O2 Holders are not standard configuration on Elevating or Precline Systems or with Single Post Backs.

**ADDITIONAL OPTIONS & ACCESSORIES**

- THS Transfer Handles 4" - 6.5" . . . . . \$350
- THL Transfer Handles 9" - 11.5" . . . . . \$350
- FFLTL Flip and Fold Away 1/2 Lap Tray Left Mounting(14"W x 10"D)<sup>(1)(2)</sup> . . . . . \$795
- FFLTR Flip and Fold Away 1/2 Lap Tray Right Mounting(14"W x 10"D)<sup>(1)(2)</sup> . . . . . \$795

1. Not available on joystick side and only available with a flat arm pad or modular arm pad. Not available with Outback Cantilever Arms.

2. The maximum weight capacity of the tray is 10 lbs.

**BATTERIES**

- M24 SLD G MK Group 24 Battery (ea) Quantity ( ) HCPCS code E2363 . . . . . \$365

**INSTALLATION**

- MBI Motion Concepts Installation<sup>(1)</sup>. . . . . N/C

1. Batteries may be required if items on Accessories order form are selected at time of installation, please call to confirm.

**Total Retail Value \$** \_\_\_\_\_

**SUBMIT**

PRINT FORM

SAVE

CLEAR FORM

**NOTES**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

