

881 Mobile Bending Table

Conduit bending with Greenlee's 881 Bender has gone mobile. Introducing the Mobile Bending Table, Greenlee's newest bending innovation. It's a patent pending, all-in-one bending solution that gives operators the power and performance of the popular 881 Bender on a wheeled table. It is quick to set up, stores all components for the 881 Bender and can wheel around the jobsite with ease — saving crews nearly an hour

with every move.

ONE-TIME SET UP SAVE ONE HOUR WITH EVERY MOVE!



Whether you already own an 881 Bender or are purchasing the bender and table together, the entire unit is **RUGGED**, **FEATURE-RICH** and **DESIGNED** to get each job done faster, safer and easier. Just wheel it into position, plug it in and start bending.

- Two sticks of IMC conduit included so you can use the MBT right away
- **2** Locking swivel wheels for maneuverability when you want to move it, and staying power when you don't
- Fork pockets so you can conveniently move the unit with a fork truck
- Ram positioner to ease the set up of the Ram to accommodate different size shoes
- 5 Steel pegs with hitch pins for storage of shoes and saddles
- **6** Carriage sssembly so you can mount the 881 Bender Unit directly to the MBT
- Vice-chain to hold conduit securely for accurate bends prevents conduit from twisting or turning during bend
- Pump basket holds the hydraulic pump for the 881 Bender Unit
- Storage for follow bars

881 MB1

COMPLETE MOBILITY COMPACT DESIGN MOVES EASILY AROUND THE JOB-SITE

ON-BOARD STORAGE STORES ALL 881 BENDER **COMPONENTS**



Bend Up To 4" Rigid Conduit

10' length, including off-set, saddle and back-to-back bends with ease & consistent accuracy




COMBINES THE BRUTE FORCE OF A 40 TON RAM WITH **MOBILITY, CONVENIENT** SET-UP AND STORAGE

Fits Through Standard Height Doors 36" Wide

Goes just about anywhere on the construction site





BENDING IS SET TO WAIST HEIGHT FOR COMFORT!

A Textron Company



Ordering Information

Cat#	UPC#	Description	Qty
881-MBT	00903	Mobile Bending Table	1
881CT	31287	Cam Track Conduit Bender for One-Shot 90° Bends in 2-1/2", 3", 3-1/2" and 4" EMT, IMC and Rigid conduit, without hydraulic pump	1
881CTE980	34208	Cam Track Conduit Bender for One-Shot 90° Bends in 2-1/2", 3", 3-1/2" and 4" EMT, IMC and Rigid conduit, with 980 Electric Hydraulic Pump	1
881CTD	38466	Cam Track Conduit Bender for One-Shot 90° Bends in 2-1/2", 3", 3-1/2" and 4" EMT, IMC and Rigid conduit, without hydraulic pump & 3-1/2" shoe group	1
881CTDE980	38467	Cam Track Conduit Bender for One-Shot 90° Bends in 2-1/2", 3", 3-1/2" and 4" EMT, IMC and Rigid conduit, with 980 Electric Hydraulic Pump, without 3-1/2" shoe group	1
881BASIC	35711	Conduit Bender without shoe groups or hydraulic pump	1
27554	27554 🔼	2-1/2" – One Shot 90° EMT, IMC, Rigid Shoe Group	1
27555	27555 (A)	3" - One Shot 90° EMT, IMC, Rigid Shoe Group	1
31281	31281 🕢	3-1/2" – One Shot 90° EMT, IMC, Rigid Shoe Group	1
31274	31274 🕢	4" – One Shot 90° EMT, IMC, Rigid Shoe Group	1
(A) = ACCESSORY			

Specifications

Weight:	300 lbs . (136kg)
Weight Of Table With All Components:	1326 lbs. (601.5kg)
Length Of Table: (not including conduit)	67" (1.7m)
Overall Height: With Pump: Without Pump:	41" (1.04m) 35" (0.89m)
Overall Width:	31 1/2" (0.8m)





www.greenlee.com MA-5760 04/12 4455 Boeing Drive • Rockford, IL 61109-2988 • USA • 815-397-7070 ©2012 Greenlee Textron Inc. • An ISO 9001 Company • Printed in USA Greenlee Textron Inc. is a subsidiary of Textron Inc.