


INSTRUCTION MANUAL



Upholstered Modular Loveseat
with USB Port

V1.0

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembling to avoid damaging the product.
- Clean the table with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



ALLEN WRENCH
(PROVIDED)



SOFA
330 LBS
CAPACITY



2 PERSON
ASSEMBLY



UP TO 30 MIN.
ASSEMBLY

HARDWARE

1

BOLT

M8 x 40mm



20 PCS

2

WASHER



24 PCS

3

NUT




4 PCS

PARTS

A

SEAT FRAME



2 PCS

B


BACKREST



2 PCS

C

LEFT FACING ARMREST with USB port



1 PC

D

RIGHT FACING ARMREST



1 PC

E


SEAT CUSHION



2 PCS

F

BACK CUSHION




2 PCS

PARTS

G

HUG PILLOW



2 PCS

H

PLASTIC LEG



12 PCS

I

PLASTIC WASHER

Inner dia.10mm
Outer dia.48mm



12 PCS

J


CHARGER




1 PC

PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this loveseat and learn the exact position of each part to be assembled.



PAY ATTENTION: Note that after connecting the seat frame, do not immediately place **Part E, F, G Cushion**. You need to first put the assembled parts in the designated position that the sofa needs to be placed, and then you can place the **Part E, F, G Cushion**.




PRODUCT ASSEMBLY

1

Place 1 pc of **Part B Backrest Frame** on 1 pc of **Part A Seat Frame** with 4 sets of **Hardware (#1 Bolt + #2 Washer)**.

Do the same to attach another **Part B** and **Part A**.




PRODUCT ASSEMBLY

2

Connect the assembled **Part A & B** to **Part C Left Facing Armrest with USB Port** as shown below by using 4 sets of **Hardware (#1 Bolt + #2 Washer)** until fully tightened.

Now you get a left seat.

Please note there is a wire underneath **Part C Left Facing Armrest**. Make sure the wire joint is pulled outside for charger connecting in the final step.




PRODUCT ASSEMBLY

3

Connect another assembled **Part A & B** to **Part D Right Facing Armrest** as shown below by using 4 sets of **Hardware (#1 Bolt + #2 Washer)** until fully tightened.


Now you get a right seat.



PRODUCT ASSEMBLY

4


Place the assembled left seat and right seat as show below. There are four connecting holes on the side of **Part A Seat Frame**. Use 1 set of **Hardware (1 pc of #1 Bolt + 2 pcs of #2 Washer + 1 pc of #3 Nut)** for each connecting hole to lock the loveseat.



PRODUCT ASSEMBLY

5

Attach 12 sets of **Part H Plastic Legs** and **Part I Plastic Washers** to the bottom of the loveseat.



PAY ATTENTION: Note that after connecting the seat frame, do not immediately place **Part E, F, G Cushion**.

You need to first move the loveseat to the designated position that it needs to be placed, and then follow the next step.


PRODUCT ASSEMBLY

6

Connect **Part J Charger** to the wire underneath **Part C Left Facing Armrest**, and plug the charger to the power socket.

Take out **Part E, F, G Cushion**, then gently pat to make them full. And then refer to the following picture to put the cushions in the corresponding positions.

Now enjoy your loveseat.



CLEANING TIPS

REGULAR CLEAN: Use lukewarm water, mild detergent and soft cloth to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.