

TEAMSON HOME


PEAKTOP Outdoor 18-Inch Handpainted Fusion Glass Solar Birdbath w/Stand


3207000/3208900/3200670/3206880 3201860/3214430/3216980











^{**} Got questions? Please have your product code (on the first page of this instruction, e.g. 3207000) and the order number ready, give us a call or email us through our customer care support! We are always ready to assist you!

企 TEAMSON HOME



3D Interactive Instruction

www.teamsonhome.com

Serving you well gives us great joy!

USA +1(800)935-3959

Mon - Fri 10:00am ~ 2:00pm EST ⊠ support@teamson.com

EU ····· +44(0)1952-916-050

Mon - Thu 9:00am ~ 5:00pm GMT Friday 9:00am ~ 4:00pm GMT

ASIA··· 深圳办公室:

+86(0755)8885-3558.分机号331

Mon - Sat 9:00am ~ 5:00pm GMT+8

⋈ sales_ec@teamson.com


台北辦公室:

+886(2)2556-6268


INTRODUCTION FOR SOLAR LIGHT

Solar lights work by using electricity generated by the solar panel to charge internal batteries. These batteries are then used to power the light. When switched on the lights automatically illuminate at night by using a light sensor. The duration of illumination will depend on the amount of sunlight and therefore change received by the batteries.

POSITION




Position the solar panel to receive the maximum amount of sunlight.



Do not position under bright light as this will prevent the light switching on at night.

FIRST USE



Whilst there may be some initial charge in the battery,we recommend fully charging it before first use. Leave the switch in the "ON" position for 2 sunny days to ensure the battery is fully charged. Once fully charged switch to "ON" and your light will come on automatically at night.

NOTE: The diagrams shown are for illustrative purposes only and not to scale.

INSTRUCTIONS:Turn solar unit on by pressing the power button located on the switch panel.Place the product in direct sunlight.For better performance,make sure solar panel have been fully charged in direct sunlight for approximately 8-10 hours.


WARNING: AAA NI-MH 600MAH,1.2V rechargeable battery.Battery must be recycled or disposed of properly.Do not dispose of batteries in fire.They may explore or leak,LED light:3.0V.



BATTERY


Rechargeable batteries allow multiple usage and can be charged repeatedly. Although they lose capacity as the number of charge cycles increases even without mistreatment. It is recommended to switch the battery off for 3-5 days exposed to direct sunlight until it's fully charged. If the battery still does not charge, it may be replaced within 90 days of the purchase date.

CHANGE BATTERY






Exploded Drawing





Product Parts





⚠ Care Instructions

Dust surface with a dry soft cloth.


Do not use window cleaners or cleaning abrasives as they will scratch the surface and could damage the protective coating






Small parts and sharp edges may be present prior to assembly. Freezing water will break the glass. 06

Step 1 Step 2





Step 3

