

Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 1 of 7

BLOOMINGVILLE A/S

LENE HAUS VEJ 3-5 DK-7430 IKAST DENMARK

The following samples were submitted and identified by/on behalf of the client as:

Sample Descriptions : SAUL CUP, ROSE, STONEWARE; SAUL BOWL, ROSE,

STONEWARE

Item No.(s) : 82063238,82063237

P.O./ Ref No.(s) : 70263

Country of Origin : China

Country of Destination : Denmark

Buyer : BLOOMINGVILLE A/S

SGS Order No : SZHL2509003739CW

Sample Receiving Date : SEP 22, 2025

Testing Period : SEP 22, 2025 TO OCT 08, 2025



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 2 of 7

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Test Requested		
1	Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium		
2	Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium	PASS	
3	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, European Council Directive 84/500/EEC & its amendment 2005/31/EC - Leachable Lead and Cadmium	PASS	

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch

Jia Fengjuan,Shelly Dept. Manager





Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 3 of 7

Test Result(s):

Test Part Description:

SN ID	Sample No.	Description	Material (claimed by the client)
SN1	A1	Glazed pink ceramic mug w/ red design	Ceramic

Remarks:

- mg/dm² = milligram per square decimeter mg/inch² = milligram per square inches mg/cm² = microgram per square centimeter mg/L = milligram per litre mg/kg = milligram per kilogram
- (2) °C = degree Celsius °F = degree Fahrenheit
- (1) <= less than
- (2) RL = Reporting Limit
- (3) ND = Not Detected (< RL).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sps.com

Room 101-00P. Park Room 101-10P. Park Room 101-10P



Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 4 of 7

<u>Danish Executive Order on Food Contact Materials and Penal Code for Violation of Related EU Acts</u> (BEK No 681 of 25/05/2020) - Leachable Lead and Cadmium

Test Method: With reference to BEK No 681 of 25/05/2020 annex 6, analysis was performed by

AAS/ICP-OES.

A1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)
1	83	380

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3

Notes:

(1) Category 1:

A: Articles which cannot be filled;

B: Articles for filling, whose internal depth measured between the lowest point and the upper edge horizontal level is not more than 25mm;

(2) Category 2: Articles, not in categories 1 or 3, which can be filled.

(3) Category 3:

A: Cooking ware;

B: Packaging and storage vessels having a capacity of more than three liters.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are temple(s) are temple(s) and the full of the company of the compan

1443, OF GMAIL: CN. LOCCENECK(OSS S.COM Room 10140), Pant 48 Room 101, Pant 28 Room 101, Pant 38 Room 301-301, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Cimmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 253 sgs.china@sgs.com



Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 5 of 7

Test Method: With reference to BEK No 681 of 25/05/2020 annex 6, analysis was performed by

AAS/ICP-OES.

A1 Category 1(Lip&rim) Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	0.98

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)
1	<0.1	<0.01
Limit	0.8	0.07

Notes:

(1) Category 1: Articles intended to drink of (lip & rim region).

Norwegian regulation FOR 1993-12-21 nr 1381 - Leachable lead, cadmium and barium

Test Method: With reference to Norwegian regulation FOR 1993-12-21 nr 1381 section 26, analysis was

performed by ICP-OES and AAS.

A1 Hollowware Pass

	Vol. of 4% acetic acid used (mL)	Depth (mm)
1	380	83

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)	Leachable Barium (mg/L)
1	<0.1	<0.01	<1.0
Limit	0.1	0.01	1.0

Notes:

(1) Flatware – Articles with an internal depth not exceeding 25 mm or articles which cannot be filled.

(2) Hollow-ware - Articles which can be filled.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

Room 101-901, Planut 4. Room 101, Planut 2. Room 101, Planut 3. Room 101, Planut 3. Room 301-911, Planut 3. Jianghao (Bantian) Industrial Planut Ava, No.500, Jihua Rood, Bantian Chmunithy, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国,广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江颢(坂田)工业广区广房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 253 sgs.china@sgs.com



Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 6 of 7

Test Method: With reference to Norwegian regulation FOR 1993-12-21 nr 1381 section 26, analysis was

performed by ICP-OES and AAS.

A1 Lip and rim Pass

	Vol. of 4% acetic acid used (mL)	Surface Area (dm²)
1	160	0.98

	Leachable Lead (mg/dm²)	Leachable Cadmium (mg/dm²)	Leachable Barium (mg/dm²)
1	<0.02	<0.002	<0.2
Limit	0.02	0.002	0.2

Notes:

(1) Drinking rim –The drinking rim is the 20mm wide section, measured downwards from the upper edge along the wall of the vessel, of the external surface of a drinking vessel.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, European Council Directive 84/500/EEC & its amendment 2005/31/EC - Leachable Lead and Cadmium

Test Method: With reference to European Council Directive 84/500/EEC & its amendment 2005/31/EC,

analysis was performed by AAS/ICP-OES.

A1 Category 2 Pass

	Depth (mm)	Vol. of 4% acetic acid used (mL)
1	83	380

	Leachable Lead (mg/L)	Leachable Cadmium (mg/L)
1	<0.1	<0.01
Limit	4.0	0.3

Notes:

- (1) Category 1: Articles that cannot be filled and articles that can be filled, the internal depth of which does not exceed 25 mm.
- (2) Category 2: Articles, not in categories 1 or 3, which can be filled.
- (3) Category 3: Cooking ware; packaging and storage vessels having a capacity of more than three liters.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

Room 101-901, Plant 4 & Room 101 Plant 2 & Room 101 Plant 2 & Room 101 Plant 3 & Room 301-911, Plant 3, Janquiso (Bantian) Industrial Plant Avea, No.500, Julius Rood, Bantian Chmunilly, Bantian Street, Longgang District, Sherzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国,广东、深圳市龙岗区坂田街道坂田社区吉华路 430 号江颢(坂田)工业广区广房 4 号 101-901、2 号 101、3 号 301-501 邮编: 518129 t (86-755) 253 sgs.china@sgs.com



Test Report No.: SZHL250900373901CW Date: OCT 08, 2025 Page 7 of 7

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A(NA) = Not Applicable

N/C(NC) = Not Conducted

N/T(NT) = Not Tested

3. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Sample Picture (As received)



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond