


# INSTRUCTION MANUAL



Patio Deep Seating Right Arm Chair  
with Cushions

**V1.0**

## ! CARE & MAINTENANCE


### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws (insert all screws before tightening screws).

## TOOLS REQUIRED



**ALLEN WRENCH**  
(PROVIDED)



**SOCKET WRENCH**  
(PROVIDED)



**330 LBS**  
**CAPACITY**








**2 PERSON**  
**ASSEMBLY**






**UP TO 30 MIN.**  
**ASSEMBLY**

## HARDWARE




## PARTS




## CUSHION

### FL1 SEAT CUSHION



1 PC


### FL2 BACK CUSHION



1 PC

## PRODUCT ASSEMBLY-OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



## PRODUCT ASSEMBLY

1

Attach **Part B Backrest** to **Part A Chair Seat** with 4 sets of **Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.




## PRODUCT ASSEMBLY

2


Attach 1pcs of **Part C Chair Arm** to **Part A Chair Seat** with 4 sets of **Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench.

Make sure to insert all bolts first, then tighten each one evenly to 100%.



3

Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs.  
Put **Part FL1 Seat Cushion** and **Part FL2 Back Cushion** on the seat.  
Now enjoy your chair.




## PRODUCT ASSEMBLY

4

Installation of sectional sofa is shown as below if you purchase a set of sofa.

There are two connecting holes on side of **Part A Chair Seat**. Use 1 set of **Hardware (2pcs of #5 Connecting Piece + 2pcs of #1 Bolt + 4pcs of #2 Washer + 2pcs of #3 Nut)** for each connecting hole to lock the chairs.

### CUSHIONS



---

## CLEANING TIPS

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.