

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

TECHNICAL CONCEPTS

<b>SECTION 1: Identification of</b>	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: SeBreeze 9000 CITRUS BREEZE
Product code	: 1788368
SKU #	: FG516000000
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Use of the substance/mixture	: Aerosol Air care products For professional use only Odour agents
1.3. Details of the supplier of t	he safety data sheet
Rubbermaid Commercial Products LL 3124 Valley Avenue Winchester, VA 22601-2694 - USA T (540) 6678700 www.rubbermaidcommercial.com	2
1.4. Emergency telephone num	nber
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
<b>SECTION 2: Hazards identifi</b>	cation
2.1. Classification of the subst	ance or mixture
GHS-US classification	
Flam. Aerosol 1H222Skin Irrit. 2H315Eye Irrit. 2AH319Skin Sens. 1H317	

Full text of H-statements: see section 16

#### 

Precautionary statements (GHS-US)

H319 - Causes serious eye irritation S-US) : P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/information on ingredients**

#### Substance 3.1.

#### Not applicable 2 2 Mivt

Name	Product identifier	%	GHS-US classification
HEXYLENE GLYCOL	(CAS No) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Alcohol	(CAS No) 64-17-5	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
LIMONENE	(CAS No) 5989-27-5	1 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRAL	(CAS No) 5392-40-5	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
MYRCENE	(CAS No) 123-35-3	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

#### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	

SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from	n the substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.</li> </ul>
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
06/08/2015	EN (Englich) 2/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according	to Federal Register / Vol. 77, No. 58 / Monday, N	
SECT	ION 6: Accidental release measu	ures
6.1.	Personal precautions, protective equi	ipment and emergency procedures
General	measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1.	For non-emergency personnel	
Emerge	ncy procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protecti	ve equipment	: Equip cleanup crew with proper protection.
Emerge	ncy procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent	entry to sewers and public waters. Notify a	authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containmen	t and cleaning up
Method	s for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4.	Reference to other sections	
See He	ading 8. Exposure controls and personal p	rotection.
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Additior	al hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precaut	ions for safe handling	: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene	measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2.	Conditions for safe storage, including	any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompa	atible products	: Strong bases. Strong acids.
Incompa	atible materials	: Sources of ignition. Direct sunlight. Heat sources.
	Specific end use(s)	
7.3.	opecific end use(s)	

.1. Control par	ameters		
SeBreeze 9000 CIT	RUS BREEZE		
ACGIH	Not applicable		
OSHA	Not applicable		
LIMONENE (5989-2	7-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
CITRAL (5392-40-5)			
ACGIH	Not applicable		
OSHA	Not applicable		
Alcohol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	

Respiratory protection

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
HEXYLENE GLYCOL (107-41	-5)	
ACGIH	ACGIH Ceiling (ppm)	25 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	Not applicable	
MYRCENE (123-35-3)		
ACGIH	Not applicable	
OSHA	Not applicable	
PINENES (127-91-3)		
ACGIH	Not applicable	
OSHA	Not applicable	
8.2. Exposure controls		
Appropriate engineering controls	s : Provide local exhaust or gene concentrations.	ral room ventilation to minimize mist and/or vapour
Personal protective equipment	: Avoid all unnecessary exposu	re.
Hand protection	: Wear protective gloves.	
Eye protection	: None under normal use.	

: None under normal use.

#### Other information : Do not eat, drink or smoke during use.

<b>SECTION 9: Physical and chemica</b>	al properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Transparent. clear.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 5,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosi	ve limits	: 1,8 - 19 vol %
9.2.	Other information	
No add	itional information available	
SECT	ION 10: Stability and r	eactivity
10.1.	Reactivity	
Stable	under normal conditions of use	ð.
10.2.	Chemical stability	
Extrem ignition	5	ns gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of
10.3.	Possibility of hazardous	reactions
Not est	ablished.	
10.4.	Conditions to avoid	
Direct s	sunlight. Extremely high or low	temperatures. Heat. Sparks. Open flame. Overheating.
10.5.	Incompatible materials	
Oxidizir	ng agent. Strong acids. Strong	bases.
10.6.	Hazardous decompositio	n products
May rel	ease flammable gases. fume.	Carbon monoxide. Carbon dioxide.
SECT	ION 11: Toxicological	information
11.1.	Information on toxicologi	cal effects

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060,000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Reproductive toxicity	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
SECTION 12: Ecological information	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CITRAL (5392-40-5)	
LC50 fish 1	4,1 mg/l
EC50 other aquatic organisms 1	5 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	7 mg/l IC50 algea (72 h) mg/l
Alcohol (64-17-5)	
LC50 fish 1	13000 mg/l
EC50 Daphnia 1	9300 mg/l
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l
HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

#### Persistence and degradability 12.2.

Persistence and degradability	Not established.
Alcohol (64-17-5)	
Persistence and degradability	Not established.

12.5. Dioaccumulative potential		
SeBreeze 9000 CITRUS BREEZE		
Bioaccumulative potential	Not established.	
Alcohol (64-17-5)		
Bioaccumulative potential	Not established.	

#### 12.4. Mobility in soil

12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information : Avoid release to the environment.	
<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Waste treatment methods	
Waste disposal recommendations	<ul> <li>Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.</li> </ul>

Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Mo	
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.x)	xx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx	) : None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircrat (49 CFR 173.27)	-
DOT Quantity Limitations Cargo aircraft onl CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)
Class (ADR)	: 2 - Gases
Classification code (ADR)	: 5F
Danger labels (ADR)	: 2.1 - Flammable gases
Tunnel restriction code (ADR)	: D
LQ	: 11
Excepted quantities (ADR)	: E0
Transport by sea	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Air transport	
JN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2
, , , , , , , , , , , , , , , , , , ,	
SECTION 15: Regulatory informations	ation
15.1. US Federal regulations	
LIMONENE (5989-27-5)	a United States SADA Section 212
Not subject to reporting requirements of th Listed on the United States TSCA (Toxic S	
CITRAL (5392-40-5)	
Not subject to reporing requirements of th Listed on the United States TSCA (Toxic S	
Alcohol (64-17-5)	
Not subject to reporting requirements of th	e United States SARA Section 313
Listed on the United States TSCA (Toxic	
HEXYLENE GLYCOL (107-41-5)	
Not subject to reporing requirements of th Listed on the United States TSCA (Toxic S	
MYRCENE (123-35-3)	
Not subject to reporting requirements of the	
Usted on the United States LSCA (Toxic S	Substances Control Act) inventory

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **PINENES (127-91-3)**

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **15.2. International regulations**

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1H222;H229Skin Irrit. 2H315Eye Irrit. 2H319Skin Sens. 1H317Aquatic Chronic 2H411Full text of H-statements: see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

#### 15.3. US State regulations

#### Alcohol (64-17-5)

U.S. -New York - RTK list Hazardous Substances

#### HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

#### SECTION 16: Other information

Other information

#### : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our corrol and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

#### SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product



TECHNICAL CONCEPTS

### SeBreeze 9000 COUNTRY LINEN BREEZE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. : SeBreeze 9000 COUNTRY LINEN BREEZE Product name Product code : 1788363 SKU # : FG5159000000 Relevant identified uses of the substance or mixture and uses advised against 1.2. Use of the substance/mixture : Aerosol For professional use only Air care products Odour agents Details of the supplier of the safety data sheet 1.3. Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T (540) 6678700 www.rubbermaidcommercial.com 1.4. **Emergency telephone number** : 24-Hour Emergency: INFOTRAC: 1-800535-5063 Emergency number

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

#### **GHS-US classification**

 Flam. Aerosol 1
 H222

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H335

Full text of H-statements: see section 16

2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H222 - Extremely flammable aerosol</li> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P211 - Do not spray on an open flame or other ignition source</li> <li>P251 - Pressurized container: Do not pierce or burn, even after use</li> <li>P280 - Wear protective gloves</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor if you feel unwell</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F</li> </ul>
2.3. Other hazards	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS US)

#### Not applicable

### SECTION 3: Composition/information on ingredients

### 3.1. Substance

## Not applicable 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS No) 64-17-5	20 - 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS No) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS No) 18479-58-8	1 - 10	Eye Irrit. 2A, H319
ACETYL CEDRENE	(CAS No) 32388-55-9	1 - 10	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS No) 118-58-1	0,1 - 1	Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS No) 6259-76-3	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LIMONENE	(CAS No) 5989-27-5	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS No) 127-51-5	0,1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS No) 106-22-9	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
GAMMA-TERPINENE	(CAS No) 99-85-4	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304
ALPHA CEDRENE	(CAS No) 469-61-4	< 0,1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-CARENE	(CAS No) 13466-78-9	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
BETA-CARYOPHYLLENE	(CAS No) 87-44-5	< 0,1	Asp. Tox. 1, H304
PHELLANDRENES FOR NCS'S	(CAS No) 99-83-2	< 0,1	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304
BETA-FARNESENE	(CAS No) 18794-84-8	< 0,1	Asp. Tox. 1, H304
p-CYMENE	(CAS No) 99-87-6	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Aquatic Chronic 2, H411 Asp. Tox. 1, H304

#### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations		
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, take medical advice.		
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Direct contact with the eyes irritating. Remove contact lenses, if present and easy to do. Continue rinsing persists: Get medical advice/attention.			
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
1.2. Most important symptoms and effe	ects, both acute and delayed		
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
4.3. Indication of any immediate medic	al attention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the se			
Fire hazard	: Extremely flammable aerosol.		
Explosion hazard	<ul> <li>May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.</li> </ul>		
Reactivity	: Stable under normal conditions of use.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any		
	chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		
SECTION 6: Accidental release mea	asures		
	quipment and emergency procedures		
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
	ify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containm			
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and persona	al protection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.		
Precautions for safe handling	<ul> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> </ul>		
Hygiene measures	<ul> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> </ul>		
	workplace. Waen containing color reade.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe	storage, including any incompatibilities
Technical measures	<ul> <li>Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.</li> </ul>
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

3.1. Control para	ameters			
	JNTRY LINEN BREEZE			
ACGIH	Not applicable			
OSHA	Not applicable	Not applicable		
LIMONENE (5989-27	7-5)			
ACGIH	Not applicable			
OSHA	Not applicable			
CITRONELLOL (106	j-22-9)			
ACGIH	Not applicable			
OSHA	Not applicable			
BENZYL SALICYLA	TE (118-58-1)			
ACGIH	Not applicable			
OSHA	Not applicable			
3-Methyl-4-(2 6 6-tri	methyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-	5)		
ACGIH Not applicable				
OSHA	Not applicable			
Alcohol (64-17-5)				
ACGIH	ACGIH STEL (ppm)	1000 ppm		
ACGIH	Remark (ACGIH)	URT irr		
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		
HEXYLENE GLYCO	L (107-41-5)			
ACGIH	ACGIH Ceiling (ppm)	25 ppm		
ACGIH	Remark (ACGIH)	Eye & URT irr		
OSHA	Not applicable			
2,6-DIMETHYL-7-OC	CTEN-2-OL (18479-58-8)			
ACGIH	Not applicable			
OSHA	Not applicable			
ACETYL CEDRENE (32388-55-9)				
ACGIH	Not applicable			
OSHA	Not applicable			
hexyl 2-hydroxyben	izoate (6259-76-3)			
ACGIH	Not applicable			
OSHA	Not applicable			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77	7, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations		
ALPHA CEDRENE (469-61-4)	)			
ACGIH	Not applicable			
OSHA	Not applicable			
PINENES (127-91-3)	1			
ACGIH	Not applicable			
OSHA	Not applicable			
	Hot applicable			
MYRCENE (123-35-3)	T			
ACGIH	Not applicable			
OSHA	Not applicable			
3-CARENE (13466-78-9)				
ACGIH	ACGIH TWA (ppr	m)	20 ppm	
OSHA	Not applicable			
GAMMA-TERPINENE (99-85-	-4)			
ACGIH	Not applicable			
OSHA	Not applicable			
BETA-CARYOPHYLLENE (8)				
ACGIH	Not applicable			
OSHA	Not applicable			
p-CYMENE (99-87-6)				
ACGIH	Not applicable			
OSHA	Not applicable			
PHELLANDRENES FOR NCS	S'S (99-83-2)			
ACGIH	Not applicable			
OSHA	Not applicable			
	1 0			
BETA-FARNESENE (18794-8 ACGIH	Not applicable			
OSHA				
USHA	Not applicable			
3.2. Exposure controls				
Appropriate engineering control	s :	3	ventilation to minimize mist and/or vapour	
Demonal protective equipment		concentrations.		
Personal protective equipment	-	Avoid all unnecessary exposure.		
Hand protection	:	Wear protective gloves.		
Eye protection	:	None under normal use.		
Respiratory protection	:	None under normal use.		
Other information	:	Do not eat, drink or smoke during use		
SECTION 9: Physical an	d chemical pro	operties		
9.1. Information on basic				
Physical state	:	Liquid		
Appearance	:	Transparent. clear.		
Colour	:	colourless to slightly yellow		
Odour	:	characteristic		
Odour threshold	:	No data available		
bН	:	No data available		
Relative evaporation rate (butyla	acetate=1) :	No data available		
06/08/2015		EN (English)		5/1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5	,, , ,
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 4,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,8 - 19 vol %

#### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

#### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTIO	DN 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060,000 mg/kg bodyweight
ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
hexyl 2-hydroxybenzoate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PHELLANDRENES FOR NCS'S (99-83-2)	
ATE US (oral)	500,000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
SECTION 42. Ecological information	

### SECTION 12: Ecological information

12.1. Toxicity

CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	2,38 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	17,48 mg/l IC50 algea (72 h) mg/l
Alcohol (64-17-5)	
LC50 fish 1	13000 mg/l
EC50 Daphnia 1	9300 mg/l
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l
HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability		
SeBreeze 9000 COUNTRY LINEN BREEZE		
Persistence and degradability	Not established.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	
06/08/2015	EN (English)	7/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Not established.
Not established.

#### Mobility in soil 12.4.

12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
06/08/2015	EN (English) 9/4

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. ac

according to Federal Register / Vol. 77, No. 58 / Mond	ay, March 26, 2012 / Rules and Regulations
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)
Class (ADR)	: 2 - Gases : 5F
Classification code (ADR) Danger labels (ADR)	: 2.1 - Flammable gases
Daliger labels (ADIX)	
Turnel restriction ands (ADD)	
Tunnel restriction code (ADR) LQ	: D : 11
Excepted quantities (ADR)	: E0
	. 20
Transport by sea UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2
SECTION 15: Regulatory informati	on
15.1. US Federal regulations	
LIMONENE (5989-27-5)	
Not subject to reporing requirements of the L Listed on the United States TSCA (Toxic Su	
CITRONELLOL (106-22-9)	
Not listed on the United States TSCA (Toxic Listed on the United States TSCA (Toxic Su	
BENZYL SALICYLATE (118-58-1)	
Not subject to reporing requirements of the L Listed on the United States TSCA (Toxic Su	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-	
Not subject to reporing requirements of the Listed on the United States TSCA (Toxic Su	
Alcohol (64-17-5)	
Not subject to reporing requirements of the Listed on the United States TSCA (Toxic Su	
HEXYLENE GLYCOL (107-41-5)	
Not subject to reporing requirements of the Listed on the United States TSCA (Toxic Su	
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-	
Not subject to reporing requirements of the Listed on the United States TSCA (Toxic Su	
ACETYL CEDRENE (32388-55-9)	
Not subject to reporing requirements of the L Listed on the United States TSCA (Toxic Su	
hexyl 2-hydroxybenzoate (6259-76-3)	
Not subject to reporing requirements of the U Listed on the United States TSCA (Toxic Su	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALPHA CEDRENE (469-61-4)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-CARENE (13466-78-9)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
GAMMA-TERPINENE (99-85-4)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-CARYOPHYLLENE (87-44-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
p-CYMENE (99-87-6)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PHELLANDRENES FOR NCS'S (99-83-2)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-FARNESENE (18794-84-8)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

No additional information available

**EU-Regulations** No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1H222;H229Skin Irrit. 2H315Eye Irrit. 2H319Skin Sens. 1H317Aquatic Chronic 3H412Full text of H-statements: see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)	
U.SNew York - RTK list Hazardous Substances	
HEXYLENE GLYCOL (107-41-5)	

### **SECTION 16: Other information**

Other information

#### : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

#### Full text of H-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

#### SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

TECHNICAL CONCEPTS

1.1. Product identifier	
Product name	: SeBreeze 9000 SPRING GARDEN
Product code	: 1788364
SKU #	: FG5158000000
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Use of the substance/mixture	: Aerosol For professional use only Air care products Odour agents
1.3. Details of the supplier	of the safety data sheet
Rubbermaid Commercial Products 3124 Valley Avenue Winchester, VA 22601-2694 - US/ T (540) 6678700 www.rubbermaidcommercial.com	
1.4. Emergency telephone	number
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

2.1. Classification of the substance or mixture

#### **GHS-US** classification

 Flam. Aerosol 1
 H222

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H335

Full text of H-statements: see section 16

GHS-US labelling         Hazard pictograms (GHS-US)       :         ising all word (GHS-US)       :         Signal word (GHS-US)       :         Hazard statements (GHS-US)       :         Hazard statements (GHS-US)       :         Hazard statements (GHS-US)       :         H222 - Extremely flammable aerosol H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation         Precautionary statements (GHS-US)       :         P11 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P260 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water         P302+P352 - If on skin: Wash with plenty of water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell P312 - Call a doctor if you feel unwell	2.2. Label elements	
Kinetic Stress       Image: Signal word (GHS-US)       : Danger         Hazard statements (GHS-US)       : H222 - Extremely flammable aerosol         H315 - Causes skin irritation       H317 - May cause an allergic skin reaction         H319 - Causes serious eye irritation       H319 - Causes serious eye irritation         H335 - May cause respiratory irritation       H335 - May cause respiratory irritation         Precautionary statements (GHS-US)       : P211 - Do not spray on an open flame or other ignition source         P251 - Pressurized container: Do not pierce or burn, even after use       P280 - Wear protective gloves         P302+P352 - If on skin: Wash with plenty of water       P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing         P305+P351 + P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing         P312 - Call a doctor if you feel unwell	GHS-US labelling	
Hazard statements (GHS-US): H222 - Extremely flammable aerosol H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritationPrecautionary statements (GHS-US): P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell	Hazard pictograms (GHS-US)	: GHS02 GHS07
<ul> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> <li>H335 - May cause respiratory irritation</li> <li>Precautionary statements (GHS-US)</li> <li>P211 - Do not spray on an open flame or other ignition source</li> <li>P251 - Pressurized container: Do not pierce or burn, even after use</li> <li>P280 - Wear protective gloves</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor if you feel unwell</li> </ul>	Signal word (GHS-US)	: Danger
P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell	Hazard statements (GHS-US)	H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
P337+P313 - If eye irritation persists: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F	Precautionary statements (GHS-US)	<ul> <li>P251 - Pressurized container: Do not pierce or burn, even after use</li> <li>P280 - Wear protective gloves</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor if you feel unwell</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention</li> </ul>
2.3. Other hazards	2.3. Other hazards	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS US)

#### Not applicable

### SECTION 3: Composition/information on ingredients

### 3.1. Substance

### Not applicable

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS No) 64-17-5	20 - 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS No) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
BENZYL ALCOHOL	(CAS No) 100-51-6	1 - 10	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311
BENZYL SALICYLATE	(CAS No) 118-58-1	0,1 - 1	Skin Sens. 1, H317
EUGENOL	(CAS No) 97-53-0	0,1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
AMYL CINNAMAL	(CAS No) 122-40-7	0,1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS No) 127-51-5	0,1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
ACETYL CEDRENE	(CAS No) 32388-55-9	0,1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES	(CAS No) 127-91-3	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LIMONENE	(CAS No) 5989-27-5	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BETA-CARYOPHYLLENE	(CAS No) 87-44-5	< 0,1	Asp. Tox. 1, H304
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
p-CYMENE	(CAS No) 99-87-6	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Aquatic Chronic 2, H411 Asp. Tox. 1, H304

#### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Jusuitable extinguishing media       :       Do not use a heavy water stream.         5.2.       Special hazards arising from the substance or mixture         Explosion hazard       :       Extremely flammable acrosol.         Explosion hazard       :       May form flammable/acrosol.         Stable under normal conditions of use.       :       Stable under normal conditions of use.         S.3.       Advice for firefighters       :       :         Firefighting instructions       :       :       Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosions.         Exercise cautions, protective equipment and emergency procedures       :       Do not enter fire area without proper protective equipment, including respiratory protection.         Staff       Personal precautions, protective equipment and emergency procedures       :       No open flames. No smoking, loolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         Staff       For emergency responders       :       Evaluate unnecessary personnel.         Entergency procedures       :       Ventilate area.         Staff       For emergency responders       :       Ventilate area.         Staff       Evotonmental precautions       :<	car attention and special treatment needed
SECTION 5: Firefighting meals         5.1       Exhipuishing media         Justable extinguishing media       : Foam. Dry powder, Carbon dioxide. Water spray, Sand.         Justable extinguishing media       : Do not use a heavy water stream.         5.2       Special hazards ansing from the substance or mixture         Fire hazard       : Extremely flammable aerosol.         Explosion hazard       : Extremely flammable aerosol.         Sala       Advice for firefighters         "readighting instructions       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any orherical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosive. Sucaulat area.         Protection during firefighters       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any orherical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosive. Sucaulat area.         Protection during firefighters       : No open flames. No smoking. Isolate from fire, it possible, without unnecessary fisk. Remove ignition sources. Use special care to avoid static electric charges.         81.1       For one-mergency personnel         81.2.1       For one-mergency personnel         81.2.2       Environmental procautions         81.3.2       Environmental procautions         81.4       Per onenergency responders         81	
5.1       Extinguishing media       : Feam. Dry powder. Carbon dioxide. Water spray. Sand.         Suitable extinguishing media       : Do not use a heavy water stream.         Special hazards arising from the substance or mixture         Fire hazard       : Extremely flammable explosive vapour-air mixture. Heat may build pressure. nupturing closed containers. spreading fire and increasing risk of burns and righters.         Reactivity       : Stable under nonnal conditions of use.         Advice for firefighters	
Suitable aninguishing media : Fram. Dry powdar. Cathon dioxide. Water spray. Sand. Jnautable extinguishing media : Do not use heavy water stream. Sci. Special hazards anising from the substance or mixture Tirc hazard : Extremely flammable aerosol. Explosion hazard : Stremely flammable aerosol. Splosion hazard : Stremely flammable aerosol. Stable under normal conditions of use. Sci. Avice for firefighters : Stable under normal conditions of use. Sci. Avice for firefighters : Stable under normal conditions of use. Sci. Avice for firefighters : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chernical fire. Prevent fire-fighting water from enteing environment. DO NOT fight fire when free reaches supplicities. Evacuate area. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Sci. Avice for firefighters : Von the open fames. No smoking, Isolate from fire, I possible, without unnecessary risk. Remove ginition sources. Use special care to avoid static electric charges. Sci. Personal precautions, protective equipment and emergency protection. Sci. For non-emergency presonnel Energency procedures : Vontilate area. Sci. Pervental precautions Protective equipment : Equip cleanup crew with proper protection. Sci. Protein and public waters. Natify automites if liquid enters sovers or public waters. Sci. Methods and public waters. Natify automites if liquid enters sovers or public waters. Sci. Prevental precautions Protections for safe handling Nethods and material for containment and cleaning up Weithods for cleaning up Provide targ and storage in a soon as possible. Collect spillage. Store away from other materials. Sci. Precautions for safe handling Provide targ and water because residual vapours are finamable. Hazardous water weithor so rask handling soon approcessed and water solect sole area, dividing or snowing and when leaving work. Provide good ventilation in process are	
Jusuitable extinguishing media       : Do not use a heavy water stream.         5.2.       Special hazards arising from the substance or mutture         Explosion hazard       : Extremely flammable acrosol.         Explosion hazard       : Stable under normal conditions of use.         5.3.       Advice for firefighters         Firefighting instructions       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-lighting water from entering environment. DO NOT fight fire when fire reaches explosives. Exvaulate area.         Protection during firefighting       : Do not enter fire area without proper protective equipment, including respiratory protection.         SECTION 6: Accidental release measures       : No open flames. No smoking, loolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6.1.1.       For non-emergency personnel         Emergency procedures       : Evacuate unnecessary personnel.         Emergency procedures       : Ventilate area.         8.2.       Environmental precautions         Prevent entry to severe and public waters. Notify authorities if liquid enters severs or public waters.         8.3.       Methods and material for containment and cleaning up         Ventilate area.       : Ventilate area.         8.4.       Reference to other sections         8.4.	Eoam, Dry powder, Carbon dioxide, Water spray, Sand
5.2.       Special hazards arising from the substance or mixture         Fire hazard       :       Extremely flammable serosol.         Splosion hazard       ::       May form flammable serosol.         Splosion hazard       ::       May form flammable serosol.         Seactivity       :       Stable under normal conditions of use.         S.3.       Advice for firefighters       :       Use water spray of rog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.         Protection during firefighting       :       Do not enter fire area without proper protective equipment, including respiratory protection.         SECTION 6: Accidental rolease moasures       :       No open flames. No smoking. Isolate from fire. if possible, without unnecessary risk. Remove lightion sources. Use special care to avoid state electric charges.         S1.1.       For one-emergency presonnel       :         Energency procedures       :       Equip cleanup crew with proper protection.         State propersy procedures       :       Ventilate area.         S2.1.       For emergency resonders       :         Protective equipment       :       Equip cleanup crew with proper protection.         State propersy procedures       :       Ventilate splilage area.	
Fire hazard       Extensel         Explosion hazard       Status containers, spreading fire and increasing risk of burns and injuries.         Reactivity       Status containers, spreading fire and increasing risk of burns and injuries.         Reactivity       Status containers, spreading fire and increasing risk of burns and injuries.         Status containers, spreading fire and increasing risk of burns and injuries.       Status containers, spreading fire and increasing risk of burns and injuries.         Status containers, spreading fire and increasing risk of burns and injuries.       Status containers, spreading value rom entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.         Precedion during firefighting       is Do not enter fire area without proper protective equipment, including respiratory protection.         Status containers, spreading value rom entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.       Status containers, spreading value rom entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.         Status content fire area without proper protective equipment.       No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         Status content fire area.       Status contents area.       Status contents area.         Status content sectors       : Equip cleanup crew with proper protection.       Status contents area.         Status content sectors       : V	-
Explosion hazard       : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing dosed containers, spreading fire and increasing risk of burns and injuries.         Reactivity       : Stable under normal conditions of use.         5.3.       Advice for firefighters         Firefighting instructions       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-infitting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.         Protection during firefighters       : Do not enter fire area without proper protective equipment, including respiratory protection.         SECTION 6: Accidental release measures       : No open flames. No smoking, isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         S.1.1. For non-emergency personnel       : Equip cleanup crew with proper protection.         Breegency procedures       : Ventilate area.         2.3.2. Environmental precautions       : Ventilate area.         Protective equipment       : Equip cleanup gras. Soak up splits with inet solids, such as clay or diatomaceous earth as soon as possible. Collect splitage. Store away from other materials.         3.3. Methods and material for containners and cleaning up       : Ventilate site approxemation of explicate containers. Do not spriter or bur, even after use.         4.4. Proceutions for safe handling       : Ventilate site approxenavire away from other materials.      <	
containers, spreading frie and increasing risk of burns and injuries.         Reactivity       : Stable under normal conditions of use.         S5.       Advice for firefighters         Firefighting instructions       : Use water spray or for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacute area.         SECTION 6: Accidental release measures       Stable under norme. So smaking, Isolate from fire. If possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         S.1.       For non-emergency personnel         Emergency procedures       : Equip cleanup crew with proper protection.         Emergency procedures       : Equip cleanup crew with proper protection.         Energency recodures       : Voo time area.         6.2.       Environmental procautions         Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Vontilate area.         6.3.       Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate area.         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.       Stable unpertination.         See Heading 8. Exposure controls and personal protection.       Stable unpertination.	
S. Advice for firefighters         Firefighting instructions       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire, Prevent fire-fighting water from entering environment. Do NOT fight fire when fire reaches explosives. Evacute area.         Protection during firefighting       : Do not enter fire area without proper protective equipment, including respiratory protection.         SECTION 6: Accidental release measures       : No open flames. No smoking, Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6.1.1. For non-emergency personnel       Evacuate unnecessary personnel.         Energency procedures       : Evacuate unnecessary personnel.         Energency procedures       : Ventilate area.         5.2. Environmental procautions       : Ventilate area.         5.3. Methods and material for containment and cleaning up       : Ventilate area.         5.3. Methods and material for containment and cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4. Reference to other sections       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressuized container, Do noking and when leaving work. Proved goor ventilation in process area to prevent formation of vapour. Do not spray on an open flames. No spring flames. No services andia by anowing and when leaving work. Contaminated vol	containers, spreading fire and increasing risk of burns and injuries.
Firefighting instructions       : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Execute area.         Protection during firefighting       : Do not enter fire area without proper protective equipment, including respiratory protection.         SECTION 6: Accidental release measures       : No open flames. No smoking. Isolate from fire, if possible, without unecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6:1.1. For non-emergency personnel       Evacuate unnecessary personnel.         Emergency procedures       : Evacuate unnecessary personnel.         6:1.2. For emergency responders       : Ventilate area.         Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         5:2. Environmental proceutions       : Ventilate spilage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spilage. Store away from other materials.         6:4. Reference to other sections       See Heading 8. Exposure controls and personal protection.         See Vecations for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating. dinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of user or uspary on an open flame or there ignition source.         7	: Stable under normal conditions of use.
chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures St. Dependent and emergency procedures General measures : No open flames. No smoking, Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges. St.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. St.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. St.2. Environmental precautions Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. St.3. Methods and material for containment and cleaning up Wethods for cleaning up : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. St.4. Reference to other sections See Heading 8: Exposure controls and personal protection. SECTION 7: Handling and storage Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosing or sparking to distomace out outpart, our on your, our on your, our on your, on your, or your, on your, on your, on your, or your, on your, or your, or your, on your, and your, on your, your, your, you your, on your, you your, on your, you yo	
SECTION 6: Accidental release measures         6.1. Personal precautions, protective equipment and emergency procedures         General measures       : No open flames. No smoking, Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6.1.1. For non-emergency personnel       Evacuate unnecessary personnel.         6.1.2. For emergency responders       : Evacuate unnecessary personnel.         6.1.2. For emergency responders       : Ventilate area.         Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         6.2. Environmental precautions       Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         6.3. Methods and material for containment and cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4. Reference to other sections       See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, diriking or smoking ad	chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire
5.1.       Personal precautions, protective equipment and emergency procedures         General measures       : No open flames. No smoking, Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6.1.1.       For non-emergency personnel         Emergency procedures       : Evacuate unnecessary personnel.         6.1.2.       For emergency responders         Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         6.2.       Environmental precautions         Prevent entry to severs and public waters. Notify authorities if liquid enters severs or public waters.         6.3.       Methods and material for containment and cleaning up         Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.       SEECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potentil risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : Wosh hands and other exposed areas with m	: Do not enter fire area without proper protective equipment, including respiratory protection.
General measures       : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         S.1.1. For non-emergency personnel       Evacuate unnecessary personnel.         Emergency procedures       : Evacuate unnecessary personnel.         S.1.2. For emergency responders       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         S.2. Environmental precautions       : Ventilate area.         S.3. Methods and material for containment and cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4. Reference to other sections       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4. Reference to other sections       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4. Reference to other sections       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4. Reference to other sections       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. <td>asures</td>	asures
General measures       : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.         6.1.1. For non-emergency personnel       Evacuate unnecessary personnel.         6.1.2. For emergency responders       Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.       5.2.         6.2. Environmental precautions       Prevent entry to severs and public waters. Notify authorities if liquid enters severs or public waters.         6.3. Methods and material for containment and cleaning up       Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4. Reference to other sections       See Heading 8. Exposure controls and personal protection.         SECETION 7: Handling and storage       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No somking. Use only non-sparking or wonking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on a open flame or other ignition source.         Precautions for safe storage, including any incompatibilities         Technical measures       : Wash hands and other exposed areas with mild soap and water befo	equipment and emergency procedures
Emergency procedures       Evacuate unnecessary personnel.         6.1.2. For emergency responders       Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         6.2. Environmental precautions       Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         6.3. Methods and material for containment and cleaning up       Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4. Reference to other sections       See Heading 8. Exposure controls and personal protection.         SEECTION 7: Handling and storage       Called empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open filme or other ignition source.         Precautions for safe handling       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated dowing before reuse.         Precautions for safe storage, including any incompatibilities       Fechnical measures         Conditions for safe storage, including any incompatibilities       Forein contaminated cothing before reuse.         7.2. Conditions for safe storage, including any incompatibilities       Forein continer in a cool, well ventil	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove
5.1.2. For emergency responders         Protective equipment       : Equip cleanup crew with proper protection.         Emergency procedures       : Ventilate area.         5.2. Environmental precautions         Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         5.3. Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4. Reference to other sections         See Heading 8. Exposure controls and personal protection.         SEECTION 7: Handling and storage         K1.1. Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking or washing and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other liquition source.         +tygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated do	
Protective equipment       Equip cleanup crew with proper protection.         Emergency procedures       Ventilate area.         5.2.       Environmental precautions         Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.       S.3.         S.3.       Methods and material for containment and cleaning up         Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Vaditional hazards when processed       I Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       I No open flames. No smoking. Use only non-sparking tloois. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         (4ygiene measures       I Wash hands and other exposed areas with mild soap and water before reuse.         (2.       Conditions for safe storage, including any incompatibilities         Technical measures       <	: Evacuate unnecessary personnel.
Protective equipment       Equip cleanup crew with proper protection.         Emergency procedures       Ventilate area.         S.2.       Environmental precautions         Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.       S.3.         Methods and material for containment and cleaning up       Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         S.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       I Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Pregene measures       Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.	
5.2.       Environmental precautions         Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         5.3.       Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SEECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clontaing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         rt.2.       Conditions for safe storage, including any incompatibilities         Fechnical measures       : Comply with app	: Equip cleanup crew with proper protection.
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         5.3.       Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         5.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         r.2.       Conditions for safe storage, including any incompatibilities         rechnical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should	: Ventilate area.
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.         5.3.       Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         5.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should	
5.3.       Methods and material for containment and cleaning up         Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources.	tify authorities if liquid enters sewers or public waters.
Wethods for cleaning up       : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Fechnical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures e	ment and cleaning up
See Heading 8. Exposure controls and personal protection.         SECTION 7: Handling and storage         7.1. Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated clothing before reuse.         7.2. Conditions for safe storage, including any incompatibilities         Fechnical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as
SECTION 7: Handling and storage         7.1. Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         incompatible products       : Strong bases. Strong acids.	
7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Fechnical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	al protection.
7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	
Additional hazards when processed       : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.         Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Fechnical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	
Precautions for safe handling       : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.         Hygiene measures       : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	
smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         Incompatible products       : Strong bases. Strong acids.	
Technical measures       : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.         Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         Incompatible products       : Strong bases. Strong acids.	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an</li> </ul>
Storage conditions       : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Ontaminated work clothing should not be allowed out of the</li> </ul>
Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.         ncompatible products       : Strong bases. Strong acids.	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> </ul>
	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> <li>ding any incompatibilities</li> <li>Comply with applicable regulations. Proper grounding procedures to avoid static electricity</li> </ul>
ncompatible materials : Sources of ignition. Direct sunlight. Heat sources.	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> <li>Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,</li> </ul>
	<ul> <li>due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.</li> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> <li>ding any incompatibilities</li> <li>Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.</li> </ul>
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, includ Fechnical measures Storage conditions ncompatible products	s

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exp	osure controls/personal protection		
8.1. Control par			
SeBreeze 9000 SPF			
ACGIH	Not applicable		
OSHA	Not applicable		
EUGENOL (97-53-0	)		
ACGIH	Not applicable		
OSHA	Not applicable		
LIMONENE (5989-2	7-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
BENZYL SALICYLA	ATE (118-58-1)		
ACGIH	Not applicable		
OSHA	Not applicable		
3-Methyl-4-(2,6,6-tr	imethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-	5)	
ACGIH	Not applicable		
OSHA	Not applicable		
BENZYL ALCOHOL	- (100-51-6)		
ACGIH	Not applicable		
OSHA	Not applicable		
Alcohol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
HEXYLENE GLYCC	DL (107-41-5)		
ACGIH	ACGIH Ceiling (ppm)	25 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	Not applicable	I	
AMYL CINNAMAL (	(122-40-7)		
ACGIH	Not applicable		
OSHA	Not applicable		
PINENES (127-91-3	)		
ACGIH	Not applicable	Not applicable	
OSHA	Not applicable		
MYRCENE (123-35-	3)		
ACGIH	Not applicable	Not applicable	
OSHA	Not applicable	Not applicable	
BETA-CARYOPHYI	_LENE (87-44-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
ACETYL CEDRENE	(32388-55-9)		
ACGIH	Not applicable		
06/08/2015	EN (English)		4/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETYL CEDRENE (32388-55-9)			
OSHA	Not applicable		
p-CYMENE (99-87-6)			
ACGIH	Not applicable		
OSHA	Not applicable		
8.2. Exposure controls			
Appropriate engineering controls	<ul> <li>Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.</li> </ul>		
Personal protective equipment	: Avoid all unnecessary exposure.		
Hand protection	: Wear protective gloves.		
Eye protection	: None under normal use.		

Respiratory protection	: None under normal use.
------------------------	--------------------------

Other information	: Do not eat, drink or smoke during use.
-------------------	--

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical a	and chemical properties
Physical state	: Liquid
Appearance	: Clear Transparent Liquid.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 5,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,8 - 19 vol %

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions of use.

#### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.3. Possibility of hazardous reactions

#### Not established.

#### **Conditions to avoid** 10.4.

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

#### **Incompatible materials** 10.5.

Oxidizing agent. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

#### Acute toxicity

: Not classified

BENZYL ALCOHOL (100-51-6)		
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	660 mg/kg	
LC50 inhalation rat (mg/l)	4,2 mg/l/4h	
ATE US (oral)	500,000 mg/kg bodyweight	
ATE US (dermal)	600,000 mg/kg bodyweight	
ATE US (gases)	4500,000 ppm/4h	
ATE US (vapours)	11,000 mg/l/4h	
ATE US (dust,mist)	1,500 mg/l/4h	
Alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LD50 dermal rabbit	> 16000 mg/kg	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
ATE US (oral)	7060,000 mg/kg bodyweight	

ACETYL CEDRENE (32388-55-9)		
LD50 oral rat	≈ 5200 mg/kg	
LD50 dermal rabbit	≈ 500 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
06/08/2015	EN (English)	6/1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	:	Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	:	Causes skin irritation.
Symptoms/injuries after eye contact	:	Causes serious eye irritation.

### SECTION 12: Ecological information

12.1. Toxicity

EUGENOL (97-53-0)	
LC50 fish 1	5,6 mg/l
EC50 other aquatic organisms 1	15,4 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	1,9 mg/l IC50 algea (72 h) mg/l

BENZYL ALCOHOL (100-51-6)		
LC50 fish 1	460 mg/l	
EC50 Daphnia 1	230 mg/l	
EC50 other aquatic organisms 1	500 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	230 mg/l IC50 algea (72 h) mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	> 1000 mg/l	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
AMYL CINNAMAL (122-40-7)		
LC50 fish 1	3 mg/l	
EC50 other aquatic organisms 1	1,89 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	1,1 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability		
SeBreeze 9000 SPRING GARDEN		
Persistence and degradability	Not established.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential	
SeBreeze 9000 SPRING GARDEN	
Bioaccumulative potential	Not established.
BENZYL ALCOHOL (100-51-6)	
Log Pow	1,05
Alcohol (64-17-5)	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
<b>SECTION 13: Disposal consideration</b>	IS
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)
Class (ADR)	: 2 - Gases
Classification code (ADR)	: 5F
Danger labels (ADR)	: 2.1 - Flammable gases
Tunnel restriction code (ADR)	: D
LQ	: 1
Excepted quantities (ADR)	: E0

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

### **SECTION 15: Regulatory information**

15.1. US Federal regulations
EUGENOL (97-53-0)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
LIMONENE (5989-27-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL ALCOHOL (100-51-6)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
AMYL CINNAMAL (122-40-7)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-CARYOPHYLLENE (87-44-5)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
ACETYL CEDRENE (32388-55-9)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
p-CYMENE (99-87-6)
Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2 International regulations

### 15.2. International regulations

CANADA

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **EU-Regulations**

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1H222;H229Skin Irrit. 2H315Eye Irrit. 2H319Aquatic Chronic 3H412Full text of H-statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

# Alcohol (64-17-5) U.S. -New York - RTK list Hazardous Substances HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

<b>SECTION 16: Other inform</b>	nation
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Catego
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Cate 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Cate 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

#### SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product