

Diversey™

Accel INTERVention™ RTU

One-Step Surface Cleaner and Disinfectant

Tuberculocidal, Virucidal, Bactericidal, Fungicidal, Broad-Spectrum Sanitizer

A ready-to-use cleaner disinfectant based on proprietary AHP® technology to deliver fast, effective cleaning performance.

Features & Benefits

- Effective against key pathogens including MRSA, VRE, TB, HBV and Norovirus providing broad spectrum disinfection
- Kills SARS-CoV-2, Norovirus, Poliovirus and bloodborne pathogens and is Tuberculocidal all in 1 minute. It is also a 30-second broad-spectrum sanitizer
- Compatible with most hard, non-porous surfaces, while harnessing the power of AHP® technology. The AHP® active breaks down to oxygen and water after use
- No VOCs, no added fragrance and no NPEs. Non-irritating to eyes and skin
- Clean and disinfect high-touch surfaces in just 1 minute
- ESS (electrostatic sprayer) usage is approved
- KILLS 99.9% of cold and flu *viruses in 1 minute

Applications

- Clean and disinfect high-touch surfaces in just ONE minute
- Non-irritating to eyes and skin
- ESS (Electrostatic Sprayer) is approved for 1 minute for disinfection of bacteria and viruses (not Fungicidal)





Accel INTERvention™ RTU

One-Step Surface Cleaner and Disinfectant

Use instructions

As a One-Step Surface Disinfectant*:

- Pre-clean heavily soiled areas.
- Apply product to hard, non-porous inanimate surfaces.
- All surfaces must remain wet for 1 minute. Use a 3 minute contact time for fungi.
- Air Dry, wipe surfaces to dry and remove any residue, or rinse with potable water as necessary.

Prior to first use on a particular surface, it is recommended to test in a small, discreet area if there is concern of incompatibility, or contact a Diversey representative.

* Refer to product label for complete use instructions

For Use as a Cleaner or One-Step Disinfectant Product with an Electrostatic Sprayer:

Electrostatic Sprayer directions are for efficacy claims with 1 minute contact time. This is not to be used to treat surfaces for Tb or Fungi.

Consult User Manual for Electrostatic Sprayer before use.

Ensure no bystanders or pets are in the room that is to be treated.

Operator should wear a half face respirator with chemical specific cartridges and N95 filters

Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF. If the sprayer has the ability to change nozzles that impact particle size, set the particle size to a volume median diameter (VMD) $\geq 40 \mu\text{m}^1$.

Pre-clean visibly soiled areas.

Using the sprayer, apply disinfectant evenly over the hard, non-porous inanimate surface to be cleaned, 0.60 -0.90 m (2-3 feet) from surface, making sure to wet surfaces visibly.

All surfaces must remain visibly wet for 1 minute. Wipe surfaces dry (or rinse) (or allow to air dry).

Allow the treated room to remain unoccupied for 15 minutes before reentering.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

Technical data	Accel INTERvention™ RTU
DIN	02448645
Certifications	LONO
Color/Form	Colorless, liquid
pH	3
Scent	Characteristic of ingredients
Shelf Life	3 years

Product	Pack size	Dilution	Product code
Accel INTERvention™ RTU	12 x 946 mL / 1 U.S. Qt. Bottles	Ready-to-use	101103733 
Accel INTERvention™ RTU	4 x 3.78 L / 1 U.S. Gal. Containers	Ready-to-use	101103736 

Safe handling

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use; and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDS are available online at www.diversey.com or by calling 888.352.2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate.

Accelerated Hydrogen Peroxide® and Design are trademarks of Diversey, Inc.