

SAFETY DATA SHEET

1. Identification

Product identifier	Sta-Plex™ Extreme Pressure Premium	n Red Grease - 120 lb	
Other means of identification			
Product Code	No. SL3197 (Item# 1007896)		
Recommended use	Lubricating grease		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	r/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency	800-424-9300 (US)		
(CHEMTREC) Website	www.crcindustries.com		
2. Hazard(s) identification	า		
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
	$\mathbf{\wedge}$		
Signal word	Warning		
Hazard statement	Causes skin irritation. Causes serious ey	e irritation.	
Precautionary statement	,		
Prevention		area. Open doors and windows or use other means to	
	listed on this label, increase ventilation or	while product is drying. If you experience any symptoms r leave the area. Wash thoroughly after handling. Wear	
	eye protection/face protection. Wear prot	-	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accord	ance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 70
antimony diamyldithiocarbamate		15890-25-2	1 - 10
lithium hydroxide		1310-66-3	1 - 10
residual oils (petroleum), solvent-refined		64742-01-4	1 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures			
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation haza If inhaled, remove to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persis		
Ingestion	Do not induce vomiting without advice from poison control center. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention i symptoms occur.		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. In the event of injection in underlying tissue, immediate treatment should include extensive incision, debridement and saline irrigation.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Not established.		
Specific hazards arising from the chemical	Addition of water or foam to the fire may cause frothing. Molten material can form flaming droplets if ignited. Use of water on product above 100 °C (212 °F) can cause product to expand with explosive force. During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for	This product is miscible in water.		

containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handlingIf this product is stored or applied in high-pressure systems such as grease guns or hydraulic
lines, there is the potential for accidental injection into the skin and underlying tissues. Avoid
contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal
protective equipment. Observe good industrial hygiene practices. For product usage instructions,
see the product label.Conditions for safe storage,
including any incompatibilitiesStore in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from
incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	PEL	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
,		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
residual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. Workplace Environme	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	
lithium hydroxide (CAS 1310-66-3)	Ceiling	1 mg/m3	
ogical limit values	No biological exposure limits noted for the ingredient(s).		
osure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the produc		al form of the product.
propriate engineering trols	Good general ventilation should be us applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels	ocal exhaust ventilation, or oth mended exposure limits. If exp	ner engineering controls to posure limits have not beer

Material name: Sta-Plex[™] Extreme Pressure Premium Red Grease - 120 lb No. SL3197 (Item# 1007896) Version #: 01 Issue date: 11-29-2021

shower.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear protective gloves such as: Latex gloves. Rubber gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Grease.
Color	Red.
Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	680 °F (360 °C) estimated
Flash point	302.0 °F (150.0 °C) Open Cup
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	< 0.01 mm Hg
Vapor density	> 10 (air = 1)
Relative density	0.93
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	Not available.
10 Stability and reactivity	· · · · · · · · · · · · · · · · · · ·

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

11. Toxicological information

Information on likely routes of exposure				
Inhalation	Based on available data, the classification criteria are not met.			
Skin contact	Causes skin irritation.			
Eye contact	Causes serious eye irritation.			
Ingestion	Based on available data, the classification criteria are not met.			
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.			
1. .				

Information on toxicological effects

Acute toxicity	Not known.		
Components	Species	Test Results	
antimony diamyldithiocarbamate	(CAS 15890-25-2)		
<u>Acute</u>			
Dermal	D 11 1	40000 //	
LD50	Rabbit	> 16000 mg/kg	
Oral	D-t		
LD50	Rat	> 16400 mg/kg	
	ed heavy naphthenic (CAS 64742-52-5)		
<u>Acute</u> Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
residual oils (petroleum), solvent-	-refined (CAS 64742-01-4)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
LC50	Rat	2.18 mg/l, 4 hours	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	on		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause sl	kin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to	humans.	
IARC Monographs. Overal	I Evaluation of Carcinogenicity		
Not listed.	ed Substances (29 CFR 1910.1001-1053)		
US. National Toxicology P Not listed.	rogram (NTP) Report on Carcinogens		
Reproductive toxicity	This product is not expected to cause re	eproductive or developmental effects	

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Components Species **Test Results** antimony diamyldithiocarbamate (CAS 15890-25-2) Aquatic Chronic NOEC Crustacea Water flea (Daphnia magna) 0.02 mg/l, 21 days Persistence and degradability No data is available on the degradability of any ingredients in the mixture. **Bioaccumulative potential** No data available. No data available. Mobility in soil Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

antimony diamyldithiocarbamate (CAS 15890-25-2)

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

antimony diamyldithiocarbamate (CAS 15890-25-2)

Clean Air Act (CAA) Sectior	n 112(r) Accidental I	Release Prevention (40 C	FR 68.130)	
Not regulated. Safe Drinking Water Act (SDWA)	Contains compone	ent(s) regulated under the S	Safe Drinking Water Act.	
Food and Drug Administration (FDA)	Not regulated.			
Superfund Amendments and Re	authorization Act o	of 1986 (SARA)		
Classified hazard categories	Skin corrosion or in Serious eye dama	rritation		
SARA 302 Extremely hazard Not listed.	dous substance			
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
antimony diamyldithiocar	bamate	15890-25-2	1 - 10	_
US state regulations				
US. California. Candidate C (a))	hemicals List. Safe	r Consumer Products Re	gulations (Cal. Code Reg	gs, tit. 22, 69502.3, subd.
antimony diamyldithiocar	drotreated heavy na solvent-refined (CAS	phthenic (CAS 64742-52-5 § 64742-01-4))	
antimony diamyldithiocar lithium hydroxide (CAS 1 US. Massachusetts RTK - S	bamate (CAS 15890 310-66-3)			
Not listed. US. Pennsylvania Worker a	nd Community Righ	nt-to-Know Law		
antimony diamyldithiocar US. Rhode Island RTK	bamate (CAS 15890	-25-2)		
antimony diamyldithiocar distillates (petroleum), hy		-25-2) phthenic (CAS 64742-52-5)	
California Proposition 65				
California Safe Drinking \	ny chemicals current	prcement Act of 1986 (Prop ly listed as carcinogens or .gov.		
Volatile organic compounds (VO EPA	DC) regulations			
VOC content (40 CFR	Not determined			
51.100(s))				
Consumer products (40 CFR 59, Subpt. C)	Not regulated			
State				
Consumer products	Not regulated			
VOC content (CA)	0 %			
VOC content (OTC)	0 %			
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	-	ry of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substan	ces List (DSL)		Yes
Canada		ostances List (NDSL)		No
China		ng Chemical Substances in	n China (IECSC)	Yes
Europe	-	y of Existing Commercial (Yes
Europe	•	lotified Chemical Substanc	es (ELINCS)	No
Material name: Sta-Plex™ Extreme P	Pressure Premium Red	Grease - 120 lb		SDS US

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

lssue date Prepared by Version #	11-29-2021 Allison Yoon 01
List of abbreviations	AICIS: Australian Inventory of Industrial Chemicals.
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.