

3M Abrasive Systems  
3M™ Film Disc 375L

Now Available...

**Clean  
Sanding  
Discs!**



# Durable & Flexible to the Finish

The 3M™ Film Disc 375L delivers outstanding tear resistance and consistent finish on a variety of substrates.

The 375L Film Disc is an excellent choice to achieve a uniform, fine finish on metal, wood, composites or paint.

**3M**

# The easier way to


## Tear Resistant with Outstanding Durability



**3M™ Film Disc 375L** tackles  
tough applications with ease.

3M has been an innovative leader in film abrasives for over 25 years. We continue this innovation through the introduction of our new 375L Film Disc. Film products are best known for their durability and finish characteristics. Other features and advantages include:

- Durable film construction provides tear resistant properties
- Premium abrasive and load resistant coating provide fast cut and long life
- Flexible, smooth film backing conforms to contours and rounded edges
- Produces a uniform and consistent finish because of the flatness of the film backing
- Easy-to-use 3M™ Stikit™ and 3M™ Hookit™ Attachment Systems allow quick product change-outs
- Optimized product construction designed to work on metal, wood, composites and painted substrates



# a fine finish.



## Versatile by Design

Designed to provide maximum durability, flexibility and versatility, the 3M™ Film Disc 375L is an excellent choice to achieve the proper finish on metal, wood, composites or paint. For example:

### For Metalworking Applications

The 3M™ Film Disc 375L in **coarse grades** is designed to meet your demanding industrial applications. The durable film backing and premium mineral extend abrasive life and help improve overall productivity.

### For Woodworking Applications

In woodworking, the key is creating the perfect surface for accepting the final finish. The 3M™ Film Disc 375L in **medium grades** contours to challenging work surfaces, delivering a superior finish while the load-resistant coating extends abrasive life.

### For Paint Finishing Applications

Pre- and post-paint finishing requires versatility. The 3M™ Film Disc 375L in **fine grades** is designed to deliver a superb uniform finish on plastics and clear coat technologies commonly used in the transportation industry.



### 3M™ Stikit™ Film Disc Roll 375L

Grade	UPC (051115-)	Discs per Roll/Case	Grade	UPC (051115-)	Discs per Roll/Case
<b>5" x NH, Disc Roll</b>			<b>6" x NH, Disc Roll</b>		
P80	66793-0	100/4	P80	66803-6	100/4
P100	66794-7	100/4	P100	66804-3	100/4
P120	66795-4	100/4	P120	66805-0	100/4
P150	66796-1	100/4	P150	66806-7	100/4
P180	66797-8	100/4	P180	66807-4	100/4
P220	66798-5	100/4	P220	66808-1	100/4
P240	66799-2	100/4	P240	66809-8	100/4
P280	66800-5	100/4	P280	66810-4	100/4
P320	66801-2	100/4	P320	66811-1	100/4
P400	66802-9	100/4	P400	66812-8	100/4

### 3M™ Stikit™ Film Disc 375L

Grade	UPC (051141-)	Discs per Box/Case	Grade	UPC (051141-)	Discs per Box/Case
<b>5" x NH, Tabbed Liner</b>			<b>6" x NH, Tabbed Liner</b>		
60	55689-5	50/250	60	55696-3	50/250
P80	55690-1	50/250	P80	55697-0	50/250
P100	55691-8	50/250	P100	55698-7	50/250
P120	55692-5	50/250	P120	55699-4	50/250
P150	55693-2	50/250	P150	55700-7	50/250
P180	55694-9	50/250	P180	55701-4	50/250
P220	55695-6	50/250	P220	55702-1	50/250
P240	55656-7	50/250	P240	55657-4	50/250
P280	55715-1	50/250	P280	55720-5	50/250
P320	55658-1	50/250	P320	55703-8	50/250
P400	55659-8	50/250	P400	55660-4	50/250
<b>5" x NH, Skip Slit Liner</b>			<b>6" x NH, Skip Slit Liner</b>		
P500	55716-8	50/250	P500	55721-2	50/250
P600	55667-3	50/250	P600	55669-7	50/250
P800	55668-0	50/250	P800	55670-3	50/250
P1000	55717-5	50/250	P1000	55722-9	50/250
P1200	55718-2	50/250	P1200	55723-6	50/250
P1500	55719-9	50/250	P1500	28117-9	50/250

### **NEW!** 3M™ Hookit™ Clean Sanding Film Disc 375L

Grade	UPC (051141-)	Discs per Box/Case	Grade	UPC (051141-)	Discs per Box/Case
<b>5"</b>			<b>6"</b>		
60	54029-0	50/250	60	54036-8	50/250
P80	54030-6	50/250	P80	54037-5	50/250
P100	54031-3	50/250	P100	54038-2	50/250
P120	54032-0	50/250	P120	54039-9	50/250
P150	54033-7	50/250	P150	54040-5	50/250
P180	54034-4	50/250	P180	54041-2	50/250
P220	54035-1	50/250	P220	54042-9	50/250
P240	54023-8	50/250	P240	54024-5	50/250
P280	54043-6	50/250	P280	54044-3	50/250
P320	54025-2	50/250	P320	54026-9	50/250
P400	54027-6	50/250	P400	54028-3	50/250

### 3M™ Hookit™ Film Disc 375L

Grade	UPC (051141-)	Discs per Box/Case	Grade	UPC (051141-)	Discs per Box/Case
<b>5" x NH</b>			<b>6" x NH</b>		
60	55675-8	50/250	60	55682-6	50/250
P80	55676-5	50/250	P80	55683-3	50/250
P100	55677-2	50/250	P100	55684-0	50/250
P120	55678-9	50/250	P120	55685-7	50/250
P150	55679-6	50/250	P150	55686-4	50/250
P180	55680-2	50/250	P180	55687-1	50/250
P220	55681-9	50/250	P220	55688-8	50/250
P240	55661-1	50/250	P240	55662-8	50/250
P280	55705-2	50/250	P280	55710-6	50/250
P320	55663-5	50/250	P320	55664-2	50/250
P400	55665-9	50/250	P400	55666-6	50/250
P500	55706-9	50/250	P500	55711-3	50/250
P600	55671-0	50/250	P600	55673-4	50/250
P800	55672-7	50/250	P800	55674-1	50/250
P1000	55707-6	50/250	P1000	55712-0	50/250
P1200	55708-0	50/250	P1200	55713-7	50/250
P1500	55709-0	50/250	P1500	55714-4	50/250

# Redefining and Reinventing Possibilities

3M has a history of developing and reinventing innovative technologies to meet customer needs and solve industry challenges. The 3M™ Film Disc 375L was created with our commitment to help our customers achieve superior productivity and performance while improving ease of use.

Designed as the ultimate versatile solution, the 375L Film Disc redefines what's possible and enhances the superior sanding capabilities that 3M customers world-wide have come to expect.



Contact your 3M Sales Representative for a demonstration.

To request additional product information or to arrange for sales assistance, call 1-800-362-3550 or visit us at [www.3M.com/Abrasives](http://www.3M.com/Abrasives)



**Abrasive Systems Division**  
3M Center  
Building 223-06S-03  
St. Paul, MN 55144-1000  
[www.3M.com/Abrasives](http://www.3M.com/Abrasives)

**Warranty, Limited Remedy, and Disclaimer:** Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

**Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M, Hookit and Stikit are trademarks of 3M. Used under license in Canada.  
Please recycle. Printed in U.S.A. © 3M 2013. All rights reserved. 61-5002-8323-1 Rev. 6/2015