

SAFETY DATA SHEET

1. Identification

API/GL-5 Plus New Generation™ Heavy Duty Limited Slip Gear Oil 75W90 - 32 fl oz
No. SL2462 (Item# 1007812)
Gear oil
None known.
/Distributor information
CRC Industries, Inc.
885 Louis Dr.
Warminster, PA 18974 US
215-674-4300
800-521-3168
800-272-4620
800-424-9300 (US)
www.crcindustries.com
1
Not classified.
Not classified.
Not classified.
Not classified.
None.
None.
The mixture does not meet the criteria for classification.
Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices.
Wash hands after handling.
Store away from incompatible materials.
Dispose of waste and residues in accordance with local authority requirements.
None known.
None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
mineral oil		Mixture	90 - 100
Specific chemical identity an	d/or percentage of composition has been withheld as	a trade secret.	

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. If inhalation of a large amount does occur, call a physician immediately.

Skin contact	Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for	The product is immiscible with water and will spread on the water surface.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Wear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Use appropriate container to avoid environmental contamination. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).
8. Exposure controls/pers	onal protection
Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).
Other	Wear suitable protective clothing.
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 350 °F (> 176.7 °C) Pensky-Martens Closed Cup
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (air = 1)
Relative density	0.9 - 0.92
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	69.4 - 100 mm²/s (104 °F (40 °C))
Percent volatile	> 90 %
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	Prolonged skin contact may cause temporary irritation. Repeated exposure may cause skin dryness or cracking.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause vomiting, diarrhea or gastrointestinal discomfort.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Serious eye damage/eye irritationDirect of of Direct of of of of Direct of of of of of Not a respiratory sensitization	ity Limited Slip Gear Oil 75W90 - 32 fl oz it	Test Results > 2000 mg/kg > 20 mg/l, 4 hours > 2000 mg/kg Test Results
Acute Dermal LD50Rabble RabbleInhalation 	it ies	 > 20 mg/l, 4 hours > 2000 mg/kg Test Results
DermalLD50RabbInhalationRatLC50RatOralRatLD50RatComponentsSpectmineral oilSpectAcuteSpectDermalLD50LD50RatOralRatLD50RatOralRatSpectStin corrosion/irritation* Estimates for product may be based ofSkin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationRatRespiratory or skin sensitizationNot a ref	ies	 > 20 mg/l, 4 hours > 2000 mg/kg Test Results
LD50 Rabbinder Rabbinder Rabbinder Respiratory or skin sensitization Rabbinder Rabbinder Rabbinder Respiratory sensitization Not a respiratory sensitization Rabbinder	ies	 > 20 mg/l, 4 hours > 2000 mg/kg Test Results
InhalationLC50RatOralLD50LD50RatComponentsSpectmineral oilSpectAcuteDermalLD50RatDermalLD50LD50RatOralLD50LD50RatOralRatStin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationRespiratory or skin sensitizationNot a respiratory sensitizationNot a respiratory or skin sensitization	ies	 > 20 mg/l, 4 hours > 2000 mg/kg Test Results
LC50RatOralLD50RatLD50RatComponentsSpectmineral oilInternalLD50RabbInhalationRabbLD50RabbInhalationRabbLD50RabbStin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationRespiratory or skin sensitizationRespiratory sensitizationNot a respiratory		> 2000 mg/kg Test Results
Oral LD50RatComponentsSpectmineral oilSpectAcute Dermal LD50RabInhalation LC50RabOral LD50RabSkin corrosion/irritationProlongSerious eye damage/eye irritationDirect ofRespiratory or skin sensitizationNot a respiratory		> 2000 mg/kg Test Results
LD50RatComponentsSpectmineral oilSpectAcuteSpectDermalRabbLD50RabbInhalationRabbLC50RatOralRatLD50RatStin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationProlongRespiratory or skin sensitizationNot a respiratory		Test Results
ComponentsSpectmineral oilAcuteDermalEditedLD50RabbInhalationEditedLC50RatOralEditedLD50RatSkin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationRespiratory or skin sensitizationRespiratory sensitizationNot a respiratory		Test Results
mineral oil Acute Dermal LD50 Rabbin LD50 Rabbin LD50 Rath Oral Description LD50 Rath Oral Rath Skin corrosion/irritation Prolong Serious eye damage/eye Direct of irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory		
Acute Dermal LD50 Rabb Inhalation LC50 Rat Oral LD50 Rat * Estimates for product may be based of Skin corrosion/irritation Prolong Serious eye damage/eye irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory	it	
DermalLD50RabbInhalationRatLC50RatOralRatLD50Rat* Estimates for product may be based ofSkin corrosion/irritationProlongSerious eye damage/eyeDirect ofirritationRespiratory or skin sensitizationRespiratory sensitizationNot a respiratory	it	
LD50 Rab Inhalation LC50 Rat Oral LD50 Rat * Estimates for product may be seed of Skin corrosion/irritation Prolong Serious eye damage/eye irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory	it	. 5000 //
Inhalation LC50 Rat Oral LD50 Rat * Estimates for product may be based of Skin corrosion/irritation Prolong Serious eye damage/eye irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory	it	
LC50 Rat Oral LD50 Rat * Estimates for product may be based of Skin corrosion/irritation Prolong Serious eye damage/eye irritation Respiratory or skin sensitization Not a respiratory sensitization		> 5000 mg/kg
Oral LD50Rat* Estimates for product may be based of Skin corrosion/irritationProlong Direct of ProlongSerious eye damage/eye irritationDirect of Direct of Direct of Not and Not andRespiratory sensitizationNot and Direct of Direct of 		
LD50 Rat * Estimates for product may be based of Skin corrosion/irritation Prolong Serious eye damage/eye irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory		> 5000 mg/m³, 4 hours
* Estimates for product may be based of Skin corrosion/irritation Prolong Serious eye damage/eye Direct of irritation Respiratory or skin sensitization Not a respiratory sensitization Not a respiratory sensitization Prolong		
Skin corrosion/irritationProlongSerious eye damage/eye irritationDirect ofRespiratory or skin sensitization Respiratory sensitizationNot a respiratory		> 5000 mg/kg
Skin corrosion/irritationProlongSerious eye damage/eye irritationDirect ofRespiratory or skin sensitization Respiratory sensitizationNot a respiratory	an additional component data not shown	
Serious eye damage/eye irritationDirect of of Direct of of of of of of of of of of of of of 	jed skin contact may cause temporary irritatio	n
irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitization	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitization Not a respiratory sensitization	onact with cycs may cause temporary initial	
• •		
	espiratory sensitizer.	
-	oduct is not expected to cause skin sensitizati	
	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity This pr	oduct is not considered to be a carcinogen by	IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation Not listed.		
OSHA Specifically Regulated Substa Not listed.		
US. National Toxicology Program (N Not listed.	TP) Report on Carcinogens	
Reproductive toxicity This productive	oduct is not expected to cause reproductive o	r developmental effects.
Specific target organ toxicity - Not cla single exposure	ssified.	
Specific target organ toxicity - Not cla repeated exposure	ssified.	

Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	This product has no known adverse effect on human health.
12. Ecological information	n
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.Safe Drinking Water Act
(SDWA)Not regulated.Food and Drug
Administration (FDA)Not regulated.

Material name: API/GL-5 Plus New Generation[™] Heavy Duty Limited Slip Gear Oil 75W90 - 32 fl oz No. SL2462 (Item# 1007812) Version #: 01 Issue date: 12-17-2019

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Massachusetts RTK - Substance List

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

US. Rhode Island RTK

Not listed.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR	Not determined
51.100(s))	
Consumer products	Not regulated

Not regulated

(40 CFR 59, Subpt. C) State **Consumer products**

VOC content (CA)	0 %
VOC content (OTC)	0 %

VOC content (OTC)

International Inventories

Country(s) or region	Inventory name On invent	ory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Vee" indicates that all some	nente of this product comply with the inventory requirements administered by the asycrima country	n (a)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-17-2019
Prepared by	Dustin Kern
Version #	01

Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Product and Company Identification: Product Codes Composition/information on ingredients: Component information Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Precautions for safe handling Handling and storage: Conditions for safe storage, including any incompatibilities Physical & Chemical Properties: Multiple Properties Transport Information: Agency Name, Packaging Type, and Transport Mode Selection Other information, including date of preparation or last revision: Disclaimer