





**PEAKTOP**  
**Artificial Plant with Solar**  
**Lighting**

**PT-OD0004**  
**PT-OD0005**

**TIME SAVER!**  
3D Interactive Instruction





\*\* Got questions? Please have your product code (on the first page of this instruction, e.g. PT-OD0004/PT-OD0005) and the order number ready, give us a call or email us through our customer care support! We are always ready to assist you!

# TEAMSON HOME



Warranty sign up

[www.teamsonhome.com](http://www.teamsonhome.com)

Serving you well gives us great joy!

**USA . . . . +1(800)935-3959**

Mon - Fri 10:00am ~ 2:00pm EST

✉ [support@teamson.com](mailto:support@teamson.com)

**EU . . . . . +44(0)1952-916-050**

Mon - Thu 9:00am ~ 5:00pm GMT

Friday 9:00am ~ 4:00pm GMT

✉ [support@teamson.co.uk](mailto:support@teamson.co.uk)

**ASIA . . . 深圳办公室:**

**+86(0755)8885-3558.分机号108**

Mon - Sat 9:00am ~ 5:00pm GMT+8

✉ [sales\\_ec@teamson.com](mailto:sales_ec@teamson.com)

台北辦公室:

**+886(2)2556-6268**

Mon - Fri 9:00am ~ 5:00pm GMT+8


✉ [sales\\_ec@teamson.com](mailto:sales_ec@teamson.com)

Thank you for choosing Teamson Home


# INSTRUCTION FOR SOLAR PANEL

Solar lights work by using electricity generated by the solar panel to charge internal batteries. These batteries are then used to power the light. When switched on which is on the back of solar panel the lights automatically illuminate at night by using a light sensor. The duration of illumination will depend on the amount of sunlight and therefore change received by the solar panel.

## POSITION



## FIRST USE



Whilst there may be some initial charge in the battery. We recommend fully charging it before first use. Leave the switch in the "ON" position for 2 sunny days to ensure the battery is fully charged. Once fully charged switch to "ON" and your lights will come on automatically.

NOTE: The diagrams shown are for illustrative purposes only and are not to scale.

### INSTRUCTIONS:


1. Turn solar unit on by pressing the power button located on the switch panel.
2. Place the product in direct sunlight.
3. For better performance, make sure solar panel have been fully charged in direct sunlight for approximately 8-10 hours.




Questions?  
Scan Here

# PRODUCT PARTS


A




B




C



Step1




B



C

Step2




A




Questions?  
Scan Here



# CHANGE BATTERY





Step:1




Step:2




Step:3



Step:4



Step:5




Step:6



Questions?  
Scan Here

# LIGHT EFFECT INSTRUCTION

There are flash and normal light effect model.  
Press the model to change one model to another.



Questions?  
Scan Here