


INSTRUCTION MANUAL



Outdoor Patio Sofa with Frame and Cushion

V1.0

TABLE OF CONTENTS


ASSEMBLY INSTRUCTIONS

Patio Deep Seating Right Arm Chair With Cushion..... 3

Patio Deep Seating Left Arm Chair With Cushion 13

Patio Deep Seating Armless Chair With Cushion 23

INSTRUCTION MANUAL




Patio Deep Seating Right Arm Chair With Cushion

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



CHAIR
300 LBS
CAPACITY




1 PERSON
ASSEMBLY




UP TO 20 MIN.
ASSEMBLY

HARDWARE




PARTS



PARTS

D1

REAR LEG



1 PC

E1

FRONT LEG



1 PC

F1


BACK SUPPORT



1 PC

G1

CHAIR LEFT ARM




1 PC

CUSHION

Z1


BACK CUSHION



1 PC

Z2


SEAT CUSHION



1 PC

PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



PRODUCT ASSEMBLY

1


Attach **Part C1 Bottom Bar** to **Part E1 Front Leg** with 2 pcs of **Hardware #3 Screw**.



PRODUCT ASSEMBLY


2

Attach **Part D1 Rear Leg** to **Part C1 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.



3


Attach **Part A1 Chair Seat** to **Part E1 Front Leg** with 2 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


4

Attach **Part D1 Rear Leg** to **Part A1 Chair Seat** with 2 sets of **Hardware #4 Bolt**, **#5 Washer** and **#6 Nut**.



5


Attach **Part G1 Chair Left Arm** to **Part A1 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY

6


Attach **Part A1 Chair Seat** to **Part G1 Chair Left Arm** from inside with 2 pcs of **Hardware #1 Screw**.



7

Place **Part F1 Back Support** as below and attach the **Part F1 Back Support** to **Part D1 Rear Leg** with 2 pcs of **Hardware #1 Screw**.


Attach **Part F1 Back Support** to **Part G1 Chair Left Arm** with 1 pc of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


8

Place **Part B1 Backrest** onto **Part A1 Chair Seat** as below and attach them with 1 pc of **Hardware #1 Screw**.




9

Attach **Part B1 Backrest** to **Part G1 Chair Left Arm** with 1 pc of **Hardware #2 Screw**.



10

Attach **Part B1 Backrest** to **Part F1 Back Support** with 2 pcs of **Hardware #1 Screw**.




11

Check and tighten all the screws when the parts are loosely attached.



Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.




PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form a comfortable sofa set by connecting the seats together as below.



INSTRUCTION MANUAL




Patio Deep Seating Left Arm Chair With Cushion

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



CHAIR
300 LBS
CAPACITY




1 PERSON
ASSEMBLY




UP TO 20 MIN.
ASSEMBLY

HARDWARE




PARTS



PARTS

D2

REAR LEG



1 PC

E2

FRONT LEG



1 PC

F2


BACK SUPPORT



1 PC

G2

CHAIR RIGHT ARM




1 PC

CUSHION

Z1


BACK CUSHION



1 PC

Z2


SEAT CUSHION



1 PC

PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



PRODUCT ASSEMBLY

1


Attach **Part C2 Bottom Bar** to **Part E2 Front Leg** with 2 pcs of **Hardware #3 Screw**.



PRODUCT ASSEMBLY


2

Attach **Part D2 Rear Leg** to **Part C2 Bottom Bar** with 2 pcs of **Hardware #3 Bolt**.



3


Attach **Part A2 Chair Seat** to **Part E2 Front Leg** with 2 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


4

Attach **Part D2 Rear Leg** to **Part A2 Chair Seat** with 2 sets of **Hardware #4 Bolt, #5 Washer** and **#6 Nut**.



5


Attach **Part G2 Chair Right Arm** to **Part A2 Chair Seat** as below with 4 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY

6


Attach **Part A2 Chair Seat** to **Part G2 Chair Right Arm** from inside with 2 pcs of **Hardware #1 Screw**.



7

Place **Part F2 Back Support** as below and attach the **Part F2 Back Support** to **Part D2 Rear Leg** with 2 pcs of **Hardware #1 Screw**.


Attach **Part F2 Back Support** to **Part G2 Chair Right Arm** with 1 pc of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


8

Place **Part B2 Backrest** onto **Part A2 Chair Seat** and **Part F2 Back Support** as below and attach with 1 pc of **Hardware #1 Screw**.




9

Attach **Part B2 Backrest** to **Part G2 Chair Right Arm** and **Part A2 Chair Seat** with 1 pc of **Hardware #2 Screw**.



10


Attach **Part B2 Backrest** to **Part F2 Back Support** with 2 pcs of **Hardware #1 Screw**.

**11**

Check and tighten all the screws when the parts are loosely attached.



Place **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.




PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form a comfortable sofa set by connecting the seats together as below.



INSTRUCTION MANUAL




Patio Deep Seating Armless Chair With Cushion

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



CHAIR
300 LBS
CAPACITY




1 PERSON
ASSEMBLY




UP TO 20 MIN.
ASSEMBLY

HARDWARE



PARTS



PARTS

C2

FRONT LEG II



1 PC

D


BOTTOM BAR



2 PCS

E

REAR LEG



2 PCS

F

BACK SUPPORT




1 PC

CUSHION

Z1


BACK CUSHION



1 PC

Z2


SEAT CUSHION



1 PC

PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Attach **Part D Bottom Bar** to **Part C1 Front Leg I** with 2 pcs of **Hardware #3 Screw**.


Do the same to attach **Part D Bottom Bar** and **Part C2 Front Leg II**.



PRODUCT ASSEMBLY


2

Attach 2 pcs of **Part E Rear Leg** to **Part D Bottom Bar** with 4 pcs of **Hardware #3 Screw**.



3


Attach **Part A Chair Seat** to **Part C1 & C2 Front Legs** with 4 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


4

Attach **Part A Chair Seat** to 2 pcs of **Part E Rear Leg** with 4 sets of **Hardware #2 Bolt**, **#4 Washer** and **#5 Nut**.



5


Attach **Part F Back Support** to 2 pcs of **Part E Rear Leg** with 4 pcs of **Hardware #1 Screw**.



PRODUCT ASSEMBLY


6

Place **Part B Backrest** onto **Part A Chair Seat** as below and attach them with 2 pcs of **Hardware #1 Screw**.



7

Attach **Part B Backrest** to **Part F Back Support** with 2 pcs of **Hardware #1 Screw**.




PRODUCT ASSEMBLY

8

Check and tighten all the screws when the parts are loosely attached.



Place the **Cushion Z1** and **Z2** onto the chair for comfortable use.

Tie the **Seat Cushion** to the **Chair Backrest** to make it steady.



PRODUCT ASSEMBLY TIPS

This model can be combined with other Patio series products to form a comfortable sofa set by connecting the seats together as below.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.