

# 17024AR27

## 6" Fluorescent Compact Remodel Airtight Housing GU24

### Product Description

Suitable for remodel construction in residential and commercial applications. IC rated. Suitable for direct contact with insulation. Use one 120V 13W-27W GU24 lamp (not included).

### Housing

Aluminum construction provides greater heat dissipation. Washington State Energy Code approved to meet restricted airflow requirements. Airtight housing limits the exchange of air between ceiling plenum and heated/cooled areas. Adjustable socket bracket assures proper and consistent lamp positioning. 7 1/2" height allows use in 2" x 8" joist construction.



### Junction Box

Listed for through branch circuit wiring and includes several 3/4" knockouts. Supplied with three push-in wire connectors.


Project


Catalog

Type





**17024AR27 | 6" Fluorescent Compact Remodel Airtight Housing GU24**

Cone Baffle	Order No	Color	Maximum Lamp Rating
	17525BK	Black	27W   GU24 OD: 7 1/2" Airtight
	17525BZ	Bronze	
	17525NK	Nickel	
	17525OB	Oil Rubbed Bronze	
	17525WH	White (shown)	


Cone Baffle	Order No	Color	Maximum Lamp Rating
	17550ACLP	White	27W   GU24 OD: 7 1/2"


Baffle	Order No	Color	Maximum Lamp Rating
	17511BZ	Bronze (shown)	27W   GU24 OD: 8"
	17511NK	Nickel	
	17511OB-ABZ	Oil-Rubbed Bronze (Aged Bronze Ring)	
	17511OB-OB	Oil-Rubbed Bronze (Oil-Rubbed Bronze Ring)	
	17511	White	
	17511SP	White - Single Piece	
	17511SPBK	Black - Single Piece	

Specular	Order No	Color	Maximum Lamp Rating
	17515	Clear	27W   GU24 OD: 7"

Specular Cone	Order No	Color	Maximum Lamp Rating
	17518CL	Clear (shown)	27W   GU24 OD: 7 1/8"
	17518WH	White	

**17024AR27 | 6" Fluorescent Compact Remodel Airtight Housing GU24**

Regressed Eyeball   White Baffle	Order No	Color	Maximum Lamp Rating
	17519	Clear	27W   GU24 OD: 7&1/8" Adjustable up to 30°

Lexan Shower   Albalite Lens	Order No	Color	Maximum Lamp Rating
	17505BZ	Black Baffle/Clear	27W   GU24 OD: 8" Wet Location Rated
	17505NK	Brushed Nickel Baffle/Clear	
	17505OB	Oil-Rubbed Bronze Baffle/ Clear (shown)	
	17505WH	White Baffle/Clear	
	17575	White (with plastic trim ring)	