

— 5-PERSON OUTDOOR PATIO SECTIONAL — WITH OUSHIONS

THANK YOU!

We appreciate you for choosing WestinTrends!

Thank you for letting WestinTrends continue to offer accessible luxury trends, inspired by everyone!

JOIN THE WESTINTRENDS COMMUNITY

Sign up here:

https://westintrends.com/welcome



OUESTIONS OR COMMENTS?

If you have questions reach out to cs@westintrends.com

FOLLOW, SHARE, & LEARN













PRODUCT REGISTRATION

https://westintrends.com/apps/product-registration




TABLE OF CONTENTS

ASSEMBLY INSTRUCTIONS

Patio Deep Seating Left Arm Chair with Cushions	4
Patio Deep Seating Armless Chair with Cushions	9
Patio deep Seating Corner Chair with Cushions	14
Patio Deep Seating Right Arm Chair with Cushions	18
Combining Sofas	23





PATIO DEEP SEATING LEFT ARM CHAIR WITH CUSHIONS

(!) CARE & MAINTENANCE

Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)













JP TO 30 MIN ASSEMBLY

HARDWARE





24 PCS










PARTS








CUSHION



PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.





Attach 2pcs of Part C Chair Arm to Part A Chair Seat with 8 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench.


Make sure to insert all bolts first, then tighten each one evenly to 100%




PRODUCT ASSEMBLY



Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs. Put **Part FLI Seat Cushion** and **Part FL2 Back Cushion** on the seat.








PATIO DEEP SEATING ARMLESS - CHAIR WITH CUSHIONS

(!) CARE & MAINTENANCE

Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)













UP TO 30 MIN. ASSEMBLY

HARDWARE
















PARTS






CUSHION



PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.






Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs.
Put Part FLI Seat Cushion and Part FL2 Back Cushion on the seat.

Now enjoy your chair.







PATIO DEEP SEATING CORNER CHAIR WITH CUSHIONS

(!) CARE & MAINTENANCE

Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)














UP TO 30 MIN. ASSEMBLY

HARDWARE










NUT


M6






PARTS






CUSHION




PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.





Attach 2 pcs of **Part B Backrest** to **Part A Chair Seat** with 8 sets of **Hardware (1pc of # 1 Bolt+2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.




PRODUCT ASSEMBLY




Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs.
Put Part FLI Seat Cushion, Part FL2 Back Cushion and Part FL3 Back Cushion on the seat.

Now enjoy your chair.







PATIO DEEP SEATING RIGHT - ARM CHAIR WITH CUSHIONS

(!) CARE & MAINTENANCE

Do not overtighten screws. (Insert all screws before tightening screws)

Be careful when assembling to avoid damaging the surface.

Clean the chair with lukewarm water, mild detergent & soft cloth.

Firmly secure all bolts before use. Do not use any part of this item as a step ladder.

Make sure that all bolts, screws, and nuts are secure every 90 days.

Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.

Be aware that some parts are heavy and have sharp edges.

Do not overtighten screws. (Insert all screws before tighten screws.)









PERSON



ASSEMBLY

HARDWARE






24 PCS










PARTS








CUSHION



PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.



2

Attach 2pcs of Part C Chair Arm to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench.

Make sure to insert all bolts first, then tighten each one evenly to 100%




PRODUCT ASSEMBLY




Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs. Put **Part FLI Seat Cushion** and **Part FL2 Back Cushion** on the seat.

Now enjoy your chair.





Installation of sectional sofa is shown as below if you purchase a set of sofa. There are two connecting holes on side of Part A Chair Seat. Use 1 set of Hardware (2pcs of #5 Connecting Piece + 2pcs of #1 Bolt + 4pcs of #2 Washer + 2pcs of #3 Nut) for each connecting hole to lock the chairs.



REGISTRATION & REFUND POLICY

https://westintrends.com/apps/product-registration



https://westintrends.com/policies/refund-policy



HAVING TROUBLE

Not sure how to assemble or missing pieces?
 Please contact our Customer Service Team for assistance at cs@westintrends.com

Have Order #, Part # or SKU ready to speed up customer service!

CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture but also helps extend its lifespan.