

Oxivir[®] Tb

Ready to Use Surface Cleaner & Intermediate Disinfectant, General Virucide, Tuberculocide

A ready-to-use disinfectant cleaner based on proprietary hydrogen peroxide (AHP®) technology to deliver fast, effective cleaning performance.

Features/Benefits

- Bactericidal, Tuberculocidal and Virucidal in one minute; Fungicidal in three minutes
- Meets Health Canada's standard for cleaning and decontaminating blood and body fluids
- Compatible with most hard, non-porous surfaces while harnessing the power of Accelerated Hydrogen Peroxide® (AHP) technology
- AHP[®] active breaks down into water and oxygen after use
- Delivers fast and effective cleaning performance while being non-irritating to eyes and skin

Applications

- Clean and disinfect high-touch surfaces
- Now with approved ESS instructions for use







Ready to Use Surface Cleaner & Intermediate Disinfectant, General Virucide, Tuberculocide

Oxivir® Th

Oxivir[®] Tb Ready to Use Surface Cleaner & Intermediate Level Disinfectant, General Virucide, Bactericide, Tuberculocide is a ready-to-use disinfectant cleaner based on proprietary hydrogen peroxide (AHP[®]) technology to deliver fast, effective cleaning performance. Oxivir[®] Tb Wipes is a one-step cleaner disinfectant wipe.

Use Directions

- Pre-clean heavily soiled areas.
- Apply solution by cloth or disposable wipe to hard, non-porous environmental surfaces.
- All surfaces must remain wet for one-minute to kill bacteria, HIV-1, HBV and HCV.
- Air Dry, wipe surfaces to dry and remove any residue, or rinse with potable water as necessary.
- Provides broad spectrum sanitizing of non-food contact surfaces in just 30 seconds.
- Not recommended for use on brass, copper, aluminum, bronze, granite, zinc or marble.
- Food contact surfaces require rinsing with potable water after disinfection.

For Use as a Cleaner or One-Step Disinfectant Product with an Electrostatic Sprayer:

Electrostatic Sprayer directions are for efficacy claims with 1 minute contact time. This is not to be used to treat surfaces for Tb or Fungi.

- 1. Consult User Manual for Electrostatic Sprayer before use.
- 2. Ensure no bystanders or pets are in the room that is to be treated. Operator should wear a half face respirator with chemical specific cartridges and N95 filters
- 3. Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF. If the sprayer has the ability to change nozzles that impact particle size, set the particle size to a volume median diameter (VMD) \geq 40 µm1.
- 4. Pre-clean visibly soiled areas.
- 5. Using the sprayer, apply disinfectant evenly over the hard, non-porous inanimate surface to be cleaned, 0.60 -0.90 m (2-3 feet) from surface, making sure to wet surfaces visibly.
- 6. All surfaces must remain visibly wet for 1 minute. Wipe surfaces dry (or rinse) (or allow to air dry).
- 7. Allow the treated room to remain unoccupied for 15 minutes before reentering.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

Technical data	Oxivir [®] Tb		
DIN Reg. No.	02283522		
Certifications	LONO		
Color	Colorless liquid		
рН	2.2 – 3.2		
Scent	Characteristic of ingredients		
Shelf Life	3 Years		

Product	Pack size	Dilution	Product code	
Oxivir® Tb	12 x 32 fl. oz. / 946 mL Flip Top Bottles Plus One Trigger Sprayers	Ready-to-use	4277293	1+1
Oxivir [®] Tb	1 x 5 gal. Pail Container	Ready-to-use	101104054	1+1
Oxivir® Tb	4 x 1 gal. / 3.78 L Containers	Ready-to-use	101105176	I+I

Safe handling

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use; and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDS are available online at www.diversey.com or by calling 888.352.2249. Improper use or dilution may result in damage to surfaces and may result in health and physical hazards that match those of the concentrate.

Accelerated Hydrogen Peroxide® and Design are trademarks of Diversey, Inc.