

INSTRUCTION MANUAL



Seashell Adirondack Dining Chair


V2.0

! NOTICE

Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Please adjust the speed slowly when you use electric drill for assembling to avoid screw slippage.

TOOLS REQUIRED



**CHAIR
330 LBS
CAPACITY**



**1 PERSON
ASSEMBLY**




**UP TO 30 MIN.
ASSEMBLY**

HARDWARE

1


SCREW
M6 x 80mm



4 PCS

2

BOLT
M6 x 55mm



10 PCS

3

BOLT
M6 x 45mm



4 PCS

4

M6 NUT



10 PCS

5

M6 WASHER




10 PCS

PARTS

A


CHAIR BACKREST



1 PC

B

CHAIR SEAT



1 PC

C

RIGHT CHAIR ARM



1 PC

D


LEFT CHAIR ARM



1 PC

E


RIGHT CHAIR LEG



1 PC


F

LEFT CHAIR LEG



1 PC


PARTS



PRODUCT ASSEMBLY – OVERALL VIEW

1

Look at the overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Place **Part A Chair Backrest** and **Part B Chair Seat** as below, attach **Part H Left Rear Leg** to **Part B Chair Seat** and **Part A Chair Backrest** with 1 pc of **Hardware #1 Screw**.


Do not tighten screws too much at this stage.



2

Attach **Part H Left Rear Leg** to **Part B Chair Seat** with 1 set of **Hardware #2 Bolt**, **Hardware #5 Washer** and **Hardware #4 Nut**.

Attach **Part I Back Rail** to **Part H Left Rear Leg** with 1 pc of **Hardware #3 Bolt**.




PRODUCT ASSEMBLY

3

Attach **Part F Left Chair Leg** to **Part B Chair Seat** with 2 sets of **Hardware #2 Bolt**, **Hardware #5 Washer** and **Hardware #4 Nut**.


Attach **Part I Front Rail** to **Part F Left Chair Leg** with 1 pc of **Hardware #3 Bolt**.



4

Do the same to attach **Part E Right Chair Leg** and **Part G Right Rear Leg** to **Part A** and **B** with 3 sets of **Hardware #2 Bolt**, **Hardware #5 Washer** and **Hardware #4 Nut** as well as 1 pc of **Hardware #1 Screw**.

Attach **Part E Right Chair Leg** and **G** to **Part I Rails** with 2 pcs of **Hardware #3 Bolt**.




PRODUCT ASSEMBLY

5

Attach **Part D Left Chair Arm** to **Part A Chair Backrest** with 1 pc of **Hardware #1 Screw**.


Attach **Part D Left Chair Arm** to **Part F Left Chair Leg** and **Part H Left Rear Leg** with 2 sets of **Hardware #2 Bolt**, **Hardware #5 Washer** and **Hardware #4 Nut**.

Do the same to attach **Part C Right Chair Arm** to the chair to finish the assembly.



6

Tighten all the bolts and screws again to ensure this chair is steady enough to use.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.