



























| Flexsteel Style# →  | 1327-19PH          | Factory Style# → | KME.899      | Date updated →                                    | 12/26/2023             |
|---|--------------------|------------------|--------------|---|------------------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part#        |
|    | Power Switch       | 01.58.07192      | DL-SK-018-03 | Switch Input 29V                                  | L3271219               |
|     | Headrest Motor     | 01.58.05295      | KDPT010-139  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s | L3274125<br>3000018886 |
|     | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm  | L3271619               |
|    | Extension          | 01.58.02072      | 353#         | 29V-2A-L1350mm                                    | L3274319               |
|  | Plastic Leg        | 01.55.08064      | n/a          | D50xD59xH40mm<br>PP                               | L3279219               |






|   |   |                                    |            |  |                  |
|---|---|------------------------------------|------------|--|------------------|
|   | <p>Brackets/Connector<br/>Locker with Bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p> | <p>Connector Bracket &amp;<br/>Bolts: 6x20mm</p> | <p>L3272819</p>  |
|  | <p>Back/Seat<br/>Cut&amp;sew in NL6210</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Milk</p>                           | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in NL6213</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Gray</p>                           | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in 009-42</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S</p>                                   | <p>KUC&amp;S</p> |






| Flexsteel Style# →  | 1327-23PH          | Factory Style# → |              | Date updated →                                   | 12/26/2023             |
|---|--------------------|------------------|--------------|--|------------------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec   | Flexsteel Part#        |
|     | Power Switch       | 01.58.07192      | DL-SK-018-03 | Switch input 29V                                 | L3271219               |
|    | Headrest Motor     | 01.58.050040     | KDPT010-152  | 29V 5A Max 800N,<br>stroke 82mm,<br>speed 12mm/s | L3274119<br>3000024643 |
|    | Headrest Mechanism | 01.51.030451     | WH026-11     | W660mm   | L3271623               |
|    | Extension Cord     | 01.58.02073      | 355#         | 29V-2A-L1500mm                                   | L3274323               |
|  | Plastic Leg        | 01.55.08064      | n/a          | D50xD59xH40mm<br>PP                              | L3279219               |

|   |   |                                    |            |                        |                  |
|---|---|------------------------------------|------------|------------------------|------------------|
|  | <p>Brackets/Connector<br/>Locker with Bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p> | <p>Bolts: 6x20mm</p>   | <p>L3272819</p>  |
|  | <p>Back/Seat<br/>Cut&amp;sew in NL6210</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Milk</p> | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in NL6213</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Gray</p> | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in 009-42</p>      | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S</p>         | <p>KUC&amp;S</p> |






| Flexsteel Style# →  | 1327-25PH          | Factory Style# → |              | Date updated →                                    | 12/26/2023             |
|---|--------------------|------------------|--------------|---|------------------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part#        |
|    | Power Switch       | 01.58.07192      | DL-SK-018-03 | Switch Input 29V                                  | L3271219               |
|    | Headrest Motor     | 01.58.05295      | KDPT010-139  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s | L3274125<br>3000018886 |
|    | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm  | L3271619               |
|   | Extension          | 01.58.02072      | 353#         | 29V-2A-L1350mm                                    | L3274319               |
|  | Plastic Leg        | 01.55.08064      | n/a          | D50xD59xH40mm<br>PP                               | L3279219               |

|   |  |   |            |  |                  |
|---|--|---|------------|--|------------------|
|    | <p>Brackets/Connector<br/>Locker with Bolts</p>          | <p>01.25.12114<br/>01.50.01151</p>                                  | <p>n/a</p> | <p>Connector Bracket &amp;<br/>Bolts: 6x20mm</p> | <p>L3272819</p>  |
|     | <p>Wood Legs w/Bolts,<br/>Washers,<br/>white glides</p>  | <p>02.02.010751<br/>01.50.01031<br/>01.50.05008<br/>01.55.03023</p> | <p>n/a</p> | <p>Bolts: 8x45mm<br/>Washers: 8mm</p>            | <p>L3279150</p>  |
|    | <p>Back/Seat<br/>Cut&amp;sew in NL6210<br/>(749-11)</p>  | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S In Milk</p>                           | <p>KUC&amp;S</p> |
|    | <p>Back/Seat<br/>Cut&amp;sew in NL6213<br/>(749-01)</p>  | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S In Gray</p>                           | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in U630130<br/>(009-42)</p> | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S</p>                                   | <p>KUC&amp;S</p> |



| Flexsteel Style# →  | 1327-26PH          | Factory Style# → |              | Date updated →                                    | 12/16/2023             |
|---|--------------------|------------------|--------------|---|------------------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part#        |
|     | Power Switch       | 01.58.07192      | DL-SK-018-03 | Switch Input 29V                                  | L3271219               |
|     | Headrest Motor     | 01.58.05295      | KDPT010-139  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s | L3274125<br>3000018886 |
|    | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm  | L3271619               |
|    | Extension          | 01.58.02072      | 353#         | 29V-2A-L1350mm                                    | L3274319               |
|  | Plastic Leg        | 01.55.08064      | n/a          | D50xD59xH40mm<br>PP                               | L3279219               |






|   |  |   |            |  |                  |
|---|--|---|------------|--|------------------|
|    | <p>Brackets/Connector<br/>Locker with Bolts</p>          | <p>01.25.12114<br/>01.50.01151</p>                                  | <p>n/a</p> | <p>Connector Bracket &amp;<br/>Bolts: 6x20mm</p> | <p>L3272819</p>  |
|     | <p>Wood Legs w/Bolts,<br/>Washers,<br/>white glides</p>  | <p>02.02.010751<br/>01.50.01031<br/>01.50.05008<br/>01.55.03023</p> | <p>n/a</p> | <p>Bolts: 8x45mm<br/>Washers: 8mm</p>            | <p>L3279150</p>  |
|    | <p>Back/Seat<br/>Cut&amp;sew in NL6210<br/>(749-11)</p>  | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S In Milk</p>                           | <p>KUC&amp;S</p> |
|    | <p>Back/Seat<br/>Cut&amp;sew in NL6213<br/>(749-01)</p>  | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S In Gray</p>                           | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in U630130<br/>(009-42)</p> | <p>n/a</p>  | <p>n/a</p> | <p>C&amp;S</p>                                   | <p>KUC&amp;S</p> |







| Flexsteel Style# →  | 1327-50PH          | Factory Style# → | KME.899      | Date updated →  | 12/26/2023      |
|---|--------------------|------------------|--------------|---|-----------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part# |
|    | Transformer        | 01.58.02076      | KDDY008F     | Input: AC 100-240V<br>50/60Hz 2.4A<br>Output: 29V 2A sustained,<br>4A with 10% duty cycle | L8282160        |
|    | Power Switch       | 01.58.070005     | DL-SK-179-19 | USB output 5V-Max3A,<br>Switch input 29V,<br>L1500mm                                      | L3271250        |
|    | Base Motor         | 01.58.05294      | KDYJT018-543 | 29V 5A Max 1000N,<br>stroke 297mm,<br>speed 40mm/s  | L327BM50        |
|   | Headrest Motor     | 01.58.05222      | KDPT010-101  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s   | L3274150        |
|  | Headrest Mechanism | 01.51.030452     | WH026-2      | W410mm  | L327HD50        |






|   |  |   |       |                                     |           |
|---|--|---|-------|-------------------------------------|-----------|
|    | Mechanism                                | 01.51.030377  | K5120 | L539.8mm                            | L327H1550 |
|    | Charging Port                            | 01.58.07168   | 154#  | 29V-2A-L500mm                       | L8284162  |
|    | KD Connector between back and seat       | 01.51.04805<br>01.51.04806                                | n/a   | Steel, 001-1 ®/<br>Steel, 001-2 (L) | L0324150  |
|     | Wood Legs w/Bolts, washers, white glides | 02.02.010751<br>01.50.01031<br>01.50.05008<br>01.55.03023 | n/a   | Bolts: 8x45mm<br>Washers: 8mm       | L3279150  |
|    | Plastic Legs w/Bolts                     | 01.55.08056<br>01.50.01023                                | n/a   | Bolts: 6x30mm                       | L3279250  |
|  | Back/Arm/Seat Cut&sew in NL6210          | n/a   | n/a   | C&S In Milk                         | KUC&S     |

|   |                                    |     |     |             |       |
|---|------------------------------------|-----|-----|-------------|-------|
|  | Back/Arm/Seat<br>Cut&sew in NL6213 | n/a | n/a | C&S In Gray | KUC&S |
|  | Back/Arm/Seat<br>Cut&sew in 009-42 | n/a | n/a | C&S In Gray | KUC&S |

| Flexsteel Style# →  | 1327-57PH          | Factory Style# → | KME.899      | Date updated →  | 12/26/2023      |
|---|--------------------|------------------|--------------|---|-----------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part# |
|    | Transformer        | 01.58.02076      | KDDY008F     | Input: AC 100-240V<br>50/60Hz 2.4A<br>Output: 29V 2A sustained,<br>4A with 10% duty cycle | L8282160        |
|    | Power Switch       | 01.58.070005     | DL-SK-179-19 | USB output 5V-Max3A,<br>Switch input 29V, L1500mm   | L3271250        |
|    | Base Motor         | 01.58.05294      | KDYJT018-543 | 29V 5A Max 1000N,<br>stroke 297mm,<br>speed 40mm/s  | L327BM50        |
|    | Headrest Motor     | 01.58.05222      | KDPT010-101  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s   | L3274150        |
|  | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm  | L3271619        |





|  |  |   |       |   |           |
|--|--|---|-------|---|-----------|
|   | Mechanism                                | 01.51.030376  | K5120 | L708mm  | L327H1557 |
|   | Charging Port                            | 01.58.07168   | 154#  | 29V-2A-L500mm                                   | L8284162  |
|    | Extension Cord                           | 01.58.02078   | 364#  | 29V-2A-L1100mm                                  | L3274357  |
|   | KD Connector between back and seat       | 01.51.04805<br>01.51.04806                                | n/a   | Steel, 001-1 <sup>®</sup> /<br>Steel, 001-2 (L) | L0324150  |
|   | Wood Legs w/Bolts, Washers, white glides | 02.02.010751<br>01.50.01031<br>01.50.05008<br>01.55.03023 | n/a   | Bolts: 8x45mm<br>Washers: 8mm                   | L3279150  |
|  | Plastic Legs w/Bolts                     | 01.55.08056<br>01.50.01023                                | n/a   | Bolts: 6x30mm                                   | L3279250  |






|  |   |                                    |            |                        |                  |
|--|---|------------------------------------|------------|------------------------|------------------|
|    | <p>Brackets/Connector<br/>Locker with bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p> | <p>Bolts: 6x20mm</p>   | <p>L3272819</p>  |
|   | <p>Back/Arm/Seat<br/>Cut&amp;sew in NL6210</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Milk</p> | <p>KUC&amp;S</p> |
|   | <p>Back/Arm/Seat<br/>Cut&amp;sew in NL6213</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Gray</p> | <p>KUC&amp;S</p> |
|  | <p>Back/Arm/Seat<br/>Cut&amp;sew in 009-42</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Gray</p> | <p>KUC&amp;S</p> |

| Flexsteel Style# →  | 1327-58PH          | Factory Style# → | KME.899      | Date updated →  | 12/26/2023      |
|---|--------------------|------------------|--------------|---|-----------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec  | Flexsteel Part# |
|    | Transformer        | 01.58.02076      | KDDY008F     | Input: AC 100-240V 50/60Hz<br>2.4A Output: 29V 2A<br>sustained,<br>4A with 10% duty cycle | L8282160        |
|    | Power Switch       | 01.58.070005     | DL-SK-179-19 | USB output 5V-Max3A,<br>Switch input 29V, L1500mm   | L3271250        |
|    | Base Motor         | 01.58.05294      | KDYJT018-543 | 29V 5A Max 1000N,<br>stroke 297mm,<br>speed 40mm/s  | L327BM50        |
|    | Headrest Motor     | 01.58.05222      | KDPT010-101  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s   | L3274150        |
|  | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm  | L3271619        |

|  |  |   |       |   |           |
|--|--|---|-------|---|-----------|
|   | Mechanism                                | 01.51.030376  | K5120 | L708mm  | L327H1557 |
|   | Charging Port                            | 01.58.07168   | 154#  | 29V-2A-L500mm                                   | L8284162  |
|   | Extention Cord                           | 01.58.02078   | 364#  | 29V-2A-L1100mm                                  | L3274357  |
|   | KD Connector between back and seat       | 01.51.04805<br>01.51.04806                                | n/a   | Steel, 001-1 <sup>®</sup> /<br>Steel, 001-2 (L) | L0324150  |
|   | Wood legs w/Bolts, washers, white glides | 02.02.010751<br>01.50.01031<br>01.50.05008<br>01.55.03023 | n/a   | Bolts:8x45mm<br>Washers: 8mm                    | L3279150  |
|  | Plastic Legs w/Bolts                     | 01.55.08056<br>01.50.01023                                | n/a   | Bolts: 6x30mm                                   | L3279250  |



|   |   |                                    |            |                        |                  |
|---|---|------------------------------------|------------|------------------------|------------------|
|  | <p>Brackets/Connector<br/>Locker with bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p> | <p>Bolts: 6x20mm</p>   | <p>L3272819</p>  |
|  | <p>Back/Arm/Seat<br/>Cut&amp;sew in NL6210</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Milk</p> | <p>KUC&amp;S</p> |
|  | <p>Back/Arm/Seat<br/>Cut&amp;sew in NL6213</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In Gray</p> | <p>KUC&amp;S</p> |
|  | <p>Back/Arm/Seat<br/>Cut&amp;sew in 009-42</p>  | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S</p>         | <p>KUC&amp;S</p> |

| Flexsteel Style# →  | 1327-59PH          | Factory Style# → | KME.899      | Date updated →                                     | 12/26/2023      |
|---|--------------------|------------------|--------------|--|-----------------|
| Reference Picture   | Part Description   | Supplier Part#   | Model Number | Spec   | Flexsteel Part# |
|     | Power Switch       | 01.58.07054      | KDH032-302   | Switch input 29V                                   | L3271259        |
|    | Base Motor         | 01.58.05294      | KDYJT018-543 | 29V 5A Max 1000N,<br>stroke 297mm,<br>speed 40mm/s | L327BM50        |
|     | Headrest Motor     | 01.58.05222      | KDPT010-101  | 29V 5A Max 800N,<br>stroke 110mm,<br>speed 12mm/s  | L3274150        |
|   | Headrest Mechanism | 01.51.030453     | WH026-8      | W580mm   | L3271619        |
|  | Mechanism          | 01.51.030376     | K5120        | L708mm   | L327H1557       |

|   |   |                                    |             |   |                  |
|---|---|------------------------------------|-------------|---|------------------|
|     | <p>Extention Cord</p>                           | <p>01.58.02072</p>                 | <p>353#</p> | <p>29V-2A-L1350mm</p>                                 | <p>L3274319</p>  |
|    | <p>KD Connector between<br/>back and seat</p>   | <p>01.51.04805<br/>01.51.04806</p> | <p>n/a</p>  | <p>Steel, 001-1<sup>®</sup>/<br/>Steel, 001-2 (L)</p> | <p>L0324150</p>  |
|     | <p>Plastic Legs w/Bolts</p>                     | <p>01.55.08056<br/>01.50.01023</p> | <p>n/a</p>  | <p>Bolts: 6x30mm</p>                                  | <p>L3279250</p>  |
|    | <p>Brackets/Connector<br/>Locker with Bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p>  | <p>Bolts: 6x20mm</p>                                  | <p>L3272819</p>  |
|   | <p>Back/Seat<br/>Cut&amp;sew in NL6210</p>      | <p>n/a</p>                         | <p>n/a</p>  | <p>C&amp;S In Milk</p>                                | <p>KUC&amp;S</p> |
|  | <p>Back/Seat<br/>Cut&amp;sew in NL6213</p>      | <p>n/a</p>                         | <p>n/a</p>  | <p>C&amp;S In Gray</p>                                | <p>KUC&amp;S</p> |








Back/Seat  
Cut&sew in 009-42






n/a

n/a

C&S

KUC&S

| Flexsteel Style# →  | 1327-72               | Factory Style# → | KME.899      | Date updated →               | 12/26/2023      |
|---|-----------------------|------------------|--------------|------------------------------|-----------------|
| Reference Picture   | Part Description      | Supplier Part#   | Model Number | Spec                         | Flexsteel Part# |
|     | Extension Cord        | 01.58.02073      | 355#         | 29V-2A-L1500mm               | L3274323        |
|    | Console Insert        | 01.55.10042      | TC-A-02      | Plastic,<br>H126xW268xL312mm | L0413264        |
|    | USB and Outlets       | 01.58.04018      | TC-S-03      | 5V-2A-L3000mm                | L759US64        |
|   | Hinge For Console Lid | 01.51.04792      | n/a          | Steel                        | L8283164        |
|  | Cup Holder            | 01.52.06014      | n/a          | Stainless steel,<br>90x75mm  | LV798864        |

|   |   |                                    |            |                             |                  |
|---|---|------------------------------------|------------|-----------------------------|------------------|
|    | <p>Plastic Leg</p>                              | <p>01.55.08064</p>                 | <p>n/a</p> | <p>D50xD59xH40mm<br/>PP</p> | <p>L3279219</p>  |
|    | <p>Brackets/Connector<br/>Locker with Bolts</p> | <p>01.25.12114<br/>01.50.01151</p> | <p>n/a</p> | <p>Bolts: 6x20mm</p>        | <p>L3272819</p>  |
|    | <p>Back/Console<br/>Cut&amp;sew in NL6210</p>   | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In MILK</p>      | <p>KUC&amp;S</p> |
|    | <p>Back/Console<br/>Cut&amp;sew in NL6213</p>   | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In GRAY</p>      | <p>KUC&amp;S</p> |
|  | <p>Back/Console<br/>Cut&amp;sew in 009-42</p>   | <p>n/a</p>                         | <p>n/a</p> | <p>C&amp;S In GRAY</p>      | <p>KUC&amp;S</p> |